


Radio Communication

April 1990

IARU Region 1 Conference / Torremolinos, Spain / April 1-6 1990



UK Novice Licence
The Instruction Stage

The TS-950S Reviewed



RSGB NATIONAL CONVENTION
NEC : April 21-22 : Official Guide

Double Tops

DUAL BAND VHF (45W)/UHF (35W)

FM MOBILE TRANSCIVER

When only the best is good enough—and

you still want something better.

- ★ Cross Band Full Duplex
- ★ 4 Scanning Modes
- ★ 10 Function Memory Channels
- ★ Highly Visible Colour LCD Display
- ★ Illuminated Front Panel Controls
- ★ 5 Channel Spacing Steps
- ★ Built-in Duplexer
- ★ Function Keys have Unique Audible Tone
- ★ Bell Function
- ★ Compact & Lightweight

Accessories included:

- ★ Hand-held microphone
- ★ Mobile mounting bracket
- ★ Mounting hardware
- ★ Power cable



ALINCO
from MAPLIN
the authorised
distributor

This very high quality 2m/70cm FM dual band mobile transceiver has been specially designed to provide maximum performance and operating convenience in an ultra compact package. An impressive array of features gives maximum flexibility in mobile installations. The transceiver has an output power of 45W (VHF) 35W (UHF) and incorporates a high/low power switch. The unit is provided with 10 programmable memories. Channel spacing is in 5, 10, 12.5, 20 and 25kHz steps. There are four scanning modes:

1. VFO scanning of the entire band.
2. Memory scanning of selected memories.
3. Programmed band scanning of a selected segment of the band.
4. Priority scanning allows selection of a frequency, in VFO or memory, to serve as a priority frequency.

A duplexer is built-in so that when an antenna for both bands is in use, only one feeder cable for the transceiver is necessary.

The unit is supplied with a comprehensive instruction manual. It is illegal to transmit with this unit unless you hold a Radio Amateur's Class B (or A) licence.

Quote Reference DBT13 **£499.95**

PLUS TOP VALUE AMATEUR RADIO VHF FM Handheld 2m Transceiver.

- ★ Ultra compact, lightweight design
- ★ 6.5W Output Power
(with optional 12V battery pack)
- ★ Simple Operation
- ★ Easy to See LCD Display
- ★ 10 Channel Memories
- ★ Battery Save
- ★ Function Lock
- ★ Tone Burst
- ★ Amazing Compact Size Only 3×6×17 cm approx.

A very high quality, lightweight, 2m handheld transceiver, incorporating many useful features. This transceiver is extremely simple to operate, most functions can be performed with one hand!

Quote Reference AHT13 **£219.95**

12V Ni-Cad Battery Pack

For use with either above hand-held transceivers
A 12V 700mAh battery pack with integral DC-DC converter which allows the transceiver to be powered from a car cigarette lighter socket.

A charger is also available for use with this pack.
Battery Pack NBPI3 **£59.95** Charger NBCT3 **£14.95**



VHF/UHF FM Dual Band Handheld Transceiver

- ★ 6W VHF/5W UHF Output Power
(with optional 12V battery pack)
- ★ Cross Band Full Duplex Operation
- ★ Frequency selection by Direct Keyboard Entry or Step Up/Step Down
- ★ Automatic Battery Save Function
- ★ 20 Memory Channels
- ★ Built-in OTMF Keypad and Encoder
- ★ Amazing Compact Size Only 3×6×19 cm approx.

This unit is very compact and is one of the smallest dual band transceivers currently available. With the battery pack supplied output power is 2.5W for VHF and 2W for UHF. Frequency selection is either by direct keypad entry of the required frequency or by using step up/step down buttons in increments/decrements of 5kHz, 100kHz and 1MHz. An automatic battery save (ABS) function will extend battery life considerably. There are 20 memories (10 VHF and 10 UHF) for storing operating, offset and tone frequencies. The scanning facility has a priority function which has the ability to scan between chosen VHF and UHF frequencies. A 10dB RF attenuator is switch selectable and can be used in areas of high RF saturation.

Quote Reference DHT13 **£369.95**



Maplin ELECTRONICS

P.O. Box 3, Rayleigh, Essex SS6 8LR.

CREDIT CARD HOTLINE

0702 554161



PHONE BEFORE 5PM FOR SAME DAY DESPATCH

or call in at a Maplin store in Birmingham, Bristol, Leeds, Hammersmith, Edgware, Manchester, Nottingham, Newcastle-upon-Tyne, Reading, Southampton and Southend-on-Sea

Add 75p for carriage on all mail orders. If only ordering a catalogue, just add 50p carriage.
Subject to availability. Prices may change after May 1st 1990

**SEE THE COMPLETE RANGE OF TRANSCIVERS AND LOTS MORE IN OUR BUMPER 580-PAGE CATALOGUE
ON SALE NOW AT ALL BRANCHES OF WHSMITH - PRICE £2.25!**

News and Editorial

Marcia Brimson
Peter Chadwick, G3RZP
Mike Dennison, G3XDV
David Evans, G3OUF
Dave Simmonds, G3JKB

Production

Derek Cole
Sid Clark
Neil Jackson

Radio Communication

VOLUME 66 No 4

APRIL 1990

CONTENTS

All contributions and correspondence concerning the content of *Radio Communication* should be posted to:

The Editor
Radio Communication
Lambda House, Cranborne Road
Potters Bar, Herts EN6 3JE

Tel (Editorial): 0707 59015
Fax (Editorial): 0707 46094
Tel (GB2RS late changes):
0707 59260
E-mail (Telecom Gold):
76:MSX020
Prestel Page 8107

Reprints for *Spectrum Analysis* should be sent to the Band Editors

HF
John Allaway, G3FKM, 10 Knightlow
Road, Birmingham B17 8QB
VHF/UHF
Norman Filch, G3FPM, 40 Eskdale
Gardens, Putney, Surrey CR2 1EZ
(Telecom Gold 76:MSX022)
Telex 9312132268 (SAG)
SWL
Bob Treacher, 93 Elbank Road,
Eltham, London SE9 1QJ
MICROWAVES
Mike Dixon, G3PFR, Woodstock,
Gazebank, Nailor, Warrington,
Cheshire WA6 8LL

ADVERTISING

All display and classified
advertising enquiries (excepting
Members' Ads) should be
directed to our advertisement
agents:

Victor Brand Associates Ltd.,
'West Barn', Low Common,
Bunwell,
Norwich, Norfolk NR16 1SY.
Tel: 095 389 8473
Fax: 095 389 8437

Radio Communication is published
by the Radio Society of Great Britain
as its official journal on the first day
of the relevant month and is sent
free and post paid to all members of
the Society.

Closing date for contributions, unless
otherwise notified, is five weeks prior
to publication date

© Radio Society of Great Britain
1990

Printed by JJ Typographics Ltd,
Unit 4, Baron Court, Chandlers
Way, Temple Farm Industrial
Estate, Southend-on-Sea, Essex
SS2 5SE.

Printed by Mayhew McCummon
Printers Ltd, Units 1-4 Star Lane
Industrial Estate, Great Wakering,
Essex SS3 0PJ



35,422 copies per
issue average
circulation in 1988

Radio Communication

April 1990

1987 Region 1 Challenge / Southampton, April 1-4 1988



Main cover story:
IARU Region 1 Conference — page 6



Project YEAR 1:
Novice Licence Training — Page 16



Project YEAR 2:
An astronaut, a school and amateur
radio — page 46



Supplement:
Free NEC show programme

4 SOCIETY PAGES

18/24MHz • QSL Bureau news • Subscriptions and donations • Slow
Morse - GB2CW • David Gough Jnr • Mid Glamorgan RLO • Callsigns •
Postal dispute hits RSGB HQ

6 NEWS AND REPORTS

IARU Region 1 Conference • G-Plates again • End of converted CBs? •
Space shuttle • Lunar eclipse and moonbounce • Leonard Cheshire
patron of RAIBC • One step nearer to 1992 • WAB contests • European
Youth Clubs Day • Romania first hand • HF Contests Committee news •
Foxteering In Japan • Catswhisker Award • RAFARS QSL Manager

9 MAY 1989 RAE REPORT

What the City and Guilds thought of last year's results

14 RADCOM POSTAL SURVEY

The facts about the magazine's delivery times

16 NOVICE LICENCE TRAINING

John Case, GW4HWR, reveals the training methods planned for the
Novice Licence

19 SPECTRUM ANALYSIS

• HF
• HF PROPAGATION PREDICTIONS
• VHF/UHF
• SWL

29 TECHNICAL TOPICS

Steerable 7MHz DX antenna • A German Chirex-Mesney UHF antenna •
Soldering to iron and steel • The NEI clandestine transmitters and
receivers • Linear UHF transceiver with cartesian loop feedback • Beware
of costly dust • Boosting the QRP rig • Microminiature fuel cells •
Exploiting the millimetre-wave bands • Preferred cw copying tones •
Taking out D/F

35 KENWOOD TS-950S DIGITAL HF TRANSCEIVER REVIEW

Peter Hart, G3SIX, gives this high-tech transceiver a thorough going over

38 FURTHER EVOLUTION OF THE G3LDO DOUBLE-D ANTENNA

The Double-D ten years on; can it be improved?

46 CLOSE ENCOUNTER WITH A MOON MAN

Project YEAR In action

47 1989 HOW WAS IT FOR YOU?

A propagation review of last year by Charlie Newton

50 COLUMNS

• SATELLITES
• MICROWAVES
• SWL
• ORP
• EMC MATTERS

67 RSGB MAIL-ORDER PRICE LIST

70 CONTEST NEWS

76 MEMBERS' ADS

78 HELPLINES

78 PRODUCT NEWS

79 EVENTS DIARY

81 THE LAST WORD

82 INDEX TO ADVERTISERS

PULL-OUT SECTION

i-xx FREE - OFFICIAL NEC SHOW PROGRAMME

A complete guide to the UK's biggest amateur radio show • Programme of
events • New products on show • Full list of exhibitors • Plan of the
exhibition • RSGB Books

RADIO SOCIETY OF GREAT BRITAIN

THE NATIONAL SOCIETY WHICH REPRESENTS UK RADIO AMATEURS

Founded 1913 Incorporated 1926 Limited by guarantee.
Member society of the International Amateur Radio Union

PATRON: HRH PRINCE PHILIP, DUKE OF EDINBURGH, KG

Membership is open to all those with an active interest in radio experimentation and communication as a hobby. Applications for membership should be made to the Membership Services Department from which full details of Society services may also be obtained

Headquarters and registered office.
Lambda House, Cranborne Road, Potters Bar, Herts EN5 3JE
Telex 9312 130923 (RSGB)
Electronic mail via Dialcom/Telecom Gold 87.CQ0083
Telephone: 0707 59015 Fax: 0707 45105

Secretary and Chief Executive: David Evans, MSAE, CPL, G3OUF
General Manager: David Simmonds, G3JKB

COUNCIL OF THE SOCIETY

PRESIDENT: Frank Hall, GM8BZX
EXECUTIVE VICE PRESIDENT: John Case, GW4HWR
IMMEDIATE PAST-PRESIDENT:
Julian Gannaway, G3YGF
HONORARY TREASURER: W J McClintock, G3VPK

ORDINARY MEMBERS OF COUNCIL

E J Allaway, MB, ChB, MRCS, LRCP, G3FKM
J Bazley, G3HCT
G L Benbow, MSc, CEng, MIEE, G3HB
Mrs M H Claytons-Smith, G4JKS
G R Jessop, CEng, MIEE, G6JP
T I Lundegard, G3GJW
A McKenzie, MBE, CEng, FIEE, FAES, G3OSS
F S G Rose, G2DRT

ZONAL MEMBERS OF COUNCIL

Zone A: G R Smith, BSc, MISTC, MBIM, G4AJJ
Zone B: J Allen, G3DOT
Zone C: J Greenwell, AMIEE, G3AEZ
Zone D: P E Chadwick, G3RZP
Zone E: E J Case, GW4HWR
Zone F: J T Barnes, G3USS
Zone G: I D Stuart, GM4AUP

HONORARY OFFICERS

Audio Visual Library co-ordinator: R G Auckland, G2PA
HF Awards manager: S Emlyn-Jones, GW4BKG
VHF Awards manager: Ian L Cornes, G4OUT
Chief Morse test examiner: A N Tansley, G3GDO
HF manager: E J Allaway, G3FKM
Microwave manager: C W Suckling, G3WDG
Trophies manager: Mrs M H Claytons-Smith, G4JKS
VHF manager: D Buller, G4ASR
Society historian: G R Jessop, G6JP
Intruder Watch (IARUMS): Stan Cook, G5XB

Correspondence to honorary officers should be addressed directly to them (QTH), not to RSGB HQ

ANNUAL SUBSCRIPTION RATES

Once-off joining fee: £1.50

Corporate members: UK and overseas (*Radio Communication* by accelerated surface post): £25.00

UK associate member under 18: £8.50. **Family member:** £9.95

UK students over 18 and under 25: £12.75 (Applications should give applicant's age at last renewal date and include evidence of student status)
Affiliated club or society/registered group (UK): £25.00 (including *Radio Communication*): £14.95 (excluding *Radio Communication*) (Subscriptions include VAT where applicable)

Membership application forms available from RSGB HQ

18/24MHz

Since January the Radio Amateur Licensing Unit in Chesterfield has been sending out with Licence Renewal Validation Documents a copy of BR68 — the licence terms and conditions limitation booklet. The booklet has not been updated with respect to the 18/24MHz band. The DTI says that they will produce an updated version of BR68 as soon as possible. In the meantime the information published in the July 1989 *RadCom* on p7 is correct.

QSL Bureau News

The new QSL sub-Manager for the G4PAA - PZZ series is Mr P Colvin, G0BXQ, 46 Beechwood Avenue, Woodley, Berks, RG5 3DG.

From 1 May, the outgoing side of the QSL Bureau moves to Potters Bar. More about this next month.

Subscriptions and donations

Each month, some 20 to 30 RSGB members overpay their subscriptions. The Society prepares and posts back a refund cheque. A number of members who receive cheques kindly return them as a donation to the Society's funds. It is intended in future to regard all overpayments of subscriptions as a donation as this will reduce the cost of refunds and subsequent re-processing. All donations will be acknowledged, and if a refund is then requested it will be made.

Slow Morse - GB2CW

Volunteers from all parts of the UK spend many hours each week broadcasting Morse practice transmissions from their homes or clubs. This is done for the benefit of other radio amateurs preparing for the 12 wpm Morse test. In recognition of the essential role played by these volunteers in helping to maintain the future of our hobby, the RSGB has for many years expressed a wish to the DTI that a special callsign be used for all RSGB Morse practice transmissions.

We are pleased to report that the DTI has now agreed that from 1 June all accredited RSGB Morse practice transmissions will be made using the callsign GB2CW. This means broadcasts will become easily identified as authentic transmissions properly licensed by the DTI and coordinated by the RSGB.

Up to date schedules of transmissions can be obtained by sending an SAE to the Morse Practice Coordinator at the address shown below. (Lists also appear in

NEC 1990 Save 50p

Inside this month's *RadCom* is a free pull-out programme for the RSGB's National Convention and Exhibition at the NEC. Please remember to take this with you to the NEC as it will save you paying 50p for one on the door!

the RSGB Call Book - Ed). New volunteers are constantly being sought to provide increased VHF coverage at local levels, for Morse practice transmissions. For further details, please write to: Mike Thayne, G3GMS, Morse Practice Coordinator, 14 Tynedale Avenue, Monkseaton, Whitley Bay, Tyne and Wear, NE26 3BA.

David Gough jnr

Former RSGB News Editor, David Gough, who emigrated to VK last year is now a dad. His wife, Chris, gave birth to a son - James Michael David - in mid February. No doubt all members who knew David will join us in sending congratulations and best wishes.

Mid Glamorgan RLO

A reminder that the RSGB Liaison Officer for Mid Glamorgan is Clive Trotman, GW4YKL, 19 Park View, Dolau, Llanharan, Pontyclun, Mid Glamorgan, CF7 9RZ. Clive was appointed following his predecessor's move out of the area. Members in Mid Glamorgan should contact GW4YKL for information on all aspects of the Society's business.

Callsigns - thanks

In the March 90 *RadCom* we published some of the ideas about UK callsigns in the future, and asked for your comments. As a result, we received many letters expressing different views. While we have not acknowledged every letter individually, a special thank you to those who took the trouble to communicate their views to the Society.

Postal dispute hits RSGB HQ

During March, industrial action at a North London sorting office stopped all mail into and out of RSGB HQ, creating a huge backlog lasting several weeks. Thousands of franked letters and parcels were held up at HQ awaiting collection. Members are asked to be patient whilst the post returns to normal.

Deliberate bad operating

Everyone is aware of football hooligans - they are a tiny minority of people who behave in a completely irresponsible way - sadly perhaps without even realising it. They give football a bad name and colour many people's perception of an otherwise terrific sport.

How sad it is that it only takes a few rotten apples to foul up other people's pleasure. How sad it is that the same is also true in amateur radio. Abuse of the amateur airwaves takes many forms and is not confined to just HF or VHF operation.

The recent DXpedition to Bouvet Island by the 3Y5X team certainly brought out the very worst in a tiny group of HF operators worldwide. The inconsiderate operation by some who were attempting to work a new country was certainly no mitigation for some of the worst demonstrations of intolerance ever heard on the amateur bands.

On the VHF bands deliberate abuse takes other forms. Packet radio has a tiny percentage of messages circulating the mailbox network which by any standards are offensive, abusive, scare-mongering and often totally misleading. Bad language on repeaters and amateurs "winding up" other amateurs is also prevalent on repeaters in or near major cities. Deliberate repeater jamming has been with us for years, as has other forms of abuse.

By and large the handful of radio amateurs who are responsible for all of the above forms of abuse are well-known for their activities. These people must certainly not be encouraged for, whether they realise it or not, they are wrecking our hobby. A hobby which has a high reputation with sound values and a history of outstanding service.

It is a fact in so many walks of life that the rules and regulations regrettably have to cater for the tiny minority of wreckers. They enjoy the freedom to wreck, while the silent majority are restricted because of their antics. What the tiny vocal minority do not realise is that if their activities were recorded and played back at the next ITU World Administrative Radio Conference in 1992 then there would be no better way of discrediting amateur radio and hindering its development. These people are damaging our hobby by their obsessive intolerance of others.

All over the World National Radio Societies, such as the RSGB, are working for their members and for the preservation and enhancement of amateur radio. The RSGB is in the forefront of such work, with the opening up of the 50 MHz band in Western Europe being just one example. The credibility required to achieve results such as this often take years to build up and just a few months to demolish. Certainly the in-fighting and abuse within the hobby itself is seriously tainting the perception of those who grant us our frequency allocations.

Would that the Government could just step in and close down the few stations that give amateur radio a bad name. However, it is not that simple and will never be so as the resources needed to do the job are considerable and very costly. The RSGB is in the process of re-establishing its Amateur Radio Observation Service and setting up new procedures with the DTI/RIS. However, when all is said and done, it will only be the determination and co-operation of the majority of amateurs that will make any voluntary observation scheme work. At present, there seems to be a great reticence amongst amateurs to properly record details of abuse and pass it onto the DTI/RIS via the Society. A system already exists for *well-documented* reports of spectrum abuse to be passed to the DTI/RIS by the Society. Regrettably all too few such reports are ever received. We accept wholeheartedly the fact that amateurs will not come forward if effective action cannot be taken by the Government; it is very much a chicken and egg situation. However, if members are complacent in the face of obvious abuse of our privileges then the Society will be powerless to act; are you interested in joining the RSGB's Observation Service?

In the meantime, amateur radio has a code; it is as valid today as it was when it was written by American Paul Segal many decades ago; it appears on this page.

David Evans, G3OUF

The amateur's code

* The amateur is considerate he never knowingly uses the air in such a way as to lessen the pleasures of others.

* The amateur is loyal he offers his loyalty, encouragement and support to his fellow radio amateurs, his local club and to the national society (Radio Society of Great Britain), through which amateur radio is represented.

* The amateur is progressive he keeps his station abreast of science, it is well-built and efficient. His operating practice is above reproach.

* The amateur is friendly slow and patient sending when requested, friendly advice and counsel for the beginner, kindly assistance, co-operation and consideration for the interests of others; these are the marks of the amateur spirit.

* The amateur is balanced radio is his hobby. He never allows it to interfere with any of the duties he owes to his home, his job, his school, or community.

* The amateur is patriotic his knowledge and his station are always ready for the service of his country and community.

(Of course, read "she" for "he" and "her" for "his", as appropriate)

Project YEAR — Novice Licence Summary

All of the main aspects of Project YEAR and the Novice Licence have been progressing well. This summary is intended to bring members up-to-date.

• **Novice Licence** - the text of the licence is in an advanced state and is likely to be agreed soon. It is essentially that which was published in the Society's July 89 Discussion Document summarised in September 89 *RadCom*.

• **The training course manual**, intended for Novice Licence Instructors, is complete. It may need modification in the light of any final syllabus changes agreed with the DTI.

• Many members have replied to the recent "help postcard" and have volunteered to become **Novice Instructors**. They are being contacted by the Society.

• **The Novice Licence examination** will be put out to tender by the DTI. Naturally the Society intends to put in a bid for this work. In many countries the national societies have a volunteer-based examination system and a large number of RSGB members have volunteered to act as examiners.

• **The first RSGB book** for budding Novices has been written and production is about to commence. Other books in the series are currently being written.

• **The script for the recruitment video** has been written and is being discussed with YTV who have agreed to sponsor its production. Finally, the Society hopes that the Novice Licence will be in place quite soon. This will further stimulate much more activity and further much-needed recruitment into amateur radio to help safeguard its future.



IARU Region 1 Conference

This important triennial conference concerning the future development of amateur radio in Region 1 is being held in Torremolinos, Spain from 1 to 6 April. The extent of Region 1 is shown on this month's front cover. 147 delegates are expected from 37 national societies. All aspects of the hobby are being discussed including VHF/UHF, contests, HF and technical standards.

Some notes relating to contests have already appeared in *RadCom*. As regards HF, the RSGB is presenting several papers covering equipment standards, beacon frequency allocations, code of practice for OSL Managers and common licensing.

For equipment standards, we are proposing the introduction of informal specifications for amateur radio equipment, covering harmonics, spurious signals, key clicks, intermodulation products etc. which could be used by reviewers to evaluate commercial gear. It is hoped that manufacturers not meeting the spec would take note of criticisms in equipment reviews and modify their products accordingly.

Another RSGB paper proposes a reform of beacon services. The band 28.2 - 28.3MHz has become increasingly crowded and channel allocation is unplanned and uncoordinated. Also, the FCC have recently permitted novice operation

between 28.2 and 28.3MHz. RSGB proposes that a sub-band between 28.175 and 28.200MHz be for officially recognised international beacons sponsored and approved by the national society. Frequencies would be allocated by IARU. A similar sub-band is proposed for 50.020 - 50.075MHz.

The RSGB paper on Common Licensing recognises the difficulty of unifying licence conditions and qualifications in each country and proposes that each country accepts each other's qualifications for the issue of a licence.

A code of practice is proposed for OSL Managers which would make a DX station responsible for ensuring that his manager operates in an ethical and efficient manner.

Several papers cover Olympic recognition for amateur radio and the establishment of Radio Amateur Olympic Games including Amateur Radio Direction Finding Competitions, Home Construction, HF/VHF Contests and High Speed Transmission/Reception.

A paper from Africa presents proposals for the re-establishment of amateur radio into Mozambique and Malawi. Also, training programmes for local amateurs are proposed for Swaziland, Lesotho and Zimbabwe. Each programme would be of five years duration with funding provided by the IARU.

Of great concern to the IARU is the forthcoming World Administrative Radio Conference in 1992. A paper recommends that the IARU set up a permanent Committee to prepare for the WARC in order to ensure that present amateur rights and frequency allocations are defended.

VHF matters under discussion at the Conference include beacons, meteor scatter, sporadic E coordination, and RSGB contributions on 50MHz bandplanning, and 12.5kHz channel spacing.

In addition to those listed above, the RSGB is presenting papers on third party traffic, conference venues, and better behaviour. Other conference papers deal with disaster relief, education, packet radio message content, morse code, developing countries, satellites, and IARU administration.

The RSGB delegation comprises G3GVV, G3HCT, G3WDG, G3ZAY, G3ZNU, G4ASR, G6LX, with G3VZV as an observer for BATC. Also present from the UK will be G3FKM, G3OUF and G7GAL, all of whom are involved with the Conference administration. G3AAJ will attend on behalf of IARU in connection with Satellite activity.

RadCom will bring you a full report on the conference as soon as possible.

G-Plates again

Several members have queried why, after our statement that callsign number plates would not be available, "G1ANT" and "G1LLY" were sold recently for large sums of money. The general DVLC policy remains unaltered but a relatively small number of cherished plates of all kinds are being sold at auction. The Society has written to G1ANT and G1LLY to explain this. In the meantime, we will still have to wait for the general issue of callsign style plates.

End of converted CBs?

The DTI have written to say they intend ceasing issuing authorities for the possession of non-approved CB sets (for conversion to 28MHz) after 31 December 1990. The Society is taking this up with the DTI but in the meantime members are advised to apply for an authority if they have such a rig as it is illegal to possess one without it.

Space Shuttle

Two space shuttle missions this spring will carry amateur radio. SAREX (Shuttle Amateur Radio EXperiment) will be on STS-35 due to fly on 26 April and STS-37 on 4 June. Operators will be Ron Parise, WA4SIR, and Ken Cameron,

KB5AWP. Operation is likely to include packet, voice and ATV. NASA gave its approval for SAREX because it would encourage youth interest in science and technology. The bad news, however, is that the transmissions are not likely to be audible in the UK.

Lunar eclipse halts moonbounce tests

The total eclipse of the moon during the evening of 9 February was seen by many people in Britain despite heavy cloud cover. The much heralded visual display - the moon going blood red - failed to materialise and most observers seem to have been disappointed by the event.

However, during the eclipse moonbounce expert Peter Blair, G3LTF, carried out a series of controlled EME tests whilst in OSO with a large number of stations throughout the World.

His results are quite startling. At the start of the test period (1600Z) all signals were stable but varied in strength depending on individual's equipment. At 1625, just as the earth's shadow appeared over the moon, stations in the Western hemisphere exhibited deep and rapid OSB for several minutes then faded out altogether. Within 20 minutes, European and African

stations were similarly affected followed by those in the East; the last to disappear being from Japan and Australia. For the next 14 minutes the only signals received were occasional meteor pings from eastern European participants until at 1659 the first faint EME signals from the Eastern USA were heard. As the moon reappeared, signals took on the same rapid fading as at fade-out then became stable once more. By 1730 normal moonbounce communication was restored.

An interesting aspect of these remarkable tests was that just before and just after total eclipse, during the period of rapid fading, signals from the far north and south seemed to be enhanced by some 6dB just for a few minutes. This raises the possibility of north-south EME contacts taking place between stations running much lower power, than would normally be needed for moonbounce - provided, of course, they wait for the next lunar eclipse which is expected to be on April 1st 1992.

Morse Test congrats

In last month's *Last Word* we published a letter from Mr McWhinnie, G8PFW/GOMOW, suggesting that with the RSGB Morse Test pass slip should be a letter of congratulation, and a form for applying for a Class A licence. We commented that this was a

good idea. In fact, it was such a good idea that we adopted it more than a year ago! Everyone who passes the test is sent a letter offering congratulations and giving advice, and a DTI licence application form is enclosed. Mr McWhinnie seems to have fallen through the net and was unfortunately sent an incomplete package. Apologies to him and a slapped wrist for the editor for not checking his facts properly.

Leonard Cheshire VC Patron of RAIBC

Gp Capt Leonard Cheshire VC, OM, DSO, DFC, has agreed to be the patron of the Radio Amateur Invalid and Blind Club (RAIBC). Gp Capt Cheshire is famous for a distinguished flying career but most of all for his work with the disabled, notably the 250 Cheshire Foundation Homes in 45 countries.

The RAIBC is the main national organisation helping disabled and blind radio amateurs and short wave listeners. Founded in 1954, it has recently gained charity status. Benefits to members include a bi-monthly magazine *Radial*, hf and vhf nets, and help with installation, operation and maintenance of members' stations. Details can be obtained from Margery Hey, 29 Besthorpe Road, Attleborough, Norfolk, NR17 2AN.

One step nearer to 1992

As most of you who work in the electronics industry will be aware, the Radiocommunications Division of the DTI issued a discussion paper towards the end of last year entitled "Electrical Interference: A Consultative Document". It deals with the implementation of the European Community EMC Directive due to come into force in 1992 (for further reading see 'EMC Matters' *RadCom* June / August 1989). Comments on the issues raised in the document were solicited with a deadline of Feb 9th. The RSGB submitted a paper to the DTI in which the specific aspects relating to amateur radio were addressed.

KITS

One of the principal areas of concern centred on equipment which is sold in kit form. The document proposes that "products sold commercially in kit form should have to comply when constructed in accordance with the instructions." The definition of a kit, however, is rather vague. Having sought clarification it was suggested that *all* kits will have to comply, provided the manufacturers' instructions are followed. It is the responsibility of the kit manufacturer to ensure compliance with the Directive. Kits can be defined in various ways.

- a) A kit of parts.
- b) A PCB and some parts, or
- c) Maybe even an article giving PCB layout and lists of components could constitute a kit.

In all cases, full instructions must be provided to ensure compliance.

Failure to comply after assembly is the responsibility of the manufacturer, assuming the instructions were adequate.

The RSGB recommends in its response that:

a) Kits in general, and especially those for use within amateur radio, should be exempt from the requirements of the EMC Directive.

b) The published designs and articles should not be required to meet the Directive prior to publication. When the equipment is built and installed in the correct operational environment it will be subject, as with a), to the WT Act 1967. This has always been the accepted case in relation to kits.

RETROSPECTIVE COMPLIANCE?

The document seeks comments on how to deal with products placed on the market before the date of implementation of the Directive. Should they be made to comply, even though they did not have to comply with the Directive when first supplied? There is also the problem of dealing with second-hand equipment; this is not specifically identified in the discussion document. It is presumed that it will be treated similarly. The RSGB firmly believes that retrospective compliance should not be required on equipment sold prior to 1992.

The issue of modification or alteration to hardware or software is mentioned. Any modification which may alter the EMC characteristics, and which is implemented after the Directive comes into force, may require that the modification

complies with the requirements of the Directive. The RSGB opposes this as it would restrict the self-training, educational and experimental aspects which are the corner-stone of amateur radio.

COMMERCIAL EQUIPMENT

The document states that commercially available equipment for the exclusive use of radio amateurs has to meet the requirements of the Directive in full, it being the responsibility of the manufacturer or its agent to ensure compliance. Passive devices such as SWR or power meters do not have to comply, except in cases where their operation in a system may cause interference. The RSGB takes an entirely different view on this subject and proposes that approval of commercial amateur radio equipment be subject to the ITU regulations and the conditions of the UK Amateur Licence in relation to spurious emissions.

HOMEBREW

Homebrew equipment which is built from original thought is exempt from the requirements but must still comply with the WT Act and the terms of the licence. If, however, the equipment is built from an article in a magazine, it may in future be deemed to fall into the category of a kit!

Project YEAR and the basic training concepts of the Novice Licence, at present under consideration by the DTI, could be severely damaged if the stringent proposals relative to kits were to be implemented. Kit manufacturers may not be able to survive the proposed legislation, as testing costs would inevitably be prohibitive, especially for the smaller UK based companies. In practice, the cost of testing a 1 watt

80 metre crystal controlled transmitter could exceed the total value of the company's stock.

FUNDAMENTAL

The fundamental tenet of amateur radio - self training and experimentation - could be restricted by the Directives' proposals on modification. Access to the airwaves through the second-hand equipment market could be profoundly curtailed.

Because the Directive has to be translated into National Legislation, the DTI is seeking the views of all relevant bodies. There inevitably will be a great deal of discussion before anything is finalised. To quote the discussion document "In order to help ensure that the Directive is implemented in a reasonably consistent way throughout the Community, the Department (DTI) intends to initiate discussions with other member states and the Commission, on the detailed interpretation and implementation of the Directive. The Department's present thinking on interpretation of the Directive is subject to change in the light of these discussions."

There is considerable determination amongst the leading National Societies in the EC to fight any legislation which could in any way be detrimental to the well-being of amateur radio and which may impede the education and training of people in electronics and engineering.

Following its written submission on the discussion document, the RSGB intends to hold a meeting with the DTI in which all areas of concern will be debated in full.

If you would like a copy of the full RSGB reply to the DTI Discussion Document, please send a letter enclosing an SAE to EMC Committee member, Hilary Claytons-Smith, G4JKS, QTHR.

WAB Contests

The Publicity Officer of the Worked All Britain Awards organisation, John Fitzgerald, G8XTJ, tells us that their contests for 1990 are as follows.

LF Phone, Sat, 1st April, 0900 - 2100z

50MHz mixed mode, Sun, 3rd June, 1500 - 1800z

144MHz phone ORP, Sun, 1st July, 0900 - 1300z

432MHz mixed mode, Sun, 1st July, 1400 - 1700z

144MHz phone ORO, Sun, 16th September, 0900 - 1500z

LF CW, Sun, 4th November, 1400 - 1700z

HF mixed mode, Sat/Sun, 1-2 December, 1200 - 1200z

New contest rules and contest log sheets can be obtained from WAB's new Contest Manager, Gordon

Horsfield, G4SKO, 2 Linden Road, Ecclefield, Sheffield, S.Yorks, S30 3XL.

Cultural Capital of Europe

Over the Easter weekend 14-16 April, the Scottish Tourist Board (Amateur Radio Expedition) Group will operate GB8CC from the People's Palace in Glasgow to celebrate the city's role as the Cultural Capital of Europe in 1990.

IARU Satellite Coordinator

In the *Satellites* column in February *RadCom*, Ron Broadbent, G3AAJ, was described as "the first IARU Region 1 satellite coordinator". This

was not strictly accurate as Dr Andras Gschwindt, HA5WH, has held the IARU Satellite Coordinator post for a number of years. Ron's role is complementary to, and somewhat different from, that of HA5WH. Specifically the appointment was made to extend and improve the liaison between IARU Region 1 and the various AMSAT groups active in the Amateur Satellite Service. Apologies to all concerned for the confusion.

Baffled by solar news?

Listeners to GB2RS who find the solar news hard to digest will find it useful to read the explanatory notes on pages 69/70 of the RSGB's *Call Book* (pp 91/92 in 1990 edition).

European Youth Clubs Day

The Atherton Youth Concern youth club has strong links with the West Manchester Radio Club. They will celebrate European Youth Clubs Day by operating GB2EYC over the weekend 28/29 April. The WMRC is appealing to other radio clubs to form similar links with local youth organisations. The club has run construction classes and given tuition for the Scouts Communicators Badge and the Duke of Edinburgh's Award. Club members have also erected a mast at the youth club and have raised money to buy equipment and help maintain the building. Clubs embarking on similar youth projects may like to contact WMRC Chairman, G4HJZ, who is QTHR.



l to r: George, YO3FU; Sandy, YO3FBK; Mar, YO3CD; Joshua, YO5AVN; Vasilie, YO3APG, President of FRR. Photo: G3KOX

Romania first hand

Nick Waile, G3KOX, was with an ABC News team in Romania at the end of the revolution. In between his professional duties, he managed to meet a number of amateurs. He says

"I arrived in Bucharest in the early hours of Friday 29 December. There were checkpoints but very little sniping. Neville, G3RFS, had given me phone numbers of FOC members so I was soon able to meet Mar, YO3CD, who introduced me to several other YOs and told me how to apply for a licence. On the next business day, 3 January, I phoned Dan, YO3ZA at the PTT. Within 90 minutes he appeared at the hotel, licence in hand! Before the revolution I would have been very lucky to get one in 90 days.

A few days later Mar took me to the headquarters of the Romanian Amateur Radio Federation (FRR)

and introduced me to the President and several other members. A bottle of firewater was produced and we compared problems and solved most of them. I was enrolled as an honorary member of the YO DX Club. In spite of a serious lack of radio equipment and components, all the YOs were in great spirits because of the sudden lifting of restrictions. Before the revolution anything more than a 'rubber stamp' QSO could result in the loss of a licence; now they were free to chat. They expected soon to be able to use the WARC bands, maybe even six metres.

Before I left I was able to give the Federation several boxes of surplus books from the RSGB and a good selection of parts from George, G3NOH, transported thanks to my bosses at ABC News."

Arrow Radio held an open day on February 24th and organised a raffle which raised £85 for amateur radio in Romania.

News from the HF Contests Committee

At the January meeting, a number of policy matters were discussed, together with a review of various contest rules. For some time there had been comments from overseas participants of the 7MHz, 21MHz and 21/28MHz events, that the multiplier comprising the UK prefix did not provide sufficient scope. Various alternatives were suggested and the committee adopted a suggestion from G3VDL that the UK County Code should be used. This change will be incorporated in the rules for the 1990 21MHz cw and the 21/28MHz phone events. It will also be used for future LF phone events and the 7MHz cw contest.

The committee also discussed a number of comments from members about the publication of contest dates and the omission of

certain events in the monthly Contest Calendar in *Radio Communication*. It seems there have been problems relating to the way the text is prepared for publication. This is being corrected and it is to be hoped that future calendars will include all RSGB events.

Whilst on the subject of contest dates, the committee often receives complaints about the date of a particular HF contest clashing with another event, such as a rally, exhibition, or even some special occasion organized by a club. The Committee is asked to change the contest date to avoid the clash, but, sad to say, this is not usually possible. The dates of contests organized by national societies are agreed with other societies and the IARU several years in advance so as to avoid clashes with similar events. The IARU allocates "slots" to each member society, e.g. 2nd full weekend in March for RSGB Commonwealth etc. Once a date is

published, it is a major (and expensive) task to get it changed. All other IARU member societies have to be consulted usually by telephone, telex or FAX and, if a new date can be agreed, which is not always certain, publicity has to be revised and other announcements published.

PARTICIPATION IN RSGB CONTESTS

When visiting clubs to talk on contest matters, HFCC members are often asked what is the point in entering HF contests when they always seem to be won by the same few people. Others, say they do not enter because of the lack of tolerance on the part of some contest operators to those who cannot keep up, or ask for a repeal. While these comments might apply to some of the larger international contests, we hope they are not applicable to RSGB events.

The HFCC run a variety of HF events and we try to cater for every level of skill and in particular to include events, or make provision for the first time entrant. Many newcomers have told us that they would like to be part of a club team in the January AFS contest, but are afraid to enter in case they would not be able to cope. Have heart, there is a section of frequencies reserved for the ORS operator. Even if you can only make 10 or 12 contacts, it still adds to your team score, so have a go and send in a log for checking. Another event for the new contesters are the Cumulative contests (also held in January). These friendly short contests are an ideal way to start contesting and we certainly hope you will give them a try.

W1CUT retires from ARRL

Last November Laird Campbell, W1CUT, retired from the staff of the ARRL after more than 35 years of service to Amateur Radio. In his letter to the Directors, ARRL Executive Vice President David Sumner, K1ZZ said, "No one person has contributed to the League in more different ways than Laird." Over the years his jobs included Contest Assistant in the Communications Department, Technical Assistant, Assistant Managing Editor, Managing Editor, Advertising Manager, and Assistant General Manager for Business Operations.

Foxteering in Japan

The first national tournament of "Foxteering" - the Japanese type of ARDF - was held on last November in the western suburbs of Tokyo under the sponsorship of the

Japanese Amateur radio League, to whom we are indebted for this information. There had been two national foxteering conventions previously, but they had been sponsored by a voluntary group. The involvement of JARL indicates the increasing popularity of this type of event.

Some 270 entrants gathered from all over the country. Especially noteworthy was that six players from China, nine from Korea and one American radio amateur living in Japan participated at the invitation of JARL, giving the event an international character.

The tournament was conducted more or less in accordance with the ARDF rules adopted by IARU Region 1 but with some adaptations to cater for local circumstances. Changes include the use of the 144MHz band, except where using 3.5MHz causes no QRM to other band users, and the use of FM as the equipment is so easily available, in Japan. The distance between "foxes" is, in some cases, reduced because there are natural restrictions on getting a ground wide enough to cover those distances provided for in the Region 1 rules. This also prevents compliance with the rule that the same site should not be used twice.

The players from China displayed great ability as expected, winning the first place in the JN and YL categories. The Japanese players, however, showed the results of their training since ARDF was introduced into their country in 1984 by winning the first place in the OM and QT categories.

Catwhisker Award

The Evening Study Association, in conjunction with the North Cheshire Radio Club is putting out regular morse proficiency transmissions. The callsigns G0BAA and G3LEQ are used on 3.600MHz and 144.250MHz on Sundays at 1915 local time. Plain language texts will be transmitted at 30, 26, 22, 18 and 15 words per minute. The Catwhisker Proficiency Award can be obtained by listening to the award transmissions on the second Sunday of each month. More details can be obtained from NCRC Catwhisker, PO Box 3600, Altrincham, Cheshire, WA15 9LU, or by telephoning G3LEQ on 0565 4040.

RAFARS QSL manager QSYs

The RAFARS QSL manager, Ian Wicker, G0HAV, has moved house; his new address is 25 Lee Warner Avenue, Fakenham, Norfolk NR21 8ER. Those wishing to exchange RAFARS, RNARS and RSARS cards may do so via him.

Report of the City and Guilds of London Institute on the May 1989 RAE

(Reproduced by authority of the Institute)

OVERALL RESULTS (UK CANDIDATES)

Exam date	No. of candidates completing exam	Candidates qualifying for RAE certificate	
		Number	%
May 87	3017	1959	64.9
Dec 87	1233	857	69.5
May 88	2453	1550	63.2
Dec 88	1182	835	70.6
May 89	2250	1516	67.4

General comments

A question on a 1:1 balun caused difficulty, 69% of all candidates answering that it provided impedance matching. It is of course used to couple balanced to unbalanced line and hence prevent currents flowing on the outer of the coaxial cable.

This was the first paper prepared to the revised syllabus and included an additional section on electromagnetic compatibility. A high standard of performance was achieved by many candidates, and there have been improvements in topics which have been weak in previous years. Paper -01 was passed by 71.6% of the candidates.

COMPONENT RESULTS FOR THE MAY 1989 EXAMINATIONS

Paper	Components	No of candidates	Distinction %	Credit %	Pass %	Fail %
01	Licensing conditions, transmitter interference & EMC	2085	8.6	28.4	34.6	28.4
			71.6%			
02	Operating procedures, practices & theory	2196	10.5	33.7	34.8	21.0
			79.0%			

Operating procedures

16.4

All questions on operating procedures and practice were very well answered.

Electrical theory

10.9

Well answered by most candidates, but two questions on basic principles were disappointing. A third of candidates thought that increasing the distance between the plates of a capacitor increased its capacitance. Only 43% of candidates knew that the impedance of a parallel circuit at resonance was a maximum; half of all the other candidates thought it was always zero.

PAPER NO. 765-1-02

REPORT ON MULTIPLE-CHOICE QUESTION PAPERS

PAPER NO. 765-1-01

Syllabus Topic or Objective	% of items	Comments on performance of candidates
Licensing conditions	33.3	Questions on licensing conditions were generally well answered by most candidates. Changes in the Amateur Licence which came into effect on 1 January 1989 caused a little difficulty and some people did not know that power should now be included in the station log. It was not realised by many candidates that, unless renewed, the licence expires at midnight on the date prior to the anniversary of the date of issue.
Transmitter Interference	33.3	Most candidates understood the precautions to be taken in modulating transmitters and in frequency control to prevent interference and out-of-band operation. However, only 29% of the candidates selected the correct type of capacitor to be used in an oscillator tuned circuit; 36% of candidates thought that an electrolytic type was suitable. The question on a broadband PA stage was very badly answered, most people not appreciating that its main feature is operator convenience and not its ability to suppress harmonic radiation. Another badly answered question was one in which a 22Ω resistor was shown connected in series with the collector of a transistor in an oscillator circuit. 61% of candidates thought this was a collector load rather than a 'stopper' to prevent parasitic oscillations. A question on RF screening also caused difficulty with some candidates who chose ferrite as a material with which to screen unwanted radiation. There were two questions on frequency measurement which were not well answered. One of these related to the choice of frequency measuring device for a transmitter which was not crystal controlled. The other question was about the factors determining the accuracy of a frequency counter. Each of these questions was correctly answered by only 40% of the candidates.
Electromagnetic compatibility	33.3	Questions on EMC were generally well answered by most candidates. In one question about a third of the candidates thought that a commutator motor produced narrow-band interference.

Solid state devices

12.7

Most questions were well answered. The only badly answered question was one which asked about the bias state of a Class C amplifier. Many candidates apparently confused Class C with Class A operation.

Receivers

12.7

Very well answered. Not all candidates realised that in an HF receiver the local oscillator is normally higher than the signal frequency. This is to facilitate easier tracking of the local oscillator and RF tuned circuits.

Transmitters

14.5

Most candidates obtained high scores in this section. The question on the phase-locked loop oscillator was answered well by the more able candidates but caused difficulty with others. Most candidates answered the question incorrectly and quoted the output frequency to be f_r/N instead of $f_r \times N$.

Propagation and antennas

16.4

Some candidates were unsure as to whether it was the electric or the magnetic component of an electromagnetic wave which was parallel with the direction of polarisation. A question which produced disappointing answers was one about the current distribution in a simple dipole. A quarter of the candidates confused this with the radiation pattern.

Measurements

16.4

The choice and characteristics of instruments (meters) in this section caused difficulty with some candidates in two questions. In a question on testing an audio amplifier, many candidates did not realise that a square wave is an ideal waveform to test the linearity.

General comments


Paper -02 was very well attempted, most candidates being satisfactorily prepared. The areas of weakness ranged from some of the basic principles of electronics to the more practical application of antennas. 79% of all candidates who took Paper -02 were successful.

The overall results for the Radio Amateurs' Examination show a significant improvement over last year, indicating that candidates were generally better prepared. This is particularly encouraging considering the papers were prepared to a revised syllabus which included some additional topics.


ICOM

ICOM ON STAND

HF TRANSCEIVERS




IC-781 £4,500
HF, SSB, CW, RTTY, AM, FM, 150W.



IC-765 £2,499
HF, SSB, CW, RTTY, AM, FM, 100W.



IC-726 £989
HF/50MHz, SSB, CW, AM, FM, 100W.



IC-725 £759
HF, SSB, CW (AM, FM), 100W.

COMMUNICATIONS RECEIVERS



IC-R9000 £3,995
30KHz - 1999.99999MHz.




IC-R7000 £989
25-1000MHz, 1025-2000MHz.




IC-R71E £855
100KHz - 30MHz.

LINEAR AMPLIFIER



IC-4KL
£5,475
HF 1KW

VHF-UHF TRANSCEIVERS



IC-505 £529
50MHz, SSB, CW (FM) 3W/10W.



IC-575 10W £1,042
IC-575H 100W £1,199
28/50MHz, SSB, CW, AM, FM.



IC-275E 25W £1,069
IC-275H 100W £1,039
144MHz SSB, CW, FM.



IC-475E 25W £1,185
IC-475H 75W £1,250
430MHz SSB, CW, FM.

HALL 7. RSGB CONVENTION. N.E.

Icom (UK) Ltd.

Dept RC, Sea Street, Herne Bay, Kent CT6 8LD. Tel: 0227 363859. 24 Hour.

Count on us!

A1...WHERE ELSE!

MOBILE TRANSCEIVERS




IC-2400E FM 144/430MHz **£635**



IC-2500E FM 430/1200MHz **£675**



IC-3210E FM 144/430MHz **£499**




IC-901 MULTIBAND **£799**
FM (SSB) 144/430MHz
VARIOUS OPTIONAL FREQUENCY
UX UNITS INCLUDE ▶



IC-228E 25W **£365**
IC-228H 45W **£385**
FM 144MHz

IC-448E 25W **£429**
FM 430MHz



IC-2900 25W **£559**
144MHz SSB. CW. FM.

IC-490E 10W **£625**
430MHz SSB. CW. FM.




IC-1201 FM 1200MHz **£520**

PRICES AVAILABLE UPON REQUEST

IC-UX19	28MHz	FM
IC-UX59	50MHz	FM
IC-UX129	1200MHz	FM
IC-UXS92	144MHz	SSB.CW
IC-UXR91	RX Unit	FM.AM

HANDHELD TRANSCEIVERS

24 SET



2SET
4SET



2SE
4SE



32E



2GE
4GE



12GE



IC-24SET FM 144/430MHz **£385**

IC-2SET FM 144MHz **£295**

IC-4SET FM 430MHz **£310**

IC-2GE FM 144MHz **£265**

IC-4GE FM 430MHz **£299**

IC-32E FM 144/430MHz **£399**

IC-25E FM 144MHz **£275**

IC-4SE FM 430MHz **£310**

IC-12GE FM 1200MHz **£365**

.C. BIRMINGHAM 21 & 22 APRIL

Icom (UK) Ltd.
Dept RC, Sea Street, Herne Bay, Kent CT6 8LD. Tel: 0227 363859. 24 Hour. Fax: 0227 360155.
Visa & Mastercards: Telephone orders taken by mail order, instant credit & interest-free HP.
Despatch on same day whenever possible.





KENWOOD

TS-950SD £3,199

The new HF standard bearer for Kenwood, and the standard setter for the rest of the industry. The TS-950S with its remarkable Digital Signal Processing system represents a real step forward in generating the best sounding clean transmitted SSB and CW signals possible. Coupled to a low distortion PA, the TS-950S helps to clean up our crowded bands as well as giving pleasure to its lucky owner. See it soon, or send for details right away.



KENWOOD

TS-940S £1,995

This is the most respected HF transceiver in the world, and has maintained its lead over all the competition. Check what the leading contest stations are using, and you will find the TS-940S at the top of the list. Uncompromising performance, unrivalled facilities, and uncanny ease of use make the TS-940S the HF transceiver which you will want to own one day.



KENWOOD

TS-440S £1,138

The TS-440S is probably the most successful HF transceiver ever made by Kenwood, and this is no surprise when you realise that it is virtually a mobile version of the TS-940S. I can't put it better than Geoff Arnold in his review of the TS-440S: "The receiver in particular is a joy to use". He was not wrong, and just ask any TS-440S owner to confirm it. All band, all mode operation, with a receiver covering 100kHz to 30MHz; the TS-440S is unbeatable at any price.



KENWOOD

TS-140S £862

The TS-140S was in effect designed by our customers, who demanded Kenwood performance and facilities at modest cost. The TS-140S has all mode, all band HF coverage, and of course a high performance general coverage receiver. 100W output and a first class receiver combine to make the TS-140S a really satisfying rig to own. It's also available in the form of the TS-680S which has all the bands and modes of operation of the TS-140S but with the 6 metre band as well.

HEAD OFFICE & MAIL ORDER: Chesterfield Road, Matlock, Derbyshire DE4 5LE

Shops in GLASGOW Telephone 041-945 2626, DARLINGTON Telephone 0325 486121, CAMBRIDGE Telephone 0223 311230.

There is a branch near you



The New HF-225 Receiver

I am delighted that the HF-225 has been a raging success world wide, and I will just quote a letter received from one of our American customers:—

"I received my Lowe HF-225 about a week ago. Since then I have enjoyed many pleasant hours listening to it. As a past owner of receivers such as the Sony ICF2010 and Grundig Satellit 650 and 500, I must say that none compare to your Lowe HF-225. Without question, for hour after hour listening, nothing compares. I especially like the Genie key pad. Why more receivers do not incorporate such intelligent ergonomics is beyond me. I also thought both the instruction manual and the short wave book were well written, with the shortwave guide particularly enjoyable."

The letter comes from Chris Williams in Massachusetts, but is typical of many letters we are receiving from all over the world about the HF-225.

Technically, the HF-225 distinguishes itself by having a low phase noise synthesiser, which gives a reciprocal mixing performance not far off that of "professional" receivers costing up to ten times the price, and that's not just advertising talk, it is really true. The synthesiser actually tunes in steps of 8Hz, which betters most other receivers and gives a smooth "VFO" feel when tuning. As one user has already commented "If you tuned the HF-225 with your eyes closed, you would believe you had a £5,000 receiver on the table".

The HF-225 has a range of low cost options which extend its appeal: such as a keypad for direct frequency entry, which simply plugs into a rear panel jack; an active whip aerial; a rechargeable battery pack for portable use; and an attractive carrying case which protects the receiver whilst allowing full operational use. The new D-225 detector option is really something special, because it gives true synchronous AM detection for dragging sensible programme quality out of a signal being affected by selective fading distortion. The same option also gives narrow band (communications) FM demodulation.

Every listener these days appreciates a receiver which offers facilities for memorising favourite or regularly used frequencies, and the HF-225 offers 30 memory channels for this purpose. Using the memories has been made particularly versatile, because the operator can review the contents of the memories whilst still listening to the frequency he is using, or alternatively in the "Channel" mode, can tune through the memory channels using the main tuning knob, listening to each frequency as it appears on the display. Just like having a bank of single channel receivers under your control. Terrific for checking HF airband channels for activity.

Unlike most HF receivers on the market, the HF-225 comes complete with all filters fitted for every mode:— 2.2kHz, 4kHz, 7kHz, and 10kHz. There is also a 200Hz audio filter for CW, and if the D-225 detector is fitted, a 12kHz filter for FM. The correct filter for each mode is automatically selected by the receiver mode switch, but further selection can be made by the user from the front panel and the receiver remembers which filter was last used. True versatility and all built in at no extra cost. When selecting filters in use, the filter bandwidth is shown on the main display.

The display itself is a high contrast liquid crystal type, and shows frequency, filter bandwidth, detector lock (when D-225 is fitted), and whether the receiver is in memory mode. Automatic placing of the decimal point takes place as the receiver is tuned, so there can be no ambiguity in reading.

At the end of the day, what does the HF-225 offer you as a user? I can do no better than quote what was said by Rainer Lichte about the earlier HF-125:—"The HF-125 is a serious piece of equipment; don't be deceived by the unassuming front panel and the lack of spectacular features. The HF-125 will outperform most competitors. If you like an honest approach to receiver design, this is it. British understatement at its best".

The HF-225 is even better.


HF-225 £395

John Wilson

Telephone 0629 580800 (4 lines) Fax 580020 Telex 377482

S. WALES (BARRY) Telephone 0446 721304, LONDON Telephone 01-429 3256 BOURNEMOUTH Telephone 0202 577760

All branches are closed all day Monday.



RADCOM POSTAL SURVEY

How well does the Post Office handle delivery of the magazine?

Aim

The Society has been much concerned for some time over the difficulties experienced by members with the delivery of their copy of *RadCom* each month. Consequently a carefully conceived plan has been put into effect to enable us to determine what problems exist and what are their root causes, and then to address the causes, and eradicate them. This article is to report progress thus far.

Survey

A few months ago we enclosed with *RadCom* a survey containing questions related to its delivery. There was a fine response to this - thank you all. We analysed the results using exactly the same criteria used in the survey carried out 10 years ago. (See *RadCom* November 1980). The results are shown on the map and in **Table 1** and **2**.

Statistics

Close reading of the map and tables will reveal some interesting anomalies. For instance, Surrey is a poor area for delivery, whilst Northumberland and Armagh are good. Even adjacent counties provide startlingly different results. Small wonder, then, that members frequently report receiving their magazine some time after those they speak to over the air. However, what is also interesting is the relatively small spread between the earliest and the latest counties. A detailed comparison with the 1980 survey is not valid as there have been changes where the magazine is printed and posted, and in the method of sorting. However, it is fair to say that the overall results are very similar, both in mean delivery times and in the apparently random variation from one county to another.

Sorting Office

Concurrent with this analysis, meetings were arranged with the Post Office at Southend sorting office which handles the magazine straight from the printers. The Southend office, which is one of the five largest in the UK, was purpose built a few years ago and is fully automated. The thrust behind this development was the establishment of the Access joint venture in Southend; the mailing for Access alone is of astronomical proportions. The aims of the meeting were to learn how their system works, to describe the problems we were encountering, and to impress upon them the need to improve and to develop an ongoing programme to monitor performance. We found the staff at Southend to be most co-operative. The Regional Manager has been present at most meetings together with two Heads of Department. They clearly wish to have a satisfied customer and have taken, and continue to take, a very positive interest in monitoring progress and seeking improvement.

Presstream

The Royal Mail system we use is called Presstream. It is especially designed to provide a cost effective postal system for large mailings. The *RadCom* monthly mailing of approximately 32,000 copies falls nicely into this category. Presstream efficiency relies upon the ability of clients to post code and batch their mailing. This we do. Those members who live in areas for which no post code has been allocated receive their *RadCom* directly through our HQ Despatch Department.

Procedure

The procedure each month is that the printer prints and collates the

TABLE 1: Delivery league table

	A	B
Hertfordshire	4.45	-1.66
Isle of Wight	4.50	-1.61
Dorset	4.53	-1.58
Hampshire	4.76	-1.35
Wiltshire	4.77	-1.34
Essex	4.79	-1.32
Hereford & Worcs	4.81	-1.30
Cornwall	4.88	-1.23
Avon	4.89	-1.22
Co Armagh	5.00	-1.11
Northumberland	5.00	-1.11
Salop	5.00	-1.11
South Yorkshire	5.00	-1.11
Somerset	5.11	-1.00
West Sussex	5.12	-0.99
South Glamorgan	4.14	-0.97
Buckinghamshire	5.20	-0.91
Cheshire	5.20	-0.91
Greater London	5.21	-0.90
Herefordshire	5.25	-0.86
East Sussex	5.33	-0.78
West Glamorgan	5.33	-0.78
Devon	5.48	-0.83
Cumbria	5.50	-0.61
Lancashire	5.54	-0.57
Gwynedd	5.55	-0.56
Gwent	5.55	-0.56
Cleveland	5.57	-0.54
Durham	5.60	-0.51
Northamptonshire	5.60	-0.51
Tyne & Wear	5.63	-0.48
W Midlands	5.65	-0.46
Suffolk	5.68	-0.43
Tayside	5.75	-0.36
Powys	5.75	-0.36
Strathclyde	5.77	-0.34
Cambridgeshire	5.78	-0.33
Grampian	5.81	-0.30
West Yorkshire	5.86	-0.23
Gloucestershire	5.90	-0.21
Derbyshire	6.00	-0.11
Mid Glamorgan	6.00	-0.11
Merseyside	6.00	-0.11
Borders	6.01	-0.10
Central	6.01	-0.10
Lincolnshire	6.05	-0.06
Northamptonshire	6.09	-0.02
Bedfordshire	6.12	+0.01
Berkshire	6.15	+0.04
Kenil	6.28	+0.17
Warwickshire	6.35	+0.24
Staffordshire	6.46	+0.35
Leicestershire	6.47	+0.36
Co Antrim	6.50	+0.39
Greater Manchester	6.50	+0.39
Norfolk	6.64	+0.53
Dyfed	6.71	+0.60
North Yorkshire	6.75	+0.64
Co Down	7.00	+0.89
Lothian	7.14	+1.03
Humberside	7.21	+1.10
Fife	7.50	+1.39
Clwyd	7.57	+1.46
Oxfordshire	7.58	+1.47
Isle of Man	8.00	+1.89
Scottish Isles	8.60	+2.59
Highland	8.91	+2.60
Surrey	9.28	+3.17
Dumfries/Galloway	10.00	+3.89
Channel Islands	10.50	+4.39
Co Fermanagh	No Data	—
Co Londonderry	No Data	—
Co Tyrone	No Data	—

(Mean 6.11)

A=Average time taken for delivery from date of posting for each county. Mean time taken for whole country is 6.11 days.

B=Variation from mean in 'A' above for each county. A negative number indicates a faster delivery time, and a positive number indicates a slower delivery time.

magazine, inserts the address label and finally bags the *RadCom* in its plastic wrapper. He advises Southend Royal Mail office that the magazines are ready and over a period of two days the sorting office sends vans to collect the copies as they are completed. With the final delivery the printer gives the Royal Mail a docket which lists the total number of copies. Royal Mail then notify the Society that they have received the total mailing for the month and are introducing it into the Presstream system. All copies of the magazine are posted on the same day. Analysis of the survey indicates that the majority are received within 7 days tailing off to about the 25 of the month.

More statistics

Not strictly part of the survey, but nevertheless relevant to a discussion of the posting of *RadCom*, are the following figures showing the number of magazines which needed replacing by HQ because they were not delivered at all. July 90, August 133, September 294, October 468, November 127, December 123, January 137.

Cost


The approximate annual cost of mailing is £10,000. Printing and wrapping costs for *RadCom* is approximately £140,000. This means that the printing and despatching of *RadCom* costs the Society about a quarter of a million pounds each year.

Vital

The Society, of course, regards this as a good investment and important for amateur radio in general and our members in particular. *RadCom* (formerly the *T and R Bulletin* and then the *RSGB Bulletin*) has always been seen as a vital and important part of the Society. A reading of John Clarricoats book *World At Their Fingertips* pages 176-197 shows just what it meant to those who served 50 years ago.

The next stage

It is of the utmost value in our dealings with the Post Office if members who fail to receive their *RadCom* after the end of the third week of the month notify the Society and, if possible, send a written report to their local sorting office. We will record the details on the computer system here and despatch a replacement copy. The local sorting office will send a copy of the complaint through to the Regional Manager and this will eventually find its way through to the Southend sorting office. This greatly assists us in demonstrating to the Post Office the scale of the problem when seeking compensation, and helps them to trace any flaws in the delivery system.



Packing

There are other problems at the packing stage which can also lead to late or non-delivery of *RadCom*. These include faulty collation, unsealed plastic wrappers, and wrappers containing no address label. We believe that most of these can be eradicated over the next few months. The printer is aware of them and we are meeting regularly with him in order to resolve these. Ultimately, we are prepared to

renegotiate each bill to reimburse the Society for actual additional costs and loss of goodwill incurred when *AdComs* are undeliverable.

Feedback

It is of immense value to receive feedback from the members. We really do appreciate just how frustrating it is to receive *RadCom* late, especially when this means missing something in the small ads (just the same as the articles advertised in the local paper for

under a tenner have always gone when you phoned). The more information you send to us the better we are able to help both the printer and the Post Office identify where the faults lie.

Objective

Obviously, in a mailing of 32,000 plus we have to accept the fact that some copies of the magazine will inevitably go astray. Our objective is to reduce that to the absolute minimum.

The Novice Licence

John Case, GW4HWR, says "The time has come"

For a long time, to many of us, the Novice Licence has been a dream. A dream which at last has become reality. While waiting for the Licence, the Training and Education Advisory Group has spent much of its time preparing a training scheme and some of the details follow.

DO IT, NOT 'SAY IT'!

From the very early days it was decided that instruction for the licence must be a 'hands on exercise'. Learning by doing is the underlying philosophy. From this it follows that instruction must be biased towards the practical, rather than the conventional 'chalk and talk' method. In order to achieve this, the instructor must have a small group of students and for a number of reasons the group size is fixed at four. This may appear to be too small to many of you but if you stay with it for the next few paragraphs, you too will probably think that the number is correct.

KEEPING THE INTEREST It must be fun!

To avoid losing potential radio amateurs by subjecting them to a daunting long course, the tuition time is fixed at about 30 hours — say 15 weeks at two hours per week. In addition to this, students would be expected to spend a little time on work outside the course. One of the problems of any project which is of short duration, is the need to use the time in the most efficient way.

A student starting on a project which is to last 300 hours can afford to spend a few hours 'feeling the way' but with the Novice Training scheme this is not possible.

Another problem arises because of the practical aspect of the course. Students will need to have access to equipment such as

soldering irons and simple tools, test equipment in the form of analogue and digital multimeters, amateur radio transceivers and a number of other associated bits and pieces. During the course there will be some rather dull things to be learnt, for example the Q codes. Even these can be made a bit more interesting as the extract from the relevant section of the course will show. (Fig 1).

TIME TABLE

The solution to both of these problems is achieved by means of a well defined training programme, a sample of which (about one third of the total) is shown below (Fig 2). Some of the abbreviations in the table may appear a little obscure but are explained in the Training Manual for Instructors. A number of extracts from this book have already been used and many more will follow. For the time being WS 2 indicates that the students will be using a Worksheet — Number 2, while carrying out the particular exercise. There are 30 worksheets in the set and the numbers are frequently referred to throughout the manual.

You will see that the time is about equally divided between demonstration/talking and practical work done by the students as a follow up to the demonstration or talk previously given. The reason for the group size immediately becomes apparent when the rotation of exercises is noted. In this way maximum use of equipment is obtained, but, as all four students are doing different things, the Instructor will be very busy looking after only four students! This is even more important as the exercises get more complex. It is important that students should work individually so that there is no question of one working and the other watching.



Fig 1. Making Q-codes interesting

YOUR PROGRAMME PLAN

TABLE 1

	STUDENT A	STUDENT B	STUDENT C	STUDENT D	TWC
Group	Say hello to the group and tell them your name. Use the name you would like them to use when they address you. Tell them about the course and give them a brief outline of the kind of things they will be doing.				10m
Group	Demonstrate the main controls of a receiver or a transmitter. Demonstrate the use of a soldering iron. Show components and name each. Set up the meter as a voltmeter and give some idea of the way in which the scale is arranged.				20m 20m 20m
Ind.	Set receiver - 1 Use soldering iron Examine components Set meter	Set meter Set receiver - 1 Use soldering iron Examine components	Examine components Set meter Set receiver - 1 Use soldering iron	Use soldering iron Examine components Set meter Set receiver - 1	10m 10m 10m 10m
Group	Demonstrate the receiver on 'open bands' and tell them about some of the others. Demonstrate simple soldering exercise - Worksheet 2. Show how to construct a simple log - Worksheet 10. Show how to use Test Set No 1 for voltage measurements - Worksheet 12.				20m 10m 10m 10m
Ind.	Set receiver to band and mode - 2 Soldering WS 2 Build logs WS 10 Measure volts WS 12	Measure volts WS 12 Set receiver to band and mode - 2 Soldering WS 2 Build logs WS 10	Build logs WS 10 Measure volts WS 12 Set receiver to band and mode - 2 Soldering WS 2	Soldering WS 2 Build logs WS 10 Measure volts WS 12 Set receiver to band and mode - 2	10m 10m 10m 10m 10m 10m 10m 10m
Group	Talk about Q codes and other abbreviations Worksheet 5 (H). Talk about procedure - simple QSO - Worksheet 8.				
Ind.	Students A & B Simulated QSO WS 8	Set receiver to band and mode - 3	Soldering WS 3		
	Soldering WS 3	Set receiver to band and mode - 3	Students C & D Simulated QSO WS 8		

Ind. = Individual - Students working singly or in pairs.

Fig 2. Part of the training programme

Very occasionally they will work in pairs such as when carrying out simulated contacts. Preferably this will be done by using two telephone handsets in different rooms with a length of bell wire and a battery completing the circuit.

WORKSHEETS

These form a very important part of the training scheme and are included in both the Training Manual for Instructors and one of the books intended for the students — *Amateur Radio for Beginners*. Book 3. To give some idea of the content of the sheets, an Index of the complete set is reproduced at the end of this section.

The sheets have three functions:

1. Those marked (C) are intended

to guide the students through the various exercises which have been demonstrated by the instructor, and so relieve him of some of the repetitious instructions. 2. Those marked (H) are intended to provide notes on some of the talks, thus alleviating the necessity for student note taking. 3. They provide material for 'home study' of subjects which can only be learnt by usage, not instruction. An example of this is WS 5/6 — Cods and abbreviations.

TEST SET No 1

The first mention of this is in WS 2, but it is used on a number of occasions subsequently. It is a very simple exercise designed to give some basic practice in soldering



Putting theory into practice




Fig 3. Test set No 1

but it is important to try to make any exercise have some purpose. This is an elementary circuit consisting of two AA cells, a choice of two resistors and a bulb, connected in series. The plan of the set is shown in Fig 3.

The base board is a piece of soft wood and the terminals are brass drawing pins. Problems of two wires soldered to one pin, are overcome by trapping some wires under the pins, indicated by dotted lines on the diagram. When the board is complete the students are told to put an AA cell into one of the battery boxes and to touch wires X and Y together. The worksheet asks them to explain their result and to suggest ways of correcting the 'fault'.

WS 3. Contains another soldering exercise and when completed a

number of continuity tests are made using Test Set No.1 as the continuity tester. This provides a check that the instructions on the sheet have been correctly followed. WS 4. In this the test set is used to discover some of the effects of increasing voltage, decreasing resistance and shorting out some of the circuit. Although the title of the sheet is 'Discover Ohm's Law', the Law is not mentioned during the exercise, that comes later.

The previous paragraphs may give the impression that the work is concentrated on one subject but if you refer again to the table it will be apparent that the three exercises are well spaced with a variety of other subjects in between. The same test set is used again in WS 12 for practice in measuring voltage and in WS 14 and WS 15 for




Fig 4. Test set No 1 as used in WS12

INDEX OF WORKSHEETS

The amateur's code.

- WS 1. (H) The colour code.
 - WS 2. (C) First soldering exercise. TEST SET No. 1.
 - WS 3. (C) Soldering exercise No. 2.
 - WS 4. (C) Discover OHM's LAW — 1.
 - WS 5. (H) Codes and abbreviations.
 - WS 6. (H) and (C) More codes and abbreviations.
 - WS 7. (C) Audio Frequency Amplifier project.
 - WS 8. (C) Setting up a contact.
 - WS 9. (C) Soldering — TEST SET No. 2.
 - WS 10. (C) and (H) Build a log and design a QSL card.
 - WS 11. (C) A look at aerials.
 - WS 12. (C) Putting a multimeter to work.
 - WS 13. (C) Measuring resistance.
 - WS 14. (C) Measuring direct current (dc)
 - WS 15. (C) Power.
 - WS 16. (H) Propagation.
 - WS 17. (H) The QSL Bureaux — and other aids for amateurs.
 - WS 18. (H) AC and frequency.
 - WS 19. (H) Tuned circuits.
 - WS 20. (C) Demonstrate Ohm's Law using test set 2.
 - WS 21. (C) Fit a 13A plug to a piece of three core mains lead.
 - WS 22. (H) The spectrum.
 - WS 23. (C) Fit a PL259 plug to co-axial cable.
 - WS 24. (C) Fit a BNC plug to co-axial cable.
 - WS 25. (H) Block diagrams — Receiver.
 - WS 26. (H) Block diagrams — Transmitters.
 - WS 27. (H) Harmonics.
 - WS 28. (C) Test Set 2 — with diodes and transistors.
 - WS 29. (H) Learning the Morse Code. With help from Hilary G4JKS.
 - WS 30. (H) Getting ready for a CW contact.
- (C) indicates the sheets to be used during course work.
(H) indicates those to be used at home.

investigation of current and power. Fig 4 shows part of WS 12.

PROJECTS

There are two of these. The first is an AF amplifier, built from a kit which includes all components and a specially designed PCB with large pads and wide track spacing. Progress to this will not be permitted until the necessary soldering skill has been acquired. For this reason the exercise does not appear in the tables until later.

The second project is an open one and requires each student to build a radio receiver. Any receiver will do but it must work! A crystal set or the medium wave radio described in the pilot edition of *D-I-Y RADIO* are both detailed in the books — *Amateur Radio for Beginners*. Connecting the radio to the audio amplifier produces quite an impressive receiver.

THERE'S MORE

But space is running out. The Training Manual for Instructors gives details and explains how the course assessment is carried out. Satisfactory completion of all parts of the course is an essential requirement and entry to the examination will only be permitted when this has been certified.

SMALLER GROUPS?

Although it has been said that the ideal size for a group is four students, there is no objection to smaller numbers and a 'one to one'

ratio will present no problems. The tables in the programme would be followed using only the column headed Student A for one student, columns A and B for two, and A, B and C for three. The instructor would have to stand in for one student when the simulated contacts are being carried out.

INSTRUCTORS

All instructors must be registered and registration is conditional on the availability of certain essential equipment and of suitable premises. This procedure is most important as the instructor will be the person certifying the satisfactory completion of all of the exercises and projects. Certification will be on a form designed specifically for that purpose.

It is intended that short courses (one afternoon or one evening) will be available in strategic parts of the country for those who would like to attend. The object of the courses being to expand the ideas in these notes, to show the models and to answer queries wherever possible.

Finally, to all who have 'stayed the course' to this point — Thank you for your attention. If you are interested or feel there is a need in your area 'test the waters' and watch out in *RadCom* for a call for registration of instructors.

The photograph shows young people working on some of the exercises which have been tried out on students such as those in the picture.

DEWSBURY**ELECTRONICS****NEW!****NEW!**

The NEW DEWSBURY ELECTRONICS SUPA-TUTA makes learning Morse easier than its ever been

The self contained unit contains all one needs to learn Morse, and learn it thoroughly. From ABSOLUTE BEGINNER to EXPERT, all can make use of the on-board facilities.

1. Beginners Course, a gentle introduction to Morse Code over 10 lessons, including letters, numbers and accented characters.
2. Training Courses, no less than 90 different training sequences, with answers for checking, plus a further 10 sequences of random letters and figures, but without answers.
3. Ten different messages of 500 characters each, with answers.
4. Random Words, Supa-Tupa has a library of words and abbreviations, no answers for this one!
5. Variable Speed, 2-99 wpm, variable sidetone 500-1250hz, variable inter character spacing, a relay switched output and built in sidetone speaker. Works from 9-14 volts DC at 300ma.

Price £69.95

inc VAT and postage

Send SAE for details

FULL RANGE OF KENWOOD PRODUCTS STOCKED

We are also stockists of DAIWA — POCOM — JRC — TAR — WAVECOM — VIBROPLEX —
MICROWAVE MODULES — 8.N.O.S.


Dewsbury Electronics, 176 Lower High Street, Stourbridge, West Midlands DY8 1TG

Telephone: Stourbridge (0384) 390063/371228

Fax: (0384) 371228

Instant finance available subject to status. Written details on request.





SPECTRUM ANALYSIS

HF

JOHN ALLAWAY G3FKM
10 Knighlow Road, Birmingham
B17 8QB

You may still be wondering about my opening remarks in last month's column. Unfortunately the punch lines in DJ4XN's letter to *CQ DL* had to be edited out - which tended to make what did appear somewhat lacking in an ending!

There still seems to be a lot of misunderstanding about what we are allowed to do on the "WARC" bands. A G0 (who shall remain anonymous to spare his blushes) recently telephoned John, G3HCT, to point out that his article in February *Radcom* on verticals for 18 and 24MHz was a dreadful mistake because we are not allowed to use them and he should have checked with the DTI before publication! John is, of course, chairman of the Society's Licensing Advisory Committee! (see this month's news pages on confusion about licence conditions - Ed).

There is also confusion about 10MHz - where we have full facilities as far as the licence goes but where virtually every amateur radio society in the world has agreed that for the time being and in view of our Secondary status we should refrain from using ssb in an attempt to reduce interference to the Primary users. We all know that we are entitled to use ssb - but the vast majority prefer to follow the "gentlemen's agreement". Narrow band signals in a band only 50kHz wide leave more room for others too and that seems to be sensible - or is it?

There is much unhappiness in the USA and Canada about some of the quite dreadful behaviour heard when the Bouvet expedition was on the air. Leader articles in *QST Canada* and *QST* deplore what happened. It seems that the FCC

issued citations to 240 people who were operating outside their band allocation and K1ZZ makes the point that the amateur community knows who the guilty parties are and has to make it quite clear to them that deliberate interference and other rules violations simply will not be tolerated. There is no justification for deliberate interference ever - and if you don't subscribe to that principle then find something else to do. That applies over here as well as in the USA.

DX NEWS

An update on the information given last month about G0GWA and G0KPH with the international expedition to the North Pole. They were due to leave on 5 March from Khatanga and hope to be on the air from the base camp 450kms from the pole with the callign EK0AB. Another station actually with the cross-country vehicles will be EK0AA. Between 15 and 20 April visitors and press will be present and hopefully there will be three days of amateur operation to commemorate the 45th anniversary of the United Nations.

More calligns have been allocated to Vietnamese locals - these include XV2AAA, XV2AAB, XV2AAC, XV2AAD, and XV2AYL. QSLs from XW8KPL and XW8KPV are now being accepted for DXCC credit (as are those for XW8CW, XW8DX, and LU6EFL/D2). SP9JLD and others should sign as 9N5CW and 9N5DX from Nepal from 10 to 31 May. They hope to cover all bands 1.8 to 28MHz. *QST DX* says that Thai club stations may now stay on the air for 24h daily if they wish but that 1.8 and 3.5MHz operation is not allowed yet.

DX News Sheet passes on a rumour that 1S0XV may be on the air from a Vietnamese held island in the Spratly Is group for two weeks possibly in the middle of this month. The rumour also says that it will be a joint Vietnamese/Japanese/Russian effort and that they will have a military escort!

HaGal International (from IARC) says that there will again be special activity during the Passover holidays from 0800 11 April to 1200 15 April. This year they will be in connection with a special tree-planting campaign and there will be several special stations on the air from sites where this is happening. The "Green Comm Award" will be

awarded to those who work them. More details later.

Latest information on the planned Pacific expedition by OH2BH and others mentioned last month is that they will now operate from **Jarvis Is** from 4 to 18 April and that separate country status is being applied for. From 19 April to 4 May some of the operators plan to spend a week on **Palmyra Is** and a week on **Kingman Reef**. Some of these dates still seem to be in some doubt. VK3OT will be on **Lord Howe Is** as VK9LE from 25 March to 8 April using all bands with cw and ssb. The Kwajalein ARC station is now using the callign V73AX in place of the rather better known KX6BU.

DL2GAC will be in the Pacific area until 1 May. Look for him on 14.163MHz from 1100 - he may still be operating as YJ0ABS or H44/DL2GAC. He also uses the IOTA frequencies 14.260, 21.260, and 28.460MHz. K2BK wishes everybody to know that the station signing "K2BK/KH7" was a pirate.

The *Long Island DX Bulletin* says that ZS9A in **Walvis Bay** is to be found on Mondays, Thursdays, and Saturdays from about 1615 near 28.610MHz. Others say he might be on 14.180MHz around 0500, on 28.610 at 1630 and at 1500 in the net on 21.335MHz. DXCC status for Walvis Bay has been approved but cards should not be sent in before June - more information later.

Readers will be pleased to know that the person who was pirating QY7ML's callign has been caught but sorry to hear that he was the holder of a "G" call located in the south of England. It is sad that anyone in the UK should behave in such a manner. LA7DFA will be JX7DFA from **Jan Mayen Is** from now until the end of July - mostly on cw and suggested frequencies to watch are 3.501, 7.005, 14.010, 21.010, and 28.010MHz.

DJ6SI has listed conditions for those who wish to have QSLs for his various expeditions. They are - (1) after the end of an expedition he will only QSL for a period of seven months, and (2) no QSLs for previous operations will be answered if requested after 30 June 1990. Cards with no postage are answered via the bureaux and the list of priorities for the others is as follows - it sent with (1) more than \$2.00, (2) \$2.00, (3) two ircs, (4) \$1.00, (5) one irc, (6) sase with German stamp.

There is a new station on from **Ivory Coast**. This is TU2UT who will be there for more than a year and who prefers ssb often around 2100 on or near 21.337MHz. K8MM has now moved from his J52US station and is in **Sierra Leone** where he hopes to become 9L1US. He hopes to be on 14, 21, and 28MHz cw and ssb. A French operator is expected to be on the air from **Guinea-Bissau** at any time using the callign J52NU. SARL has told me that in view of impending political changes

1990 28MHz COUNTRIES TABLE

G4MUW	120 (ssb)
G4MOBK	63
G4ZY0	56
G2AKK	55 (cw)
G4DXW	44
GM4ZIL	43
G4NXG/M	40
G0MXU	16
G0JSM	15

Namibia will lose its ZS3 prefix. It is not yet known what the replacement will be.

V31KX will be in **Belize** for two years and seems to prefer ssb. He keeps a schedule with his QSL manager KR5N on 18.125MHz at 0130 on Fridays. GM3GDX tells me that Fran, W2BJI - who he talked to when he was J37XC - will be in **Grenada** until 3 April when he goes to St. Kitts as V47KJ until the end of the month. He asks that only those who actually need a QSL to him and it a direct reply is required an s.a.e. and irc should be sent. He likes using 21.280MHz. *QST Canada* reports that stations in Moncton, N.B. may use the XM1 prefix this month to mark the city's Centennial.

The *Lynx DX Bulletin* says that there is a new station on **Macquarie Is**. This is VK0JR and he joins the VK9NS net on 14.222MHz and also appears at week-ends on 14.168MHz around 1000.

AWARDS

Victory-45 Award

This is to celebrate the 45th anniversary of victory in WW2 in Europe. It is issued for QSOs with Soviet World War II veterans and certain memorial stations and a total of 45 points is needed. Each contact counts one point for Europe, two for Asia, Africa, and N.America, and four for others. European applicants need to have at least 10 QSOs with veterans during the period 1 January to 9 May 1990. In addition they will also be acceptable during the "GC" contest on 15 April and "CQ M" contest on 12-13 May. Most have short calligns with prefixes in the U1-U0 series. Memorial stations with prefixes EM, EN, EQ, ER, and EZ will be on the air from 1 to 9 and on 12-13 May. The award is free and applications should consist of log extracts certified by two amateurs or the RSGB Awards Manager. They go to P.O. Box 88, Moscow, U.S.S.R.

WARC 79 Award

Some details were given last month but I now have them all. You need to have made confirmed contact with at least 79 stations (including one in each call area of Japan) on one or more of the 10, 18, and 24MHz bands between 1 July 1989 and 31 December 1990. Send certified list (including full QSO data), signed by two other amateurs and with 10 ircs to J.A.R.L. Award Desk, 1-14-2 Sugamo, Toshima, Tokyo 170, Japan. Listeners may apply. There is an official application

QTH CORNER

A92BN	YASME Foundation (see A92QL).
A92QL	YASME Foundation, Box 2025, Castro Valley, Cal, 94546, USA.
CY0SAB	VE1CBK, W.E. King, RR 1 Site 35 Box 32, Windsor Junction, NS, B0N 2V0, Canada.
J37XC	(see V47KJ)
P4/N4XCF	PO Box 2209, San Nicholas, Aruba.
P29PL	VK9NS, Box 90, Norfolk Is, 2899 Australia.
SO1MZ	EA2JG, Ave Murrieta 15 13, 48980 Santurce, Vizcaya, Spain.
V47KJ	E. Fran H. Thisse, 164 Washington St, Marius NY 13104, USA.
VR200PI/JR	KB6ISL, 9605 San Gabriel Av, South Gate, Cal 90280, USA.
VR6JR	G3OKQ, Greenlifers, Oyster Lane, Byfleet, Weybridge, Surrey.
3B8FV	Box 62, Quatre Bornes, Mauritius.
9V1XT	JH0JLP, Shigeo Fujisawa, 10113-10, Akago, Komagane 399-41, Japan.



Erling Johan Wiig, LA5VM, the QSL manager and treasurer of Club Bouvet - 3Y5X. Erling is also QSL Manager for the Peter I Island operation by 3Y1EE and 3Y2GV (photo: LA6CJ).

form obtainable from the same address - sorry, I do not have any of these.

CONTESTS

The Yuri Gagarin Cup Contest

0000 to 2400 8 April

This contest takes place only every third year and covers 3.5 to 28MHz (cw only) and OSOs via satellites

(which count as an extra band). OSOs in same continent one point, outside three. Multiplier is sum of ITU zones worked on all bands. Stations may be worked once per band. Send entries by 1 June to GC DX Contest Committee, PO Box 88, Moscow, USSR. I have copies of the rules (sase please).

"CO M" Contest

2100 12 May to 2100 13 May

1.8 to 28MHz plus satellites (OSOs this way count as an extra band). Single-operator single and multi-band, multi-operator multi-band and listener sections cw and phone. After changing band you must stay there at least 10 minutes. Exchange RS/T plus OSO number (from 001). OSOs with own country count one point, with other countries in same continent two points, and with other continents three. Listeners get one point for logging one side of a OSO, three for both. The multipliers are one for each of the countries in the "R-150-S" list worked on each band. Send logs to CO-M Contest Committee, P.O. Box 88, Moscow, to arrive by 1 July. Requests for the RSF Awards "R-150-S" "R-100-C" "W-100-U" "P-15-R" and "R-6-K" can be claimed when you send in your logs and in this case no OSLs will be needed if the necessary contacts have been made during the contest.

In the European DX Contest (WAEDC) 1989 SSB All-Band Section there do not seem to have been any UK entrants. In the Single Band (High-band) category GM3BCL

scored 20,554 points, and in the Multi-operator Single-transmitter class GJOLYP scored 263,040.

In the 1989 IARU HF World Championship G0/AA6MC scored 84,616 points and GM4OBK 20,200 in the single operator multi-mode section. On cw G3ESF scored 182,942, GM3CFS 127,764, G3TXF 72,964, and GM4ZFE/P 42,416, and GW8GT made 359,840 points in the multi-operator single transmitter category.

PROPAGATION

Smithy's report this month goes as follows: "February, for some time the favourite to be the peak month of Cycle 22, turned out to be very disappointing. After more than a year in which the average solar flux was above 210 sfu, the monthly figure for February plummeted to around 175 with a lowest daily value of only 138. At the same time the geomagnetic field was rather more unsettled than usual with a few days having an A index below 10. The overall result, therefore, was a spell of rather indifferent conditions on the hf bands - compared, that is, with what might reasonably have been expected at this stage of the cycle.

HF F-LAYER PROPAGATION PREDICTIONS FOR APRIL 1990

The time is represented vertically at two-hour intervals 00(00)GMT for each band, ie 00=0000, 02=0200, 04=0400 etc.

The probability of signals being heard is given on a 0 (indicated by a dot) to a 9 scale; the higher the number the greater the probability with 1 meaning 10 to 19 per cent of days, and so on. Additionally 50MHz F-layer and 1.8MHz openings are indicated by a plus (+) sign in the 28 and 3.5MHz columns.

Time / GMT	28MHz	24MHz	21MHz	18MHz	14MHz	12MHz	7MHz	3.5MHz
	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802
•• EUROPE								
MOSCOW234443..24566751..47788884..	1.2677788973	6.6666556698	8.7643223468	7.631....1368	43.....3+
HALTA345444..25677762..	1..588888952	3.2278888898	8.7676666789	9.9854333478	8.8631111247	+3.....4+
GIBRALTAR222222..2454451..157777841	1..378888973	6.5777667898	9.9875443468	9.9752111247	+52.....4+
ICELAND1112..233452..233452..233452..	31.256667886	8.7565444467	8.8742111235	534.....23
•• ASIA								
OSAKA12331....144421..2543332211421244521..2673461132
HONGKONG2456664..25666762..144347851	1..22125874	2.....27864751322
BANGKOK45677751..35667872..	1..124347862	3.....125886	3.....2688	3.....477	3.....15522
SINGAPORE46777751..135667753	1..124347863	3.....125886	3.....2688	2.....477	2.....15522
NEW DELHI46777751..145667753	4.21....125886	4.21....125886	73.....2688	61.....478	3.....15624
TEHERAN26777852..265567874	3.2442234797	6.451....125897	9.75....2789	8.51....478	6.2....156	3.....24
COLOMBO26788862..145667884	3.1111334797	6.3....125897	8.3....2789	6.....478	4.....15624
BAHRAIN167888631	1.2655678853	4.3532234798	7.551....125898	9.73....2799	8.5....478	6.2....156	4.....24
CYPRUS578888731	1.1788889853	4.3487777898	7.5755668998	9.8752233599	9.852....2589	8.62....367	+3.....35
ADEN	2.1677888853	4.2365567897	7.5531124798	9.761....25899	9.84....2799	8.61....478	7.4....156	4.....24
•• OCEANIA								
SUVA/S11111....122232..1332355234212573152....2623....3..1....1..2
SUVA/L	6.424521....186	5.5367321.386	2.35863212673	1.4851112751262....1623....3..1....1..2
WELLINGTON/S17221....12334321343345531542125751262....2653....321....1..2
WELLINGTON/L	5.4222....46	6.64541....67	5.66751....186	3.46851....4741462....55114....321....1..2
SYDNEY/S2566663135666621164346641	1.54212576321....27731....351....1..2
SYDNEY/L	21.21....34	32.12621....86	4.3347311187	2.12552.1128642....15731....351....1..2
PERTH577752..15876541..	2.1236434543	4.1141125652	3.1....2786	2....1....4761....1542
HONOLULU111..1.1331..1211451..1221145..342....23..33....1....1..2
•• AFRICA								
SEYCHELLES	2.1666776653	4.2355567776	7.5521134799	9.75....125899	9.72....2799	8.5....478	7.2....156	4.....24
MAURITIUS	3.11678+88865	5.3365667898	8.6532234799	9.851....115899	9.83....2789	9.6....478	7.3....157	4.....24
NAIROBI	4.2167788876	7.4375537898	9.7641124799	9.972....15899	9.96....2689	9.83....478	7.61....157	43.....24
HARARE	6.31677+9987	8.5375537899	9.8662124799	9.985....15899	9.972....2699	9.85....478	7.72....156	44.....24
CAPETOWN	4..588+9988	61.776678999	9.4.853336999	9.7.83.114899	9.945....1689	8.873....378	6.74....156	442.....24
LAGOS	7.51487+9988	9.7477555899	9.9795111699	9.9882....4899	9.986....1689	8.873....378	6.751....156	342.....24
ASCENSION I	6.5228877765	8.7458644687	9.9773113899	9.98831..1799	9.9862....589	8.873....278	6.751....47	342.....4
DAKAR	5.42278+996	7.7448644698	9.9773212899	9.98831..699	9.9862....589	8.874....177	7.751....37	442.....3
LAS PALMAS	1..158888862	3.2127888898	6.5368887898	9.8668766899	9.9986433469	9.986311.1479	8.8631....157	+43.....25
•• S. AMERICA								
Bth SHETLAND	1....2+996	3....366898	6.21..13336899	8.5312211478	9.9742....1568	8.974....246	6.751....13	352.....
FALKLAND I	4.11.4+8986	7.6331566888	9.9764343579	9.9874211358	9.9962....268	8.874....36	6.751....4	442.....
R DE JANEIRO	4.3111887688	6.6333765579	9.8765432259	9.987521..289	9.9962....69	9.874....38	7.651....16	432.....3
BUENOS AIRES	3.3111888887	6.5332666787	8.8664433248	9.9875211.179	9.9962....58	9.874....26	7.751....4	442.....
LIMA	11..2277763	3.2114366566	6.5436333148	8.8765211..27	9.9862....58	8.874....33	5.751....24	242.....
BOGOTA	1..12666663	21..24654465	6.5335432137	8.765521..17	9.9863....5	7.874....2	5.751....24	242.....
•• N. AMERICA								
BARDAS	1....26766773	3.2114664457	6.5436431168	8.876521..48	9.9862....17	8.874....4	7.751....2	442.....
JAMAICA156663	21....1365455	5.3213333137	7.654421..17	8.8763....4	6.874....1	4.751....1	442.....
PERMUDA355566	21....1455456	5.3213332157	7.643421..38	9.9862....6	7.874....3	5.751....1	242.....
NEW YORK344542	1....1454564	4.21..12332256	6.5322211.37	8.8752....5	6.874....2	3.651....32	32.....
MEXICO244441	1....1344553	4.21..12332256	6.5322211.37	8.8752....5	3.774....22	3.51....22	32.....
MONTREAL233441	1....1344553	4.21..12332256	6.5322211.37	8.8752....5	3.774....22	3.51....22	32.....
DENVER1121	1....12232	21....22123	4.3111..12	2.4642....	2.574....	3.51....	32.....
LOS ANGELES122	1....13331	21....14212	3.3111..13	2.5542....	4.74....	3.51....	32.....
VANCOUVER111111	1....11111	2.1111..21	1.4442....	3.63....	3.51....	32.....
FAIRBANKS111111	1....11111	1.11121.1221	2.342....21	3.33....	3.51....	32.....

The provisional mean sunspot number for January 1990, issued by the Sunspot Index Data Centre, Brussels, was 179.4. The maximum daily sunspot number was 236 on 20 January, and the minimum was 125 on 9 January. The predicted smoothed sunspot numbers for March, April and May and June were respectively: (classical method) 146, 143, 140 and 136; (SIDC adjusted values) 156, 151, 146 and 140.

The provisional mean sunspot number for February 1990, issued by the Sunspot Index Data Centre, Brussels, was 128.4. The maximum daily sunspot number was 249 on 24 February, and the minimum was 57 on 17 February. The predicted smoothed sunspot numbers for April, May, June and July are respectively: (classical method) 140, 137, 134 and 131; (SIDC adjusted values) 148, 144, 138 and 133.

It will be some time before it becomes clear just how the cycle will now progress. Sudden dips of this sort are not uncommon and do not usually last very long, and February could still emerge as the peak month in the smoothed curve, though this could not be with a smoothed monthly sunspot number as high as the 180 which is the most recent prediction by N.G.D.C. Boulder. Looking back, the highest peaks both in monthly and daily activity were in the first half of 1989 and this, coupled with the steep fall this February, means that the smoothed curve passes through a peak of 213 sfu in June 1989 (month 33) (peak smoothed monthly sunspot number of 158 in July).

Only time will show whether this is the true cycle peak. If so, it was abnormally early, there being no cycles in the reliable record which peaked in less than 39 months, though S.I.D.C. Brussels did adopt a September 1989 peak as the basis for their predictions. Perhaps the rapid rise in the first two years which seemed to promise a very high peak has instead given us a lower and earlier one. If so it will still be the second highest on record in terms of 2800MHz solar flux, though just short of Cycle 21 in terms of sunspot numbers.

On the other hand, there have been solar cycles in which the smoothed curve passed through one or more minor peaks before reaching the final summit and there is plenty of time for activity to recover and even to rise above the levels of 1989, resulting in a peak well above that of Cycle 21; though it now seems less likely that the prime position of 19 is at risk. As mentioned last month, even-numbered cycles tend to have prolonged maxima and there remains a good chance that 1990 will prove at least as good as 1989."

BAND REPORTS

The future of this section looks doubtful in view of the large amount of space it occupies - but please keep writing until it stops appearing.

This month we have G2s AKH, HKU, GM3CSM, G3s GPE, GVV, LPS, G4s DXW, EHO, GW4KGR, G4MUW, GM4OBK, G4s NXG/M, SFU, UZN, ZYQ, and G0s BXO/M, HGA, and JZA to thank for the logs. Stations using cw in italics:

7MHz

0000 FM/F6HWU, VP2V/W2GUP, 457WP.

0100 J34P, G3UUV/J6L, 757AAA (Ant).

2000 G4WYG/ST2, ZD8BOB.

2100 JA7ARM, Y1BGD, 6W1QB.

2200 SU1CU.

2300 A61AC, P43BG.

10MHz

1900 4K2OIL (FJL).

2000 ZS9/DK7PE, 4K4AFM.

2300 WF8C/VP9, SM0OIC/YN.

14MHz

0800 KN0E/KH3, KL7, G0JSM/ZL2/M.

0900 V85GA, VR200PI/YL, VR6YL.

1400 4K4AFM, 3W3RR.

1700 AP5HO, KH6OR, W6-W7.

1800 FH5EH.

1900 HK0/N8JT, KH6IJ, SO1MZ, 3W8RR, 8Q7JC.

2000 A61AC, FJ/K2IBW, PJ8JT/VK.

21MHz

1100 UA0YM.

1300 A61AD.

1500 TG0AA, 3C1EA.

1600 A47RS, G4WYG/ST2, ZS3BI.

28MHz

0800 ZL3IX.

0900 HS0B, JT1BS, KG6JJH, KH0AC, XW8KPL, XX9JN, YJs 0AHM, 8M, tSHD, 3C1EA, 3W8RR.

1000 BV2FA, BV4OB, BYs 4RB, 8AC, RA0AD/JT, V85GA, 5U7NU.

1100 A61AD, P29s CEH, PL, TY0AS, WL7E, ZD7PP, 9J2AL.

1200 SU1ER, TZ6VV, VO9LW, 6W7OG.

1300 A22AA, C56/G0CBY, P4/N4CXF, G4WYG/ST2.

1400 CY0SAB, OD5SK, TL8PS.

1500 HK0NZY, WA0FGV (S.Dak).

1600 HH2BN, TG0AA, N3CRH/TJ, VR6JR.

1700 A61AC, FY/N4ODX, S01A, V21/VE3ODC, ZD9BV, 9L1CM.

2100 CE0FFD.

Thanks to the following for items extracted: the *Long Island DX Bulletin* (W2IYX), *RSGB DX News Sheet* (G4DYO), the *Ex-G Radio Club magazine* (WA8TGA), the *Lynx DX Group Bulletin* (EA2JGO), *DXpress* (PA3CXG), and *DXNL* (DL3RK).

Closing date for June issue is 26 April.

UHF/VHF

NORMAN FITCH G3FPK

40 Eskdale Gardens, Purley, Surrey CR2 1EZ

The frequent gales and storms in January and February took their toll of antenna installations. Tropo conditions were mediocre for most of the period, 50MHz F-layer propagation was sparse, so there is little exciting news to report. There were several auroral events but activity in them was low.

CHALLENGER UPDATE

Andy Adams, GW0KZG (GNS), has sent the final details of the April itinerary of the RRS 'Challenger' in the North Sea. They plan to sail east from Dundee on 3 April towards Denmark, turning north, via a zig-zag course in the mouth of the



What is left of the Derbyshire Hills CG Western Isles expedition site after a force 9 gale which, frustratingly, left the 4x19.2m array undamaged

Skagerrak, then along the southern Norwegian coast before crossing back towards Peterhead.

The next stage will be another zig-zag course between The Orkneys and Shetlands, around the north of the Shetlands across to Norway before a long steam down the North Sea. A port call in Den Helder (JO22) is planned for the 17th. This part of the voyage will be through many 'wet' squares.

The second leg should start on the 18th following the Dutch, Belgian and French coasts, across to the Thames estuary, then zig-zagging along the east coast for a few days. The final stage will be another trip across to Holland then back again to Great Yarmouth by 3 May.

The equipment, OSL route and probable operating times remain as shown on page 22 in the March VHF/UHF, so regular monitoring of Andy's preferred frequency of 144.240MHz should prove rewarding.

LUXEMBOURG ACTIVITY

Reg Woolley, GW8VHI/DA4RG, DL8EBW and others plan to operate from CJ square in Luxembourg during Easter, 13-16 April. On 144MHz they aim to operate one station for tropo working and a second for meteor scatter tests. Some microwave activity is possible.

BEACON NEWS

The 50MHz beacon 9H1SIX in Malla was taken off the air. It was due to be relocated on 50.515MHz as soon as a new crystal arrived. From Sierra Leone, 9L1US (ex-J52US) was planning to run a 24 hours-a-day beacon on 50.091MHz from a QTH remote from his home station.

Brian Viney, GW4KDP (GDD), has recently returned from Gibraltar and wrote: "The beacons have been vandalized yet again. There is an on-going problem with PMR users who seem to blame the beacons for any problems that occur, and put them out of action by destroying

the antenna systems." He reports they were still OK on 10 February. At a local club meeting, it was suggested they might describe them as 'scientific beacons' in the faint hope that they might then be left alone.

IRISH ACTIVITY

Martin Dale, G6ABU (NOT), says that the Derbyshire Hills Contest Group plans to operate from IO61 square during this year's Perseids meteor shower in August. They completed a very successful expedition there in 1984 and hope to use their original call sign, EI2VPX, again.

Marlin reported that the group's 1989 expedition to the Western Isles (IO67) was a disaster. On 10/11 August, force nine severe gales wrecked their tents and stations, although the four 19-element Yagi array survived. A few stations were worked prior to the gales. The logbook was retrieved from a nearby stream, so it should be possible to decipher the call signs of stations who worked GM4ZAP. Anyone needing a QSL should contact Marlin, who is OTHR.

REPEATER NEWS

The Kent Repeater Group has sent its 58th Newsletter which gives details of the status and performance of its seven voice repeaters, GB3s KN (R4), KS (R1), CK (RB0), EK (RB2), NK (RB4), RE (RB11) and SK (RB6). It also operates the packet relay, GB7CK, on 144.650MHz. The Newsletter includes operating notes on the GB3US logic used on KN, KS and RE, and a rather humorous article on EPROMs by G4VSSZ. For details of the KRG, contact G0AMZ (OTHR) or telephone 0634 376991.

The Aylesbury Vale Repeater Group controls GB3VA (R4), GB3AV (RB2) and GB3BV (RB1) and has forwarded its 14th Newsletter. This carries comprehensive information on the repeaters, a coverage map for GB3BV and a short article on a TX

ANNUAL VHF/UHF TABLE
January to December 1990

Callsign	50MHz		70MHz		144MHz		430MHz		1.3GHz		Total Points
	Cty	Ctr	Cty	Ctr	Cty	Ctr	Cty	Ctr	Cty	Ctr	
G0CUZ	—	—	—	—	53	8	14	1	—	—	76
G4XEN	—	—	—	—	33	6	27	2	1	2	71
G7CLY	—	—	—	—	41	4	—	—	—	—	45
G4OUT	—	—	7	1	28	5	—	—	—	—	41
G6HKM	2	4	—	—	21	7	1	2	—	—	37
GM0GEI	18	15	—	—	—	—	—	—	—	—	33
G3FPK	—	—	—	—	25	4	—	—	—	—	29

British counties are those listed in the January 1990 *RadCom*, but excluding IOS; 77 in all. Up to three different stations allowed in all 12 GM regions. Do not include EI counties. Countries are the usual DXCC ones plus IT9.

shutdown timer by the editor, Mike Marsden, G8BOH. Contact him (OTHR) for details of the AVRQ.

John Rhind, G6JR (BKS), is the secretary of the Milton Keynes Repeater Group and sent a copy of its December journal. (He edited this issue but the group seeks a permanent editor.) It contains details of GB3MK on RBO, which is located in Milton Keynes, and a coverage map. There is an interesting article on Electrical Noise in Motor Vehicles, which is to be continued. For information about the MKRG telephone G6JR on Milton Keynes (0908) 604275.

THE TABLES

The first listings in this year's annual table starts in a very modest way this month. The rules are summarized at the foot of the table but if anyone wants a complete set, with a counties and countries list, just send me an SASE.

INTERFERENCE

Each month, more examples of digital RF pollution appear and this time the sufferer is K A Hammersley, G8RRA (WMD). His problem appears to be a Hitachi TV receiver type CPT2178, used by a neighbour across the road, and it provides an S9 signal on about 144.200MHz. There are other noises every 15kHz and the 50MHz band is also affected.

G8RRA contacted Hitachi Sales (UK) Ltd whose Customer Relations Consultant suggested, "...it is possible this is caused by a signal being created within the power supply of the television receiver." He then wrote that they had not received any other complaints and that, "...all our products conform to BEAB standards including radio interference levels."

Has any reader 'in the trade' any advice to offer? One experiment would be to disconnect the TV antenna; if the ORM diminishes, a braid breaker filter at the TV set to stop radiation from the feeder braiding could be tried. These are available from RSGB Sales and are regularly advertised.

Andy Newell, G7CFX (HPH) is suffering terrible ORM from a local 'Spectrum Plus 2' computer system. He has disconnected all the peripherals to no avail. He tried contacting Amstrad for help, but concluded that the switchboard operator has instructions not to put

through any calls about interference problems.

Other Spectrum series models seem less troublesome according to Andy, so have other readers had problems with the Plus 2? They are quite popular and are used in amateur stations during operating periods, so let us know if there are any simple means of reducing the racket - apart from switching it off!

SOFTWARE

Several readers have written about contest scoring programs incorporating duplicate checking. Jim Dunnett, G4RGA (SOM), sent me a copy of his dupe-check routine, HASHOSOC, which he claims is the fastest method outside machine code. It does not save the actual calls and QSO numbers, but can easily be adapted to do so by dimensioning extra string arrays.

I ran HASHOSOC on my PCW8512 and it works very fast on normal calls, but as Jim warned, it threw out 'special' calls, such as GB99ZZ, and reciprocal ones like F/G3FPK. However, the F/ or /P parts could be stripped off before processing in the latter case.

Andrew Talbot, G4JNT (HPH), has written a comprehensive suite of programs incorporating all you need to log, check and print a contest entry. He is setting these so send him an SASE (OTHR) for details of this and other software. If you are looking for log book software, John Hedges, G7ANO (WKS), recommends 'Log Book' from MTS - see the Classified Ads section.

Nigel Wilson, G4VZV (NOT), has also produced some up-market software and kindly sent me a set of programs for contest scoring which include full dupe-checking. He overcame the rather slow operation of disc sequential files by using the 'Jetsam' keyed files facility available in the 'Mallard' Basic CP/M language used by the Amstrad PCWs.

This software has been used to score all the contest logs for the Derbyshire Hills Contest Group since autumn, 1987. Nigel says he will produce "...a tidied up version with manual, but without some of the frills." He has offered to copy it for others who send him a formatted CF-2 disc and sufficient return postage; he is OTHR.

I have a number of amateur radio programs written for the Amstrad

PCW8000 series computers, but please do not send disks with requests to "...copy all your amateur radio software." Send an SASE first for the latest PROGLIST, pick what you need, then send your formatted disk(s) and I will copy.

METEOR SCATTER

The main meteor stream in April is the Lyrids which should peak on the 22nd. The highly elliptical, 415 years period, orbit is inclined at 79.8 degrees to the ecliptic plane, so this stream suffers minimal perturbations by the planets of the solar system. The stream velocity at atmospheric encounter is a high value of 48.8 kilometres per second. Its parent comet is Thatcher 1862 I.

The British Meteor Society's Radiant Catalogue records a variable ZHR - Zenith Hourly Rate - for this stream, with 113 observed in 1982 and 30 in 1984. Strong peaks of activity could occur in any year, but these are quite unpredictable. The best times for the usual, four directions are: NE/SW around 0200 and 0930; E/W around 0400; NW/SE around 2300 and 0700; N/S around 0000 and 0800. The shower is above the mid-UK horizon between 1830, through midnight, to 1400.

The next useful stream is the Eta Aquarids which has a period of 11.18 years and an orbit inclination of 83 degrees. The velocity is 66.8km/s and its parent comet is the famous Halley. The ZHR is quoted as 50, but in 1980, 110 was observed. This stream is above our horizon between 0200 and 1300 and the best times are: NE/SW around 0600; E/W around 0800; NW/SE around 0930 and N/S around 0500 and 1100. 3-5 May is the active period for the Eta Aquarids.

Commenting on the difference between the recorded visual and radio maxima, Robert Mackenzie, the director of the BMS, writes: "The Quadrantids are a very good example because the maximum is of such short, sharp duration. There is a time difference of about four hours between the radio and visual maxima. Radio systems are capable of detecting much fainter meteors (meteoroids of lower mass) than visual observers can see. The Earth is actually encountering a great number of low mass meteoroids at a different time to those of somewhat higher mass. Thus the time of maximum depends on the observing techniques used."

He goes on to explain that, as a result of various dispersive effects - pressure of sunlight, the solar wind, etc. - the meteoroids are really 'sorted' into their orbits according to their mass. In practice, this means we often get the best reflections from a large number of low mass meteoroids, which may not even be visible in a telescope, rather than from fewer, larger mass ones which produce spectacular 'shooting stars'.

Meteor streams are a fascinating branch of astronomy and anyone already familiar with amateur radio satellites should have little difficulty dealing with their much larger orbits. I have learned a great deal from the publications of the BMS and can recommend membership to keen MS addicts. For full details, send an SASE or IRC to Robert A Mackenzie at 26 Adrian Street, Dover, Kent, CT17 9AT.

Back to computer software, and Roger Blackwell, G4PMK (YSW), has written a complete suite of programs for PC-compatible machines, primarily aimed at the amateur astronomer which he calls ASTER. It includes a meteor shower predictor and comes complete with a manual on either a 3.5" 720k or 5.25" 360k disk. Send him an SASE for details and cost. He is OTHR.

50MHz

Speculation continues on whether Sunspot Cycle 22 has peaked, and if not, when it might happen. The January report from Ray Cracknell, G2AHU (HWR), includes data from Boulder, USA, reporting the mean sunspot numbers as 166.1 and 179.4 for December and January respectively. The corresponding adjusted mean 2.8GHz solar flux figures at Ottawa, Canada, were 206.3 and 203.4.

January revealed: "There were several mild auroral openings and a higher incidence of Sporadic-E than previously reported in mid-winter. Having complained during the previous two winters of under exploitation of winter Es, this may not indicate a real increase."

Summarizing results from Britain, Ray reports: "The excellent transatlantic conditions experienced during December tailed off during the first week of January and, except for a long opening to eastern and central North America on the 27th, signals only appeared spasmodically for short periods in localised areas. Otherwise DX contacts were confined to Central America, Ecuador and the north of South America, and the west coastal regions of Africa."

Costas Fimerellis's, SV1DN, report from Greece includes the comment: "The TEP season may be said to have started on 28 January when there was pronounced evening type, pure TE, up to 62MHz. A feature of cycle 22 has

been the lack of typical pure TE type evening signals; i.e. with rapid flutter similar to auroral signals, and so far, relatively few openings on 144MHz."

On 13 March 1989, G4GLT and KA1MFA made an authenticated auroral Es QSO at 2234UTC. This is being claimed as a first between Europe and America, and the greatest distance worked from Britain via this mode. Ray would like to know if there are any prior claims. I do not know of any, but it was just before I started writing VHF/UHF and no readers' letters for that period were passed to me.

Now some items from the Ted Collins, G4UPS (DVN), news pages starting with possible operation from Robinson Crusoe Island, Juan Fernandez (FF06), by the CE0ZZZ expedition around the end of March/beginning of April period and using 100W and a 5-element Yagi.

The first of the new Belgian permits - they have had the band before, of course - was issued to ON4PS on 8 February and Pierre's first OSO was with PA3EUI. There are no antenna or time restrictions. The first of the new Swiss permits were received by husband and wife team HB9CRO and HB9XAJ on 7 February, but like the Belgians, they had the band in the late 1940s and 1950s.

Marc Schiltz, LX1SI, told Ted that the first Luxembourg permits were expected to be issued before 15 March. The probable conditions are 100W ERP, SSB and CW only, 50.100-50.200MHz with no antenna or time restrictions. Y33UL reports that "...talks regarding 6m are going well..." and Matt reckons it won't be too long before some GDR amateurs are on the band.

Clive Penna, GM3PO/P (IO88), will be ORV from Deerness (QKE) from 10-19 April; OSL via G3POI. Trevor Day, G3ZYU (CNL) plans operation from Gibraltar in the last week of June and first week of July using the call ZB2HN; a modified IC-211 and amplifier will be taken. OSLs should go to 46 Beatrice Avenue, Saltash, Cornwall, PL12 4NG.

An unusual one to listen for is ZS9H from Walvis Bay. He is George Hart, the captain of a fishing boat, and plans some /MM operation on the band. QSL via PO Box 1018, Walvis Bay 9190, Republic of South Africa. G4UPS has been asked to act as TR8CA's QSL manager for G stations. Alain has provided Ted with 40 blank cards, so if you need a Gabon QSL, contact him at 27 Parklands, Hemyock, Devon, EX15 3RY.

On 20 February, KP2A worked Kim, JA8JRC/6W1 (IK14), who said to OSL via JA8KJH. He is thought to be someone working in Dakar. Tony Selmes, G4KLF/MM, has received his Oman call A45ZN. Future /MM operation will be under his South African call, ZS1D/MM

LOCATOR SQUARES TABLE
Starting date: 1-1-1979

Callsign	50MHz	144MHz	430MHz	1.3GHz	Total
G3IMV	206	427	125	51	809
GJ4ICD	344	263	119	59	785
G4IJE	307	338	5	2	642
G0DAZ	137	316	122	39	614
G4RGK	69	302	140	52	563
G6HKM	190	217	109	46	562
G4KUX	—	384	120	—	504
G4TIF	172	204	111	—	487
G4XEN	66	294	114	5	479
G6HCY	243	231	—	—	474
G1KDF	139	180	102	37	458
G6DER	43	183	114	82	422
G8LHT	113	185	93	14	405
G0CUZ	—	330	73	—	403
G4MUT	98	153	94	34	379
G4RRA	—	280	80	—	360
G1LSB	44	172	143	—	359
G4VXE	147	162	42	4	355
G0EVT	88	209	57	—	354
G4SSO	—	256	98	—	354
G4PIO	—	261	87	—	348
G4SWX	—	347	—	—	347
G1SWH	143	149	53	—	345
GM4YXI	—	340	—	—	340
G4DHF	—	325	—	—	325
GJ6TMM	109	151	52	—	312
G8ATK	—	143	94	52	289
G0GMB	—	187	99	—	286
G1GEY	—	170	92	22	284
G0JHC	232	48	—	—	280
G8PYP	118	105	31	—	254
G6STI	—	152	69	24	245
G4YTL	—	245	—	—	245
G3FPK	—	241	—	—	241
G0LFF	83	153	—	—	236
GM4CXP	—	198	31	—	229
GW4FRX	—	228	—	—	228
G1SMD	115	106	—	—	221
G4DOL	—	216	—	—	216
GM0GEI	177	—	—	—	177
G8XTJ	44	120	—	—	164
G0HVQ	87	71	—	—	158
G1DOX	54	73	16	8	151
G6MEN	67	54	27	3	151
G4XBF	—	150	—	—	150
G4TGK	—	137	—	—	137
GW4VXX	—	115	—	—	115
G1CEI	11	77	18	—	106
GM0GDL	—	83	22	—	105
G6UWO	—	41	44	18	103
G7CLY	—	100	2	—	102
G1WPF	—	101	—	—	101
G6ODT	—	21	47	—	68
G0HDZ	—	64	—	—	64
GM1BVT	41	21	—	—	62
GM1ZVJ	6	48	—	—	54

No satellite, repeater or packet radio QSOs.

and he hopes to apply for a 50MHz experimental permit in due course.

Pitcaln Island has always been a much sought after country on the HF bands and now Jim Russell, G3OKO, has arrived on the island where his call is VR6JR; QSL via his home call. He has been using the special anniversary call VR200JR and the OSL manager for that is KB6ISL. Jim is using a TS-680S and 3-element Yagi, but an amplifier and 6-element Yagi are due to leave Auckland by sea on 4 April.

Tom Freidrich, ZS3AT, has completed his tour in Namibia and returned to Germany. Roy Handley, G3GJO/5N0, is back in the UK and will not be returning to Nigeria. His OSL address is 16 Ybryn, Glan Conway, Colwyn Bay, Clwyd, LL28 5NJ. Steve McDaniel, KG4SM, will be leaving Guantanamo Bay this summer and will answer QSLs direct or via the bureau. Anyone working him just prior to departure should send their card to WF0G.

From Bill Tynan's, W3XO (Texas), 'The World above 50MHz' column in the March issue of OST, I see that KL7IKV reckons no Europeans have

been worked from Alaska.

WA1OUB, well known to UK operators, has received a reception report from a Soviet SWL in NO66 who heard Bob at 1416UTC on 7 June 1987. His report was RST559 and it was almost certainly Es propagation over 8,800km.

Next to individual reports, Darrell Moody, G0HVQ (GLR), reports the band having been very quiet since the first week of January with only weak signals from VE1YX heard on 12 January. In a short aurora on 4 February, he heard GM0GEI and GM3WOJ, who was working LAs, between 1750 and 1815.

Neil Carr's, G0JHC (LNH) previous report was not printed, but he recorded the last F-layer signals on 4 January to W8. In his 20 February letter, he records auroras on 20, 21, 24, 29 and 30 January and 1, 2, 4, 15, 16, 18 and 19 February. The best day was 1 February when OZ4VV on CW was a new country. FY7THF was S9 on 7 and 8 February with no other activity. 9L1SL peaked RST579 on the 11th and was worked at 1224; another new one.

Ian Galpin, G1SMD (DOR), uses an FT-690R at 10W to a dipole antenna and caught the winter Es opening on 15 January. Between 1902 and 2108 he contacted OH1YP (KP10), SM6s KJX, PU and ESG (JO67), SM0CHH (JO89), OZ7DX (JO66) and LA9BM (JP40). He mentions a local VHF DX net on 145.275MHz FM which has been going for four years. Participants include G0HKT, G1DWO, G6CGO, G6MXL, G7AZP, G7CYO, G7DKE, G7DLH, G7DMD and G8PYP.

The January report from John Heys, G3BDO (SXE), was also omitted last month. He now has all the OSLs for WAC. In the Es event on 15 January, OZ4VV (JO46) was his first OZ. Mike Wills, G3OIL (WLT), sent a photocopy of his OSL from KJ6WO/DU3 (PK04) for their SSB OSO on 14 October 1989 at 0917UTC. Gordon wrote: "To the best of my knowledge, this was the first G/DU contact." The following day he worked G3KOX, G4CCZ, G4AHN, G3ZYY and G3POI.

Roger Horne, G4HBA (YSW), mentions several auroras in January, most only producing GM contacts, but on 1 February, he worked OY9JD for country number 51. Es openings on 14 and 15 January brought a string of OZs. He has calculated solar flux averages for last year and found that February and June gave the highest values. The average for January to June was 220 and for the second half of the year, 213.

G4UPS worked VE1 and W1 on 27 January, 1317-1341, but nothing heard after 1405. On the 29th, Ted heard ZD8VHF via TEP from 1100, later changing to pure 599, then back to TEP again by 1159. At 1135 he worked TU4DH (IJ77). 1 February brought OSOs with VE1, W1, W2, VE3KKL (FN25), W4WHK (EM90) and WB8VHF (EM79), 1622-1447.

OZ and SMs were heard on the 4th from 1053; FY7THF was copied at S5 around lunch time for ten minutes on the 6th and 7th; ZS3E worked at 1630 on the 8th with ZS9A heard. On the 11th, 9L1SL reported working CT, F, G, GI, GM, OZ, SV and KP4BZ. Via aurora on the 15th Ted worked GM3WOJ (IO77) at 1810, heard GM0GEI at 1900 and worked GM4DGT (IO86) at 2032; no Gs were heard. On the 18th, he had a back scatter QSO with G1BYDZ at 1140.

Ela Martyr, G6HKM (ESX), got off to a reasonable start on New Year's Day with W1DR (FM17), WA4LDU (EM93), WA4PGM (FM07) and KP4BZ (FK78). YV5ZZ (FK70) was new on the 4th and assorted Ws were also contacted in FN20, 31 and 42.

Geoff Brown, GJ4ICD, reports the TEP season back on 3 February; while trying to work an OE at 1500, he was called by ZS6XJ. Other ZSs were worked later and ZS3VHF was audible till 1900, but no other activity. At 1818 he made the first

GJ/OE contact with OE6AHD. On the 4th, more OE OSOs plus some PAs and Geoff claims a GJ - and British Isles? - first with 9L1SL at 1633.

On the 8th at 2320 an MS OSO with HB9CRO (JN47) was his 80th country. The paths from Jersey to OZ, HB9 and OE via MS seem very consistent. On the 21st at 1330, TR8CA was copied; he is running a beacon on 50.091MHz - pity it's the same as 9L1US's though. A CO DX call at 1412 on the 22nd was answered by ON4PS; hardly DX but another GJ first.

On the 23rd, the 9L1US beacon was copied at 1120 and ZD8VHF at 1145. 9L1US was S9+ at 0945 on the 25th and there were lots of Fs at 180 degrees on back scatter. At 1022, Geoff worked SV1OE and at 1105, TR8CA. At 1130 the TR8 and 9L beacons were both S4 with warbles and echoes apparent. He wishes the OE, HB9 and OZ operators would not sit on 50.110MHz all the time and suggests they might monitor "...the good old VHF net on 14.345MHz" more often.

Keith Boleat, GJ6TMM, only lists OSOs with SM7FJE (JO65) on 16 January and OY6FRA (IP62) at 1735 on the 17th for this year. Steve Jones, GMDGEI (HLD) reports an auroral OSO with GJ4ICD at 1745 on 4 February for his 50th country.

GW4KDP reports that the only Gibraltarians active on the band at the moment are ZB0E and ZB2BL. The B licences, with the zero number, have nearly gone through the alphabet so he concludes that the hobby is in a fairly healthy state on The Rock.

Paul Baker, GW6VZW (GWT), wonders if anyone is QRV from Fermanagh and Tyrone? He caught the Es event on 15 January and worked six SMs and three OZs between 2010 and 2045. Next day, between 1525 and 1715, another Es spell brought a couple of SMs and four OZs, two of whom, OZ1CFT and OZ1CSI (JO75) were on Bornholm Island. His antenna was subsequently damaged in the January gales but he has since fixed it with two degrees of elevation and new coaxial feeder. He is now getting excellent reports in Inter-G working.

Finally, don't forget to monitor 50.105 and 50.110MHz, the frequencies allocated to the North Pole 90 expedition. The call signs are GB4MSS/UA0 for the base camp and GB4ICE/UA0 for the forward base.

70MHz

The January issue of QSB, G4WND's excellent newsletter includes the usual 'Who's on Where?' feature. The main articles are on Pye Westminster modifications, the second part of G3NAQ's Auroral Propagation treatise and the second part of G1GVA's 70/50MHz transverting piece.

Ian Cornes, G4OUT (SFD) operated in the Cumulative session on 11 February and found six counties for the annual table, to add to the one worked in January; conditions were very flat. GJ6TMM, GJ1TJP and GJ0FTZ hope to be QRV soon using Pye Europas running five watts.

Hugh Cummings, GM0HSC (SCD), writes that the Young Amateurs' Group in Scotland were donated about 30 Pye Cambridges by Terry Darke, GM3VOJ, which members have been busy repairing and converting for the band. Hugh and GMS OMUI, OMUJ, OMUO, OLKS and 7BPA are already operating on 70.260MHz AM, while others are awaiting crystals.

144MHz

Colin Morris, G0CUZ (WMD), reckons that the Quadrantids shower was a 'wash out' this year, but on 10 January he worked LA5SAA/P (JO39) by MS for square number 330. The only other MS completion was with SM6DWF in 20 minutes on the 28th. The best of the auroras was on 1 February when he worked various GMS between 1730 and 1850. Colin heard of an Es opening on 20 or 21 January in which DLs worked into the Rome area around 1030.

During January, G4OUT worked 28 counties, the majority on the 21st when your scribe was busy editing the March *VHF/UHF* Dave Dibley, G4RGK (BKS), also mentions the non-appearance of the Quadrantids.

John Regnaut, G4SWX (SFK), took part in the single operator section of the DARC Winter VHF Contest on 4-6 January and was the outright winner, his 283 QSOs being worth 111,788 points. Andy Cook, G4PIO (ESX) amassed 46,591 points which earned him 10th place out of 58 entrants.

John Palfrey, G4XEN (NHM), seems to have missed the auroras and, like the rest of us, is utterly fed up with all the gales we have been having. He complains of difficulty arranging MS skeds on the 20m VHF net, especially at weekends, when everyone seems to be fixing up EME skeds. He suggests the EME operators might like to consider shifting down the band a little, maybe to 14.325MHz?

G6HKM reckons that January was a disaster compared with last year. On the 9th Ela worked EI3GE and on the 20th, EI3FW, both in Wicklow. On the 13th, best DX was DA4JA (JO41) and on the 20th, G10GDP, G0EHV and F6BTX (JO10). The tower has been in a safe horizontal position much of the time, but was put up on 18 February to work G4SAM.

John Hill, G7CLY (HBS), got off to a good start this year and worked into Cornwall, G1KTZ, for the first time on 14 January. Storm damage on the 26th altered his 16-element

Yagi to a fourteen and a half element version but he was able to work EI2GK and EI3GE with it.

430MHz

G4RGK's EME array was badly damaged in the January storms but on 20 February, Dave wrote; "...it's all repaired now, ready for the next storm!" G4XEN reports conditions "...pretty abysmal..." in the contest on 4 February. Best DX was PA3DZZ at 399km, but it was so poor that John didn't stay till the end. G6HKM worked F6BTX (JO10) on 20 January, but missed the contest due to a sore throat, hence the low score in the table.

DEADLINES

No 1.3GHz news so that's all for this month. The deadline for June is 21 April and for July, 26 May. Let's hope we have come to the end of the destructive gales and floods and that there is some reasonable tropo to report next month.

SWL

BOB TREACHER BRS 32525
93 Elbank Road, Eltham, London
SE9 1QJ

We have some rave reviews of the HF bands this month. Many reports remark on how good the DX bands had been in both January and February. Some listeners therefore had new Pacific countries to report on HF, while LF had provided much in the way of Middle and Far Eastern DX.

Stations had been heard from Micronesia and the Marshall Islands using new V63 and V73 prefixes, and there had been continuing activity from Thailand in the guise of XW8KPL.

Conditions on the "New" bands had also been good, with SM0OIG/YN heard on 30 metres. On 17, RW9FW, UL7JC and ZL3GN were heard, while 12 metres had provided interesting loggings in the shape of 9H3DX, ES7JW, JA3NUT, CO6CG and UA9MGO/UA9K. It seems that more and more Russian stations are being heard on both 12 and 17 metres.

14MHz conditions had been good, with many IOTA Islands being logged by contributors, including AL7LJ (Attu Is), W7KT (Veshon Is) and A43DX/A (Mahood Is). 3W3RR also figures in a few logs, as did VK0CH on Mawson Base, Antarctica. 7S8BBB was a Swedish station active from Antarctica, while 4K2OIL and 4K2OT were heard giving away contacts with Franz Josef Land. CE0OGZ and VP2V/KG6W were heard on CW, while 6Y5/OE2CHN was heard on SSB. Away from IOTA, TI2LAK/HP4, Y11BGD, XT2KG and 90STE were noted.

21MHz might even have

overshadowed 14MHz for DX, with some Pacific and Far East exotica noted. Some of the best call signs were YJ1SHD (Shepherd Is), ZM7VS (Chatham Is), 3D2AG, 7J1AGW, V63AD, H44SH, YJ0AHM, 4K4BAN (AS42), DX8I and DL5UF/H44.

Not to be outdone, 28MHz was also in good shape. 9M8PV was heard (I could do with that one!), together with ZS9/DK7PE (Walvis Bay), A43XA, W3JNO/C6, VO9LW, TR8GG, HS1BV, HS0B, VS6BI, A47RS, A92OL, J20TW, TU2OO, ZW8KPL, V63AO, A22AP, 4S7EP, ZF2KE and G4WYG/ST2.

Turning to the LF bands, 7MHz had been the "ace in the pack" with very much DX being heard. In fact several listeners are saying that this could be the best year yet for DXing on the band. Several listeners already have scores in the 140's and it is only February - at the time of writing. David Whitaker provided the best 7MHz list which included J88AB, TZ6PS, VP2EXX, TJ1BW, 90SPL, PY0FF, P43BG, FT5XA (at 1807), ZD8BOB and WL7E.

On 3.5MHz, A61AC had been quite active. Other DX mentioned included G3UUV/J6L, N2KK/6, J73BS, TL8WD (at 1730), PY0FF, YC5ODQ, 3W3RR, JD1AMA, 9X5NH, NL7E and DU9RG, who Albert Tideswell BRS48462 remarked was 5x9 for about 15 minutes around 2200 on 10 February.

The COWW 160 Contest produced some good conditions with 5H3TW a good 5x6 signal around 2220 on the Saturday evening. This was country number 133 for David Whitaker. He heard 43 countries in the contest, including VP9, OY, 4X4, YV and HK. Others worth mentioning were RH7W/RA3PF, UG6GAW, UL7TDO and UM8MHW.

QSL RETURNS

A number of listeners mention receiving interesting HF QSL cards. Robert Small A8841 was pleased with VP8BXK (South Orkney), ZK2VB, VP5VAD, ZS1IS (Walvis Bay), 5J0DX (Gorgona Is), CW0L (Lobos Is), A35SK, YJ1TRS, CY0DXX (Sable Is), Y10SW (after an eighteen month wait for a direct return), AL7LJ (Attu Is - the last island in the Aleutian Chain), and AJ0C/KL7 (Adak Is).

Brad Bradbury BRS1066 mentions an eyeball OSO with Stan Porter ORS45992 who is now living in CT1, but was back home in the UK for a few weeks early in the New Year. QSL returns included KD6TB/DU2, VK9YA, plus a crop of Russian obstats to make 165/181 confirmed/heard. David Whitaker mentioned CN0A and HV3SJ on 1.8MHz for numbers 121 and 122 confirmed.

VHF NEWS

The only real news to fit this heading this time around came

from Mick Toms BRS31976, who bemoaned a poor Quadrantids meteor shower in January. The peak was around 0500 on the 3rd which he (and I) missed. However, he did hear good reflections from HGSDXC, SM2EKM, LZ2UU and EA3DXU all on CW, and RB5LL (new country) and YU3DX on SSB. On the tropo front, Mick had caught occasional short openings with stations in JO30, JO31, JO40, JN48 and IN88 being heard. Looking back a shade, Mick also thought the Geminids meteor shower in December was poor. Only DK9LY was heard on CW, while SSB accounted for OE5OLO, OL3RBH, IK0BZY and IW8BZM.

On the QSL front, Mick is chasing hard for the next Squares Award and cards from IW5BPE (JN52), IC8EGJ (JN70), 14TDK (JN54), IOUZF (JN63), SM0UOG (JO89), HG2RG (JN87) and HG5CW/7 (JN97) will all help.

DX NEWS

With the CQWPX contest just passed as you receive this issue, there will no doubt have been many exotic prefixes and expeditions which I will try to cover in next month's SWL-SA. One which would have been heard was the trip by WB2DND to operate as A61AD. Remember also that the ST0 trip

might be active at about this time — a rare one this. Several other juicy ones for listeners to watch for in April are HR/F2JD, JX7DFA by LA7DFA, V47KJI and V21AJI by W2BJI. And remember, ZS8MT (Marion Is) is scheduled to go QRT this month.

To celebrate an Anniversary in San Marino T70A/10 will be active on 21/22 April. If listeners hear 10 T7 stations between 15 April this year and 14 April next, you can claim the ARRSM "10th Anniversary Award". You can count the same station on different bands to make up the ten loggings — should be easy enough. Claims should go to ARRSM, Box 77, San Marino 47031, with the \$10 fee.

Now, something different for UK listeners to listen out for. Two UK operators, G0GWA and G0KPH have been invited to participate in a multi-national expedition to the North Pole using "off-road" vehicles. Most of the radio operating will take place from a base camp at a site 450kms from the Pole using the callsign EK0AB. A station with the cross-country vehicles will sign EK0AA. Between 15-20 April, overseas visitors and the Press will be flown to the North Pole and there will, hopefully, be a period of radio operation to commemorate the 45th Anniversary

1990 HF TABLE

Let me first acknowledge the 1989 entry of 734 by G1EMD. I hope this year's table will be better supported. Here is the first listing:

STATION	DXCC	28	21	14	7	3.5	1.8	TOTAL
BRS 25429	199	107	126	124	144	83	47	631
BRS2543	125	43	37	45	102	70	24	321
BRS1066	100	54	48	64	61	41	35	303
BRS25209	—	46	40	50	91	42	21	290
G1VDW	40	13	8	28	1	8	—	58
BRS2525	12	12	—	—	—	—	—	12

of UNO. QSLs will be via G4PKT. Exact frequencies were not known at the time of compiling this piece.

According to DX News Sheet, it seems that there might be some problems with direct QSL cards sent to the Soviet Union being "tampered with." If listeners decide to QSL direct to Russian operators, they might do well to heed this advice:

- Do not put callsigns on the outside of envelopes;
- Do not mail SAEs to the USSR — they are a waste of time since the envelopes are not of standard USSR size. They therefore attract attention;
- It might be better to mail your QSL in an "international airmail envelope which protects your mail. Conceal IRCs/dollar bills between the QSL and another piece of paper;

d) If possible, seal the envelope with Scotch tape;

e) Avoid "flashy" stamps;

f) Do not send IRCs to PO Box 88 — they do not reach their intended destination!

There is likely to be a USSR callbook available later in the year. More details when I get them.

DXNS also carried the news in February that David Whitaker BRS25429 Heard All Continents on 40m SSB in 5 minutes. Can anyone better that?

FINALE

There you have the latest HF and VHF news from listeners and for listeners around the country. If you have any news to offer for this column, please ensure that it is received here by Monday 26 April.

DO YOU WORK HF BAND DX?

Would you like to work more?

Would you like:

- Up-to-date DX news
- Awards news
- Propagation information
- QSL details
- DXpedition news
- Band reports
- ... And much more?

DX NEWS SHEET
published each Wednesday
£18.50 per year
posted first class to
RSGB members in UK
and Europe. £21.77 for
non-members. For
other overseas rates or
a free sample copy,
contact Rita Norwood
at RSGB HQ.

YOU NEED THE RSGB DX NEWS SHEET

SMC

South Midlands Co

SCHOOL CLOSE, CHANDLERS FORD IND. EST., EASTLEIGH, HANTS

FREE FINANCE — BUY NOW SAVE MONEY

SCANNERS



YUPITERU

These are the latest wideband scanners to hit the market and are already proving very popular. With very wide coverage 25-1300MHz (except 550-800MHz) and a host of operating features they are proving to be the 'ones to beat'.

MYT 1200 Handheld Scanner £299.00 inc. VAT
MYT 1200 Mobile Scanner £345.00 inc. VAT

SCANNERS

OTHER MAKES

The following scanners and receivers are normally available from stock (except R9000) and fully complement the rest of the range.

UNIDEN 200VLT Handheld Scanner £259.00
JRC NRDS25 HF Receiver £1099.00
ICOM R9000 HF/VHF/UHF Receiver £3995.00
ICOM R7000 VHF/UHF Receiver £999.00
ICOM R7000 HF Receiver £853.00
ICOM AR2002 VHF/UHF Scanner £487.25

SCANNERS

SMC are pleased to be able to offer a wide range of receivers and scanners. We stock all the popular makes and models ranging from handhelds to dedicated bases. Shown below are a few from our selection.

SONY RECEIVERS



SMC are pleased to be able to offer the SONY range of Multiband Receivers. They feature all the latest technology allowing unequalled coverage of both broadcast and shortwave bands, yet remaining both compact and easy to use. All the models illustrated cover VHF broadcast, SW broadcast and some SW or Air bands (only on certain models).

ICFPR60 £295.00 ICF SW16 £149.99
ICF7000 £295.00 ICF-7600S £159.00
All £229.00



YAESU

Yaesu receivers and scanners are designed and built to the highest specifications with meticulous attention to detail. This is borne out by the popularity of these two units, the FRG 9600 VHF/UHF scanner and the FRG 5800 HF receiver.

FRG 5800 0.15-30MHz HF Receiver £649.00
FRG 5800 118-136MHz VHF Converter £100.00
FRG 9600 60-950MHz Scanner £509.00
FRG 9600 60-950MHz Scanner £499.00
FC 9600X 0.15-30MHz HF Converter £99.00
FC 1300 800-1300MHz UHF Converter £119.00

SALE SPECIALS

REGENCY MX850E AM/FM 60-89, 118-136, 140-174 & 406-495MHz £179.00
VHF HANDY (RX40) FM 141-179.99MHz £99.00
SKYVOICE AIRHANDY (KE3000) AM 118-136MHz £129.00
Carriage £2.50 extra

THE NEW FT1000



ADDITIONAL FEATURES

Other features include adjustable IF width, IF shift, IF notch and APF controls. AGC presentable for fast, medium and slow + defeat, on/off selectable, preamp + adjustable attenuator -6dB, -12dB, -18dB. Adjustable - mic gain, RF power o/p, processor and drive controls. Built in electronic keyer with adjustable speed control. Twin independent frequency displays with mode indication + much more.

BRIEF SPECIFICATIONS

- ★ General Coverage Receiver 100kHz-30MHz
- ★ Ham bands TX 160-10m
- ★ Modes CW, USB, LSB, AM, FM, RTTY and PACKET
- ★ VFO steps 10Hz CW, SSB, RTTY, 100Hz AM, FM, PKT
- ★ Auto antenna impedance range 16.7 to 150 ohms
- ★ Selectable receiver band widths 2.4KHz, 2KHz, 500Hz, 250Hz
- ★ Dual band receiver tuning and monitoring with balance control
- ★ Power output up to 200 watts P.E.P. 50W AM
- ★ Sensitivity preamp on SSB/CW 0.25 micro volts 10dB S/N
- ★ D.D.S. Direct Digital Synthesiser
- ★ Dual selectable noise blankers with adjustable threshold
- ★ Frequency stability $\pm 20\text{ppm}$ (0 to $+50^\circ\text{C}$) $\pm 200\text{Hz}$ F3 $\pm 0.5\text{ppm}$ (0 to $+60^\circ\text{C}$), $\pm 150\text{Hz}$, F3 with TXCO-1 fitted
- ★ 99 memories

LEEDS
SMC (Northern)
Howell Lane
Industrial Estate
Leeds LS9 6JE
Leeds (0532) 350606
9-5.30 Mon-Sat
Closed Sat afternoon

CHESTERFIELD
SMC (Midlands)
102 High Street
New Whittington
Chesterfield
Ches. (0246) 453340
9.30-5.30 Tues-Sat

JERSEY
SMC (Jersey)
1 Belmont Gardens
St. Helier, Jersey
Jersey (0534) 77067
9-5 pm Mon-Sat
Closed Wed

BIRMINGHAM
SMC (Birmingham)
504 Alum Rock Road
Alum Rock
Birmingham B6 3HX
(021-327) 1497/6313
9.00-5.00 Tues-Fri
5.00-4.00 Sat

AXMINSTER
Reg Ward & Co Ltd
1 Western Parade
West Street
Axminster
Devon EX13 5HY
Axminster (0297) 34918
9-5.20 Tues-Sat



SOUTHAMPTON SHOWROOM open 9.00-5.00 Monday to Friday, 9.00-1.00 Saturday. Service Dept open Mon-Fri 9.00-5.00.

SOUTH WALES AGENT: John Doyle, Transworld Comms, Neath (0639) 632374 Day (0639) 642942 Eve. Closed Thursday.

Communications Ltd. — YAESU

ITS. S05 3BY TEL: 0703 255111 FAX: 0703 263507 TLX: 477351

— 0% INTEREST SUBJECT TO STATUS PERFECT PORTABLES

What could Yaesu engineers do to improve on the hugely popular FTx90R series? The answer was easy, they designed and built the FTx90R2 series. The FT x 90R2 series of transceivers provide high performance and a 2.5W output, when used with 'C' cells or nicads, ideal for serious portable operators, or when combined with matching linears, an easy to use compact multimode mobile or base station.

What more could you ask from a transceiver?



FT290R2	£429.00
FT690R2	£429.00
FT790R2	£499.00

ALL THE ABOVE ARE SUPPLIED WITH
FBA8, MH10E8 AND STRAP AS
STANDARD.

OPTIONS INCLUDE


FL2025 2m 25W LINEAR	£115.00
FL6020 6m 10W LINEAR	£109.00
FL7025 70cm 25W LINEAR	£139.00
FBA8 EMPTY CELL CASE	£27.00
MMB31 MOBILE BRACKET	£17.50
CSC19 VINYL CASE	£8.50
NC26C NICAD CHARGER	£11.50
FTS7 CTCSS UNIT	£40.00

LIGHT IN THE HAND AND ON THE WALLET

The newest range of handhelds from Yaesu have all the very best in current electronic circuit technology combined with outstanding ergonomic design to produce a powerful yet extremely compact family of radios. The cases have rubber gasket seals around all the external controls and connectors to keep out dust, rain or spray and are fully compatible with all the existing FT23R accessories.

Top of the range must be the amazing FT470 Dualbander with a full 5W RF output on both 2m and 70cm (with FNB12). Dual independent IF circuits allow simultaneous reception on both bands with an audio balance control. Forty-two memories, 4 VFOs, 20 button keypad, defeatable Automatic Power Off and Power Saver are just a few of the functions available at the touch of a button.

Next in line are the FT411 and FT811, single band 2m or 70cm transceivers. Up to a full 5W RF output is available (with FNB 12). A 16 button keypad gives access to all the comprehensive user functions including forty-nine memories, dual VFOs, defeatable Automatic Power Off and Power Saver to name but a few.



SMC NORTHERN (LEEDS) CLOSED SATURDAY AFTERNOONS

*FREE FINANCE ON SELECTED ITEMS

On many regular priced items SMC offers Free Finance (on invoice balances over £120) 20% down and the balance over 6 months or 50% down and the balance over a year. You pay no more than the cash price!
Details of eligible items available on request.
*Subject to status.

Free interlink delivery on major equipment

Small items, Plugs, Sockets, etc by post £1.75. Antennas, cables, Wires & larger items. Lynx up to £5. Interlink delivery available, upon request for items other than radios from £7.30 depending on weight. Same day despatch whenever possible.

YAESU DISTRIBUTOR WARRANTY

Importer warranty on Yaesu Musen products. Ably staffed and equipped Service Department. Daily contact with the Yaesu, Musen-factory. Tens of thousands of spares and test equipment.

PRICES & AVAILABILITY SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

ARROW — FOR THE BEST DEAL IN AMATEUR RADIO!!

TH75E KENWOOD DUAL BANDER

with receive
140/169 & 430/460 Mhz
Nicad & Charger
£398.00

NEW! C528 STANDARD
DUAL BANDER
with receive 130/172
350/470 & 890/960 Mhz!
£389



NEW! IC-24E

ICOM mini dual bander
2M & 70cms FM
DISCOUNT PRICE £349
incl. nicad, charger



TS440S KENWOOD

HF Base Station
with Internal ATU
Please Phone for Price

NEW ICOM IC-R1
Micro-size handheld
scanner 150Khz/
1300 Mhz
£399



TS140S or TS680S with 6M




Phone for
Best Price

NAVICO SPECIAL!!!

Try the best performing 2M FM Mobile in
your own vehicle for a week FREE OF CHARGE.

Contact any ARROW BRANCH for details:

AMR1000 £247.25 AMR1000S £299.00



TR751E — FREE CREDIT

EXCELLENT 2 Metre
performance from this
great allmode rig.
Dep: £199 + 9
payments £44.44.



NEW!! AR1000
SuperScanner
1000 Channel memory
& 15-1300Mhz.
£249.00



HP100E
NEW HP100E from
FAIRMATE, 25/1300
Mhz
1000 channel memory
£279.00

NEW IC-R72 RECEIVER



General coverage
100Khz/30Mhz,
compact size
£599

IC-2SE

A 2M micro Handy & a
SCANNER! Comes complete
with nicad, charger & receive.
Extended 80-190Mhz!
DISCOUNT PRICE £249

IC-4SE

Amazing micro 70cms handy
with nicad + charger. Receives
380-500 & 800-950 Mhz!!
DISCOUNT PRICE £279.



ONLY £499!!



The most remarkable Scanner
yet. AX700 with Panoramic
Display.

JUPITER SCANNERS!

25-1300 Mhz with
exceptional performance
(really sensitive
at 900 Mhz!)

MTV5000 Handheld £275
MTV6000 Base/Mobile £339
Incl. FREE nicads,
DC. Lead & case £275
(Super slimline design)



R-7000

ICOM's superb VHF/UHF/ SHF receiver




**£895 DISCOUNT
PRICE**

NEW SHOWROOM IN N. WEST OPEN!!

Greensway Arcade, Gerrard Street,
Ashton-in-Makerfield, Wigan,
Lancs. Tel: 0942 713405

Jim Cook G6TYB is at your service Mon-Sat

IC735 STAR BARGAIN



IC-735.
Microphone,
30 Amp. PSU
£995.00
THE PACKAGE!!

Finance arranged subject to status. APR typical 34.4%. Written quotations on request.

"If you would like data sheets on any item(s) please send a Stamped self-addressed envelope"

COMET ANTENNAS — TOP QUALITY PERFORMANCE

Send SAE for catalogue and NEW SUBSTITUTION CHART

NON RADIAL: Mobile antennas independent of vehicle ground plane

CHL213 144/432 Mhz, Unity/2.15dB, 100W Only 29cms long.....£15.95
CHL23J 144/432 Mhz 2.15dB/3.8dB 100W Only .44 metres.....£17.95
CHL24J 144/432 Mhz 2.15dB/5 dB 100W 0.8 metres long.....£25.30
CHL250H 144/432 Mhz 3.0dB/5.5dB 200 Watt 0.95 metres long £32.80

2x4 Series • Tri-band mobiles and base station antennas

2x4M 144/432 Mhz 4.5/7.2dB 150 watt 1.53 metres.....£37.65

2x4 SERIES & DUAL BANDERS including the unique super linear converter system

2x4MAX 144/432 Mhz 8.5dB/11.9dB 200 Watt 5.4 metres "N" C.
Fibre.....£125.00

2x4WX 144/432 Mhz 6.5/9.0dB 200W 3.10 metres Glassfibre.....£79.95

2x4SU MINI 144/432 Mhz 6.5/9.0dB 200W 2.70 metres Glassfibre.....£17.50

2x4FX Compact 144/432 Mhz 4.5/7.2dB 200W 1.79 metres.....£55.80

DUPLEX & TRIPLEXERS Zinc alloy diecast

CFX5140 50/144/432 Mhz 800/800/500 Watt PEP 55dB isolation£38.10

CF413N 432/1296 Mhz 500/200W PEP 55dB Isolation "N".....£35.85

CF416 144/432 Mhz 800/500 W PEP 60dB isolation.....£28.80

SA Series to order only. MONO BANDER MOBILE ANTENNAS

CA285 5/8 wave 3.5dB 300Watt 1.32 Metres Base loaded.....£15.00

CA287C 7/8 wave 5.2dB 200W 1.89 metres double co-phase.....£22.50

CA430TM 3 x 5/8 wave 432 Mhz 6.8dB 150W 1.47 metres.....£29.95

MONOBAND BASE ANTENNAS

ABC21 5/8wave Ground Plane 144 Mhz 3.4dB 200W 1.4 metres.....£24.50

ABC22A 2 x 5/8 wave 144 Mhz 6.5dB 2.87 metres.....£36.00

ABC23 3 x 5/8 wave 144 Mhz 7.8dB 200 W 4.5 metres.....£59.80

ABC71 5/8 wave ground plane 432 Mhz 3.4dB .54 mtrs.....£21.50

ABC72 2 x 5/8 wave GP 432 Mhz 200W 5.8dB 1.07 metres.....£34.85

CA712EF 432 Mhz Twelve x Half wave 9.5dB 3.10 metres.....£55.00

HF & 50 MHZ

CHA-5 Vertical with Loaded Radials for 80/40/20/15/10M 200W SSB 5.29

Metres Features tri-linear wound toroidal core.....£218.95

52HB4 4 ELHB9CV Beam 10.4dB for 50 MHZ 400W SSB 3.2M.....£67.90

CBL30 HF 1.7 — 30 Mhz Balun 1:1 1kw.....£20.85

CRZ/INSIDE & HANDHELD ANTENNAS

CRZ120B A Unique wide band Active antenna 500Khz to 1500 Mhz 1.24

metres with counter.....£30.00

ARROW RADIOD LTD.

5 The Street, Halffield Peverel, Chelmsford, Essex CM3 2EJ.

Tel: 0245 381626/381673 Fax: 0245 381436

Hours: 9-5 (Closed Thursdays)

GLASGOW SHOWROOMS:

Unit 17, Six Harmony Row, Govan, Glasgow.

Scotland BS1 3BA. Tel: 041 445 3060.

Hours 9.30-5.30 Mon-Fri. (Closed Saturday).

AGENT

LEICESTER — DAVE FOSTER Tel: 0533 608169

Latest calls 8.30pm please!



YOUR ORDER CAN BE TELEPHONED WITH CREDIT
CARD DETAILS & DESPATCHED IMMEDIATELY!

FREE FINANCE ON MANY MAJOR ITEMS AT RRP.
(Ask for details of qualifying items —
see examples above).

TECHNICAL TOPICS

PAT HAWKER G3VA

STEERABLE 7MHz DX ANTENNA

Tony Preedy, G3LNP notes that anybody who still has an unguyed 18-metre tower supporting an HF rotary beam (and a garden that can accommodate a circular radius of some 4.6m) still standing after the winter's persistent gales can easily provide themselves with an effective steerable 7MHz DX antenna: see Figs 1 and 2.

He writes: 'A figure-of-eight horizontal radiation pattern with a theoretical gain of about 5.5dB over a quarter-wave (monopole) radiator is achieved by driving two vertical wires in antiphase. The central metal tower does not greatly influence the radiation pattern since the net current induced from the two wires is theoretically zero. Similarly the horizontal feed sections are dimensioned such that they have no net radiation perpendicular




Fig 1. Construction details of G3LNP's steerable 7MHz DX antenna providing roughly 5dB bi-directional (figure-of-eight) gain and good low-angle characteristics with some 30dB rejection of signals from the sides.




Fig 2(a) Dimensions and current distribution of the G3LNP antenna for optimum directional performance. (b) Tuner as built in waterproof plastic carton. Coil 26 turns, 16 swg, 5cm diameter, 15cm long. Link 3 turns insulated wire. High-voltage 50pF variable capacitor.

to their axis. Radiation is therefore only end-fire and at low angles of elevation.

The method of driving the wires in antiphase by using a balanced ATU as shown eliminates any need for a counterpoise or ground radials. The tuner, assembled in a plastic ice-cream carton, was adjusted for minimum VSWR at the centre of the band only.

Construction is straightforward, as illustrated, but unfortunately rotating the beam is a three-stage operation which involves first unhooking the ground attachments, rotating the HF Yagi and then re-attaching the wires to the appropriate pair of tent pegs.

A GERMAN CHIREIX-MESNY UHF ANTENNA

Waller Farrar, G3ESP who, in the immediate post-war period, had the interesting task of evaluating and compiling detailed reports on German military radio equipment, writes: 'I spotted your *TT*, February 1990 reference to the Chireix-Mesny array of half-wave dipoles and your comment that such an array might have application as a fixed beam on VHF/UHF.

'Well, Hitler's army had a portable station called the SEG2T (Sender-Emphaenger-Geraet 2T), alternatively designated DMG2T (Dezimeter-Geraet 2T) which worked on about 60cm (500MHz) using such an antenna, but with only two squares instead of the four illustrated in *TT* in each element. The transmitter output was 40-60 milliwatts on speech or MCW (A2A), using an Acorn-type valve (DS310) as power oscillator. The receiver was a super-regen.

'The electronics were in a case 340 by 210 by 210mm. The PSU case (same size) was fastened below it and held a 2V accumulator and two 180V (tapped) dry batteries. Together these weighed 26kg and were mounted on a tripod weighing 7.7kg. The station was completed by an accessories and spares case weighing 13kg. In transit, the radio and battery box went on the soldier's back, the tripod was shoulder-slung like a rifle and the spares box was carried by hand. With a total weight of some 47kg it represented a staggering load for any soldier!

'My notes state: 'Radiation from the aerial is highly directional. Therefore equipment must be adjusted for optimum working. There must be no intervening objects between the two stations.'

SOLDERING TO IRON & STEEL

For those prepared to handle (carefully) chemicals which are hazardous to touch and breathe, Roger Del Nero, WA2HNO (QST August 1989, p39) reports successfully soldering to stainless steel, iron, cast-iron, brass, copper and other metals by using homemade acidic soldering flux. This he made from the following ingredients: 37g of zinc chloride, 23g of glacial acetic acid and 40g of hydrochloric acid. He points out that these quantities make a considerable amount of flux and can be scaled down in proportion as required. Acidic flux should not be used for normal wiring of components to printed circuit boards etc. The zinc chloride can be made by dissolving zinc in hydrochloric acid until the solution is saturated; the remaining ingredients are then added carefully. AK7M, the editor of QST's Hints & Kinks adds a warning that readers unsure of their ability to handle dangerous chemicals should purchase ready-to-use zinc-chloride instead of attempting to blend their own. He notes that preformulated acidic fluxes are hazardous and should be used carefully.

Incidentally solder, with its lead content, should not be used where there is any risk of particles being ingested. A very graphic example of its

danger can be found in the recent final solving of the mystery that for long surrounded the loss of the 129 crewmen and officers of Sir John Franklin's 1845-48 expedition in search of a north-west passage around the northern coast of Canada. Some years ago analysis of recovered bones suggested that these contained toxic levels of lead that adversely affected the health, judgement and ultimate survival of the members of the expedition. It has recently been reported (Nature, 25 January 1990) that further investigations has shown that it is virtually certain that food preserved in soldered tins was the source of the high lead levels.

THE NEI CLANDESTINE TRANSMITTERS AND RECEIVERS

Dick Rotlema, PA0SE (*Electron*, February 1990) describes a series of 'NEI' (Netherlands East Indies) transmitters and receivers developed in Australia from 1943-45 by the Netherlands Forces Intelligence Service for clandestine operations in and around the Netherlands East Indies (now Indonesia etc). He gives the circuit diagram of the four-valve 'straight' (1-v-2) receiver (NEI-II and NEI-III) which used four 6J7-G glass-octal valves (use of a single type of valve much eases the spares situation). The NEI-II receiver covered 3-6, 6-12 and 12-30MHz in three, switched wavebands with the 6.3V, 0.3A heaters wired in series-parallel, drawing a hefty 0.6A from the 12V 25Ah lead-acid battery in its wooden container box. The 30-watt NEI-II transmitter used the popular 6V6G crystal oscillator and 807 power amplifier combination. The later 50W NEI-III set was powered from 12V with the aid of a rotary converter and comprised a 6G6G CO/6G6G doubler/tripler/807 PA. With crystals between 4-5MHz, the output could be from 4-15MHz. The receiver for the NEI-III was basically similar to the NEI-II but covered 2-17MHz in four bands.

I suspect that the equipments were primarily intended for ship-borne operations, possibly akin to those mounted by the British SBS (Special Boat Service) and the 'private navies' of SIS/SOE. I recall one Special Communications operator who claimed that, when he was invited to go on a short trip round the harbour in one of the converted French fishing boats based in the Helston Estuary in Cornwall, he found that he had been 'shanghaied' for an operational trip to Brittany to pick up agents and mail! The MI-6 'private navy' carried Mark III (6V6-807) transmitters and the ubiquitous HRO receivers to keep in touch with Whaddon.

LINEAR UHF TRANSCEIVER WITH CARTESIAN-LOOP FEEDBACK

Some ten years ago I first mentioned in *TT* the work of Dr V Petrovic at Bath (later Bristol) University in developing what he originally termed a polar-loop feedback technique that enables a high-efficiency Class C HF power amplifier to function as a highly-linear amplifier.

TT (June 1985) was able to report on this project in some detail, including spectrum analysis curves, of the remarkable results Dr Petrovic had been able to achieve using this special form of negative feedback (now usually termed cartesian feedback). He had shown that the technique could reduce the near-in spurious noise and unwanted carrier to around -60dB compared to the 25-30dB down on peak tones of a two-tone test for typical (good) amateur equipment and around 40dB for high-grade professional communications equipment.

That *TT* report was based on a paper by V Petrovic and A H Brown in *IEE Conference Publication No 245*, 1985, pp81-85. This describes

in outline a 1.6 to 30MHz, 100W PEP transmitter in which the feedback reduces the third-order products by a massive 37dB, resulting in products on two-tone test 67dB below the tones and with image sidebands suppressed by 68dB. It was noted that the paper claimed that the correct use of cartesian feedback not only improves the spectral purity but also results in: (1) lower output noise, achieved by reducing the overall gain of the transmitter; (2) improved efficiency, obtained by operating the solid-state PA with reduced bias and using an unregulated power supply; and (3) simplified design of the PA, since neither its linearity nor frequency response needs to be exceptionally good.

I wrote then: "Basically, this cartesian loop transmitter employs phasing-type SSB generation (Weaver third-method) to which the modulation information obtained by synchronous demodulation of a sample of the output signal is fed back in quadrature form. In other words, audio signals at 90° to each other are recovered and used as negative feedback. Since the bandwidth of the AF signals is much narrower than with RF negative feedback, as used on some SSB transmitter, much larger amounts of feedback can be applied.

"The problem of obtaining AF signals over the range 300 to 3000Hz in accurate quadrature by means of phase-shift networks is well known and has been the reason why relatively few phasing-type SSB transmitters are used, particularly where they need to operate over a wide temperature range. The vast majority of amateurs continue to use filter-type SSB generation despite the attractions of third-method and polyphase networks. The novel feature of this latest transmitter is to use a combination of third-method SSB generation with filter-type demodulation to supply the quadrature feedback, using 10.7MHz SSB crystal filters."

With so many advantages, it may seem surprising that this feedback technique has not rapidly established a role in both professional and amateur communications but there are clearly problems not mentioned in the published papers. I seem to recall that Plessey were involved in the Bristol work but am not sure whether any commercial product has yet appeared. However the 5th International Conference on Mobile Radio & Personal Communications at Coventry, December 1989 included a paper "Direct Conversion Linear Transceiver Design" by A Bateman, D Haines and R Wilkinson of Bristol University (*IEE Conference Publication No 315*, pp53-56) in which Cartesian feedback is used in a low-power 900MHz transceiver of high-linearity: Fig 3. In this paper, the authors conclude: "The application of Cartesian feedback for transmitter linearisation (Fig 4) coupled with recent advances in A/D (analogue-to-digital) converter technology are undoubtedly the two most significant factors which have made the implementation of a universal (linear) low-cost transceiver architecture possible. The performance of a Cartesian-linearised transmitter is impressive, with markedly better linearity achieved even with a Class C power stage than with a conventional well-designed Class A configuration. With the PA stage designed using efficient Class C modules, the added benefits of smaller heat sink and low cost (standard FM modules can be used) come for free. Transmitters have been designed at VHF and UHF (900MHz) with no difficulty, and with standard 'off the shelf' components, giving the performance indicated in the paper. Linearisation of Class C devices at 1.7GHz is currently underway at Bristol."

This transmitter and receiver system is based on the Weaver 'third method' system together with a direct-conversion receiver with audio digital-signal-processing to provide what amounts to a flexible reconfigurable radio capable of operating with both analogue and digital signal formats




Fig 3. The linear transceiver architecture proposed by the Bristol University team.





Fig 4. Cartesian feedback transmitter linearisation outline.

Fig 5. Direct-conversion receiver configurations suitable for use with post-detector digital-signal-processing (DSP) filtering. (a) Zero-IF system. (b) Single-IF (Super-DC-gain) system.



regardless of their amplitude and phase characteristics. In practice, the design of the receiver section is claimed to have proved more difficult than the transmitter, requiring wide dynamic range and good sensitivity. In practice, the Bristol receiver uses the 'super-DC-gain' technique described in *TT* August 1987, pp581-2) in which a super-het-type frequency-changer section is placed in front of a fixed-tuned DC receiver to give a 'single-IF' rather than a 'zero-IF' configuration: Fig 5. The major breakthrough in favour of direct-conversion (or either type) is given as the current availability of wide-dynamic-range A/D converter ICs: "Devices with 18-bit resolution can be obtained allowing digitalisation of both I & Q channels in a single device which also incorporates anti-alias filtering. Provided the front-end circuitry of the receiver can be made sufficiently linear, adjacent channel selectivity in excess of 80dB can be achieved using digital filtering techniques

alone... We are not far from the ultimate goal of single-chip transmitter and receiver realisation of a linear transceiver, with several companies pursuing design programmes in this area."

Clearly, this provides yet another example of where and how professional communications is tending to diverge away from the type of standard practices used in amateur equipment. Perhaps this item may encourage somebody to look into the possibility of adapting Cartesian feedback and digital signal processing to a practical design. However it may not be easy. "The Bristol team writes: "The transmitter and receiver system is based on the Weaver frequency-translation technique (ie the 1956 paper "Third Method of generation and detection of SSB, *Proc IRE*, December 1956, but with many practical designs in past issues of *Rad Com*). This method was chosen for the property that the image products fall in the user's own channel, thus greatly

reducing the gain and phase-matching requirements of the quadrature processing paths. The transmitter design includes RF amplifier linearisation by means of Cartesian closed-loop feedback. Problems that have plagued this method in the past have been largely solved...virtually any modulation format can be handled using this technique with no requirement for constant envelope." I have yet to come across a fully-described practical circuit for a Cartesian loop PA (using either analogue or digital techniques) at HF, VHF or UHF — nor any account of what have been "the problems that have plagued this method."

BEWARE OF COSTLY DUST

The drilling of chassis and panels and similar workshop operations can produce metallic and graphite or carbonized dust particles that can subsequently result in equipment faults. Even ordinary building dust is recognised as producing major problems when installing mechanical/electronic equipment such as videotape or audio recorders etc in brand new studio complexes.

Geoff Brown, GJ41CO contributes an example of 'expensive dust' although in his case the problem was overcome inexpensively. He writes:

"Last year my company was involved in overhauling a French 100MHz (Band II) power amplifier which had been used in a local FM radio station. This had a 3CX800A7 ceramic triode as now found in some amateur linears. When the amplifier, complete with its power supply, was fired up it provided full RF output but, every so often, there would be a small 'click' or 'arcing' noise, followed by loss of power and anode meter fluctuations. The user had noted the same symptoms on the fault-report card.

"The power supply was checked but proved faultless and attention turned to the amplifier. Each component in the anode section was carefully inspected — EHT connector, EHT leadthrough, EHT chokes etc — without result. A new (£325) 3CX800A7 was fitted and the problem disappeared. "However, I was not satisfied to leave it at that. I sat down with the valve in my hand and tried to puzzle out why it should have apparently developed such an intermittent fault. Finally, close inspection of the ceramic section with a magnifying glass revealed all.

"A very fine hairline of dust, virtually invisible to the naked eye, was laying between the anode and grid pins! The ceramic was thoroughly cleaned with alcohol, the valve replaced and the amplifier fired up. The intermittent fault had completely disappeared. It was an illuminating experience that could have proved expensive. It suggests that no matter how much air-filtering is used, dust can still get to and form tracks on ceramic (and possibly other) valves. Since then, similar faults have been traced in amplifiers fitting the widely used 4CX250B tetrodes."

I feel tempted to misquote Lewis Carroll:

The Walrus and the Carpenter
Were standing close I trust
They wept like anything to see
Those tiny tracks of dust
"If these were only cleared away
The rig would not be bust!"

BOOSTING THE ORP RIG

Wes Hayward, W7ZOI in a two-part constructional article on a complete 14MHz QRP SSB/CW transceiver (*QST*, December 1989/January 1990) aptly expresses his feelings about the changes that have largely changed the shape of Amateur Radio: "It's hard to justify the construction of a complete SSB/CW HF transceiver in this 'modern' era of readily available commercial equipment. The popular, multiband MF/HF transceivers offer excellent performance, often at a reasonable cost. Still I feel a twinge of guilt when I use them. They




Fig 6. W7ZO's FET linear amplifier designed to boost the 1-watt output of his 14MHz QRP SSB/CW transceiver to about 10 watts. The compact transceiver is presented as a home-construction project in *QST* December 1989/January 1990.

offer nothing of the feeling of exploration that I've grown to expect from Amateur Radio."

His new project provides a compact transceiver with a 1-watt output and a higher standard of performance than usually expected from ORP rigs. It has a superhet receiver with SBL-1 double-balanced mixer and a second one as product detector; a 9MHz crystal filter and 8998.5kHz crystal-controlled BFO.

With apologies to the stalwarts of the G-QRP Club, my personal feeling is that 1W output on 14MHz is pitching things a bit too low for pleasant two-way contacts. However, W7ZOI provides details of a suitable external FET power amplifier that gives about 10 watts linear RF output for CW or SSB. This uses an arrangement basically similar to the amplifier described by WA7MLH and him in the November *QST* and reproduced in the February *77* (Fig 1 p31) but including adjustable bias circuitry etc: Fig 6. Such an amplifier could be used with any QRP rig providing about 1-watt drive.

The M/A Com DV2880T power FET used by W7ZOI is no longer available but can be replaced without other alterations by the similar Motorola MRF138 or the switching-type IRF511 Hexfet. Details of the wound components include: T12 broadband transformer, 7 bifilar turns No 22 enamel on FT-50-43 ferrite toroidal core (observe phasing); T13 similar but 11 bifilar turns No 18 enamel on FT-82-60 core; L14 50 turns No 26 on T68-2 powdered-iron toroidal core. L15, L19 both 19 turns No 20 on T-50-6 powdered-iron toroidal core.

Del Arthur, G0DLN is someone else who feels that the typical 1-3-watt solidstate ORP rigs for 3.5MHz can be a little frustrating, with contacts too often lost due to fading or QRM. He points out that a possible solution is to convert, at virtually no cost, a discarded domestic valve radio (jumble sale or even the local council rubbish tip) into a Class A linear RF amplifier.

He writes: The secret is simple. Pull out all the valves except the audio output (and rectifier if this is a valve). The AF stage is likely to be an EL84 or similar self-biased for Class A operation. Disconnect the HT line to the earlier stages. Replace the AF output transformer with a home-made tank coil tuned with the fitted variable capacitor. Replace existing AF bypass capacitors with RF types taken from the early stages (virtually everything you need should be found on the receiver chassis). The only bought component should usually be a 50-ohm carbon resistor to go between grid and earth of the EL84 stage with the output from the QRP transmitter connected to the grid. This passive-grid configuration is simple, reliable and stable. The advantage of Class A operation is that less drive is needed than for Class AB or C and the output signal is clean (relatively harmonic free). My conversion provides 10 watts RF output on 3.5MHz with 3 watts input. Anode 350V (many domestic receivers have a 250V HT line). Screen

300V, grid bias -8V with the original 150-ohm cathoda resistor. Although used only for CW, I have two-tone tested it and the scope display is near perfect. I would not recommend attempting to drive such an amplifier directly from a VFO since with passive-grid appreciable drive is required while if a tuned grid circuit were introduced there would be stability problems etc. To those familiar only with solid-state equipment, remember that even a domestic radio receiver with 250 to 350V HT will give a nasty bite if provoked, so take care."

MICROMINIATURE FUEL CELLS

For many years, there has been keen interest in developing more practical forms of fuel cells as a replacement for conventional forms of primary or secondary 'storage' batteries. In a fuel cell the substances that react chemically at the electrodes in the cell are stored partially or wholly outside the reaction cell; when these substances are exhausted, the current stops until more 'fuel' is added. A fuel cell is thus more akin to, say, a petrol generator in being run on 'fuel' stored outside and fed in as required. Dry batteries, accumulators and fuel cells, however, all depend on the same basic laws of electrochemistry with the chemical energy directly converted into electrical energy without significant energy-loss in the form of heat. Theoretically, electricity can be generated by electrochemical devices at efficiencies exceeding 70%, as compared to around 30% for a thermal power station using coal, oil or nuclear fuel and only about 15% for an internal combustion engine.

The first laboratory-model electric fuel cell was made by Sir William Grove some 150 years ago but it has never proved easy to develop practical fuel cells that can operate efficiently at low temperatures (ie ambient room temperatures). Much development work has been directed at developing relatively powerful fuel cells for such applications as electric vehicles but with relatively little success.

Now, however, C K Dyer of Bell Communications Research has described (*Nature*, 8 February 1990) a new form of solid-state fuel cell based on the oxygen-hydrogen reaction in which the reactive cell can be less than a micrometre across. Although the current output of a single cell is a matter of microamperes, its simple design and small size may make it suitable for use in series arrays of many cells as a means of powering microchips, and as a small, lightweight fuel cell that could be manufactured cheaply.

In an accompanying commentary on this development, Thomas Mallouk writes: "Conventional fuel cells use the combustion of hydrogen or methane to generate small voltages. To do this, they are constructed in the manner of an electrochemical battery, with the oxidation of hydrogen at one electrode releasing electrons and reduction of oxygen at the other mopping them up. The unexpected novelty of Dyer's cell is that it develops an unusually large voltage in *mixtures* of hydrogen and oxygen (voltages about 0.5-1V.

currents 500 to 20µA respectively).

"Regardless of the precise mechanism involved (apparently still uncertain), the facility with which the phenomena can be reproduced with a variety of different membrane materials should lead to rapid duplication of these results and eventually to a broad range of applications from low-cost, small, lightweight fuel cells as replacements for high-use batteries to new applications in information processing which was the original objective of this work."

EXPLOITING THE MILLIMETRE-WAVE BANDS

Amateurs normally think in terms of how to extend the range of their transmissions. Paradoxically, for military and telecommunications systems, the desire these days is often to *limit* the range, either to reduce the likelihood of interception or to reduce the distance at which the same frequency-channel can be re-used without the risk of interference. This combined with the ever increasing congestion on much of the VHF and UHF bands is leading to a growing interest in exploiting the still wide open spaces above 30GHz (EHF).

For over a year, BTAL have been testing at Saxmundham a mm-wave system working at 29GHz as a means of distributing multiple video channels as an alternative to the more expensive laying of broadband cables and last year it was confirmed that MVDS (microwave video distribution systems) will be licensed to use a band just above 40GHz with an expected service area of about 2-4km diameter. The prospect of domestic use of such frequencies is encouraging the development of low-cost MMIC devices, including the use of HEMT (high-electron-mobility transistors) devices that should give a receiver noise factor of under 7dB.

There is also much military and professional communications interest in using frequencies close to 60GHz where there is a very sharp peak of severe attenuation due to oxygen absorption even in the absence of rain attenuation which is also very severe at such frequencies: see Fig 7.

Peter Fry, G3TZV draws attention to an article in the August 1989 issue of *MSN* (Microwave Systems News) which describes how Hughes Aircraft have developed a "EHF applique millimetre-wave 'strap-on' radio". This enables vehicles with a conventional 30-88MHz VHF radio to use it, when required, on mm-frequencies between 53.469 and 53.715GHz: Fig 8. It uses a special circulator switch assembly that allows a single EHF mixer to perform both up-




Fig 7. Attenuation of millimetric-waves by atmospheric gases and rain (medium rate). Oxygen (O_2) has a particularly sharp peak at about 60GHz, cutting signal intensity by 95% for each kilometre. Note that the effect of the various attenuations is cumulative. While rain/water-vapour attenuation varies in different climates, the Oxygen attenuation applies world-wide.




Fig 8. The Hughes VHF-to-EHF transceiver designed as a 'strap-on' unit for use with standard US military VHF vehicle radios.

and down-conversion. Hughes have also been developing a new UHF bicone antenna with a view to its use for a dual-band (UHF/EHF) concept. The EHF range is limited to a few miles line-of-sight.

It may be worth a reminder that our UK amateur licences already include *primary* frequency allocations at 47, 75.4, 142 and 250 GHz!

PREFERRED CW-COPYING TONES

TT (December 1989, p38) included some notes on the interesting 'Project Frequency Band' experiments carried out by members of the G-QRP Club to determine the optimum audio-frequency beat note for the reception of CW. As noted then, this emphasised that receiver designers should take fully into account the characteristics of human hearing. These are not necessarily the same for different operators but in general it was found that the lower frequencies of around 450Hz seemed preferable to the oft-recommended 750-850Hz.

Angus Taylor, G8PG has now passed along the results of a follow-up experiment carried out by G-QRP council member Tony Tuite, an experienced ex-RAF operator, with the help of a panel of ten operators, all aged 50 years or more. (As we grow older we lose the ability to hear the higher end of the audio spectrum: whereas a youth can often hear tones above 15kHz, this gradually reduces to around 8-10kHz, although this is perhaps not relevant to this particular experiment.)

In this project, the ten participants were asked to state their preferred usual BFO frequency and then to set up a receiver to this frequency and copy some morse at 18-20wpm. The actual audio frequency was then measured with an oscilloscope. The results were as follows:

Six out of the ten gave their preferred frequency as about 750Hz. In each case the actual frequency proved to be close to 500Hz.

Three gave 600-700Hz but found to be about 475Hz.

One (who had received musical training) gave 500Hz and set his BFO to within 50Hz of this figure.

Test material was then transmitted at 25wpm. Those of the operators who could copy at this speed, tended to adjust the BFO to give a tone of about 600Hz (ie some 100Hz higher than for the slower speed).

G8PG comments: "So far all our work points to frequencies in the range 450-600Hz as being the most acceptable, with many operators unconsciously adopting them. The impact on AF filter design and BFO crystal selection is obvious."

It is perhaps worth noting that at one time, operators with most designs of communication receiver were able, having adjustable BFO controls, to select their own preferred tone without worrying whether this accorded with their own 'guesstimates'. But with sharp AF filters and crystal-controlled BFOs, combined with narrow-band IF crystal filters it is clearly important that designers/constructors of factory/home receivers/transceivers should be aware of that 450-600Hz preference.

TAKING OUT D/F

The average age of Australian amateurs has been recently put at 51 years, and there seems no reason to suppose that such a figure would differ greatly in the UK. This means that most of us have lived through (though not necessarily as licensed amateurs) a period of enormous technical change and development — but not always in the basic fundamentals of radio communication, for which the entire period of 1895 to 1945 was immensely important.

I have to confess a personal interest in the specialised topic of wartime 'clandestine' portable radio transmitter-receivers which has a habit of spilling over into *TT*. In this I am not alone. For instance, Rudolf Staritz, DL3CS has put much effort into tracing information on the many different such equipments developed not only for the German Abwehr (military intelligence) service but also in the UK, USA, USSR, Norway, Denmark and Finland etc. Another is Hugh Muller, KA7LXY who was surprised to read (*TT*, January) that the clandestine Dutch Inland Radio Service (originally organised by Jan Thijssen ('Lange Jan') in anticipation of a rapid liberation of occupied Holland) operated on frequencies between 2.7 to 3.0MHz. He felt (unfortunately correctly) that this must have been "a near perfect wavelength for the enemy D/F services (Funkabwehr etc)" and needed "a good long antenna to look for" making traffic on such frequencies "a near suicide mission". Unhappily, as I have mentioned before in *TT*, this was all too true with many groups wiped out by the D/F rigs described in the book by Fritz Trenkle "Die deutschen funkpeil- und Horch-Verfahren bis 1945", roughly translated as "German D/F and listening services up to 1945", published by AEG-Telefunken in 1982 (once again my sincere thanks to Dr Ing Hans L Rauh, DLK6KG for sending me copies of this series of publications).

It is clear from this book that some at least of the mobile and portable HF D/F equipments developed for the Funkabwehr did not operate below 2.9 or 3.0MHz, a fact possibly known to the Dutch engineers. For example, the well-built, miniaturised 'suitcase' D/F equipment, type Kofferpeiler Fu H P B ku3, which could be 'worn' under outer clothing and had a miniature 'wrist-watch' indicator, covered only 2.9 to 15MHz. Unfortunately, the Funkabwehr also used some twelve "Storch" army co-operation aircraft filled with D/F receivers (R30) that covered 192 to 25,000kHz, and had fixed D/F stations that covered the complete MF/HF bands.

But the two operators of the Dutch Inland Service that survived from August 1944 until the end of the war in Holland in May 1945 — Jan Zandbergen, PAOZY and Jack Verhagen running the very active G11 station in and around Alkmaar, including a long spell with their station located in the nuns' bathroom of the St Elisabeth Hospital — did succeed in striking back at the D/F threat in a remarkable way. During December 1944, they observed increasing activity, in the district, of German D/F vehicles and decided to try and discover where these were based. They set out on

bicycles, with a bag of potatoes on the carrier of one as though collecting food from the farms — an all-too-common sight in that dreadful 'hunger-winter' during which some 15,000 civilians died of hunger. They found the D/F base at a farm at Dirksborn, some 15km north of Alkmaar, spotting several loop antennas on the roof, covered by camouflage netting. On 30 December 1944 they transmitted the following cipher message: "Radio service threatened by newly erected German radio bearing station. Position as follows. Moving in southerly direction from the village Dirksborn along the road leading to Dudkarspel some 550 yards along this road in meadow about 35 yards east of the road. Recognisable by two low redbrick buildings flat black roofs on which 10 circular direction finding aerials. No anti-aircraft guns."

On 6 January 1945, the RAF destroyed the farm! Later, a second German D/F base was "taken out" at Castle Marquette near Heemskerk, 15km south of Alkmaar. (Information received from PAOZY and Dick Rollemma PA0SE.) I have to admit that the December message was sent by the Alkmaar station a few days before I became actively involved with the Dutch service, although soon afterwards I had many contacts with the redoubtable Jack Verhagen, an ex-marine operator of outstanding ability who sent many messages for RvV/DD/BS even after G11 was told to discontinue the link with Eindhoven following the loss of many stations between December and February.

KA7LXY points to another category of portable HF equipment developed during the second world war: the beach-landing equipments. He gives the US Navy models as TBX to TBX-7 which used a single-valve transmitter (837) covering 2-5MHz with 500V HT from either a rotary converter or hand-cranked generator, in a waterproofed aluminium case that (theoretically) could be floated to shore, opened and used. The TBX range were primarily for landing operations in the Pacific and as a lifeboat radio. A final model, TBX-8, which did not enter service until late 1945, used a two-stage 3A4 — 2E22 (miniature 807) transmitter with relay break-in switching.

The single-valve transmitter was AM/CW and VFD or crystal-controlled (two internal switchable crystals). KA7LXY points to an unusual feature: the power oscillator remained running and was controlled by putting a high negative voltage on the suppressor grid; keying the transmitter 'on' reduced the negative bias so that anode current flowed providing an RF output of about 25W CW or about 3W AM speech. Modulation was also achieved by controlling the suppressor bias: suppressor-grid modulation of power amplifiers was quite popular pre-war in the UK amateur transmitters and was also a feature of the RAF T1154 transmitters in conjunction with the PT15 pentode PA.

VHF/UHF ground/air/ship phone transmitters for clandestine operations included SDE's S-phone and the later OSS Joan-Eleanor (J-E) equipment with its airborne wire-recorder and an American military FM equipment on about 30MHz used by MI-6. These have all been mentioned before in *TT*. I wonder, however, if any reader could supply details of the 'Ascension' equipment developed by MI-6 for the 1944 joint US/UK/French 'Sussex' operation during which the HF CW links depended on the QRP battery-operated MkXXI transmitter-receivers? According to Anthony Cave-Brown in his biography of Sir Stewart Menzies "The Secret Servant", some 20 Ascension equipments were to be installed for Sussex in Mosquito aircraft and flown nightly over France to receive reports from the French agents by means of a 'recording device' (wire recorder?) installed in the tail of the aircraft. As someone who went to Normandy in support of the Sussex HF operations, I would be interested to find out more about




Fig 9. The yearly means of daily sunspot relative numbers compared with dates of influenza pandemics, as published in *Nature* in connection with the letter from Sir Fred Hoyle and Professor Wickramasinghe. The record up to 1971 is based on the earlier material collated by Hope-Simpson; the dashed curve has been added to show the situation between 1971-89.

SUNSPOT FLU?

Sunspots have been blamed and/or praised for many things other than high MUFs. Now Sir Fred Hoyle and Professor N C Wickramasinghe have described (*Nature*, 25 January 1990) further evidence in support of the belief, first expressed by R E Hope-Simpson in 1978, that there is a remarkable coincidence between large-scale, worldwide outbreaks (pandemics) of influenza and peaks of the sunspot-cycle. Fig 9 shows the more recent 'coincidences'. They conclude: 'It is tempting to connect the recent (November/December 1989) flu epidemic in Britain with the maximum or imminent maximum of (Cycle 22) solar activity. Although the new wave of flu and flu-like illness has not yet assumed pandemic proportions, the

chances of this happening within a single complete cycle of terrestrial seasons must be reckoned to be high... we note that electrical fields associated with intense solar winds can rapidly drive charged particles of the size of viruses down through the exposed upper atmosphere into the shelter of the lower atmosphere... this could define one possible causal link between influenza pandemics and solar activity.' Sir Fred Hoyle for a number of years has been suggesting that microbiological material exists in space and could have been the origins of Life on Earth. It has long been recognised that the outbreak of 'Spanish flu' in 1919 caused more deaths than the first world war — but the idea that such outbreaks might be due to solar activity is a new concept to me!

'Ascension', for which presumably a miniature portable equipment must have been developed for the agents on the ground.

FEEDBACK AND POT-POURRI

Geoff Perkins, G3VJ spotted an unfortunate error that crept into the circuit diagram of PA0FRI's high-power 'Frlnear' linear amplifier (*TT*, February, p30, Fig 3). The diagram wrongly shows the positive screen voltage connected through a 100-ohm resistor to the control grid of the lowest PL519 (pin 1). In fact, the 100-ohm resistor should have been connected to pin 3 (screen grid) and the line common to the three screen-grid pins. Apologies to readers and to PA0FRI.

John Roscoe, G4DK adds a postscript-correction to his warning (*TT*, February) that modern petrol-pumps, if deprived of mains electricity, will fail to deliver. He subsequently made enquiries from the large retail chain that controls the petrol station attached to his local supermarket and received the following reassuring reply: "In the event of a power failure, the store's emergency generator will service the main store but not the petrol station. However, our petrol pumps are able to be manually operated and we would expect business to continue although at a much slower pace... we would expect any requests for petrol by the emergency services to be given priority. Cash transactions are always acceptable."

The increasing interest in 'wireless' before transistors is reflected in the number of specialised publications and newsletters now available in the UK. These manage to maintain high standards and to dig out much information on the equipment and practices of yesteryear (not all of which were crude or primitive). A number of such publications come my way and I take this opportunity of congratulating their editors and bringing these publications to the notice of *TT* readers who may not be aware of their existence.

Vintage Wireless (quarterly bulletin of the British Vintage Wireless Society) edited by Bob Hawes. An occasional extended *Supplement* has

recently been introduced. The Society's Membership Secretary is Gerald Welts who runs the fascinating Vintage Wireless Museum in West Dulwich, south London.

Radio Bygones (bimonthly) the relatively new 'glossy' magazine complete with full-colour cover illustrations edited by Geoff Arnold, G3GSR, former editor of *Practical Wireless*. Covers communications as well as domestic radios.

The Radiophile (bimonthly) edited by Chas E Miller concentrates on domestic valve radios and is now emerging in printed rather than duplicated form.

Morsum Magnificat (quarterly) edited by Tony Smith, G4FAL as the 'magazine for morse-telegraphy'. Due to other commitments, G4FAL, who founded the UK edition several years ago (MM originated in Holland in 1983), is anxious to hand over editorship this year.

OT News (quarterly old Timers' News) publication of the UK Radio Amateur Old Timers' Association, edited by Dennis Lisney, G3MND.

As a follow-up to G3MLS's explanation of the 'Kelvin-Varley heli-pot substitute' (*TT*, February, p31), Nev Kirk, G3JDK relates how walking into his local junk shop recently, he found a most elegant 'Kelvin-Varley Divider'. It was in pristine condition, beautifully made in 1978 by Electro Scientific Industries of Portland, Oregon. Some 9-in tall overall, about 3-in in diameter, the adjustment is with the aid of three concentric aluminium dials, each slightly less in diameter, at the top, graduated and engraved with black lettering. Purchased for an "unbelievable 50p", G3JDK is not quite sure what he will do with it, but in the meantime "it makes a wonderful shack ornament."

J P Bell, G4LSA mentions that since the circuit diagram of his battery-charger controller appeared in *TT* (October 1989, pp38-39, Fig 6) he has received a number of enquiries asking where a BT151 thyristor (SCR) can be obtained. His came ex-equipment but he points out that any modern thyristor will do provided that it is rated about 5A and 100V. □

TEST THESE RIGS 'ON AIR' BEFORE YOU BUY, AT THE KW 'EMPORIUM'!!

+ KW MAIL/PHONE ORDER SERVICE

**Backed by 35 years of supplying the radio amateur
— worldwide**

Write or phone or jump in your car and come on down to our brand new Communications Centre in Sandling. Feast your eyes on an amazing range of amateur band transceivers and a mouth watering display of accessories. On-air demonstrators, helpful staff and no high pressure selling.

Our fully equipped servicing workshop is at your service backed by solid experience and know how. Mail order is a pleasure.

You are welcome to just browse around or to settle down to planning your new super shack!

How to find us!

We are near to A229. Turn off M20 to Rochester/Chatham. Chatham Road, Sandling runs parallel to Bluebell Hill (A229). Just follow signs to Sandling.



KENWOOD
amateur radio equipment

TS-940S £1,995

AVAILABLE FROM STOCK NOW!

We also stock — Antennas: Hy-Gain, Butternut, Cushcraft, 'J'Beam, KW, ATU's — MFJ, TenTec, KW, Kenwood, Yaesu, ICOM. Amp Linear Amplifier, Rotators, Books, Cables, Wire, Scanners, Airband Receivers, Microphones, Morse Keys, Full range of accessories. Baluns, Traps, Headphones, AKD Filters, Antenna Switches, SWR Meters, Dummy Loads, etc.

TEN TEC

OMNI V Transceiver Amateur Bands 10-160M	£1,900.00
PARAGON Transceiver + General Coverage	£1,839.00
CORSAIR II Amateur Bands 10-160M	£1,200.00
ARGOSY II Mobile or Base HF SSB/CW	£589.00
CENTURY 22 CW Transceiver & ORP	£399.76
TITAN Linear Amp 1,500W 10-160M	£2,171.00
HERCULES II Linear Amp 500W 13.8V	£839.00
HERCULES II PSU 100 Amp	£660.00

YAESU

FT767GX Transceiver Gen. Cov. RX	£1,599.00
FT747GX HF Transceiver SSB/FM/AM	£655.00
FT757GX HF Transceiver 10-160M	£969.00
FT212RH Transceiver 2M, 45W	£309.00
FT290R2 Mobile 2M, Multimode	£429.00
FRG8800 Receiver 0.15-30MHz	£649.00
FRG9600M Scanning RX 60-950MHz	£509.00

2M/70CM Mobiles & Handhelds in stock etc

ICOM

IC751A HF Transceiver Gen. Cov. RX	£1,500.00
IC735 HF Transceiver Gen. Cov. RX	£979.00

IC725 HF Transceiver Gen. Cov. RX	£759.00
IC7000 Receiver 25-1000+1025-2000MHz	£989.00
ICR71E Receiver 0.1-30MHz	£855.00

2M/70CM Mobile & Handhelds in stock etc

KENWOOD

TS940S HF Transceiver, Gen Coverage	£1,995.00
TS140S HF Transceiver 10-160	£862.00
TS680S Transceiver 10-160+6M	£985.00
TS440S HF Transceiver Gen. Coverage	£1,138.00
TL922 Linear Amp	£1,495.00
TS790E Allmode Tcvt 2M/70CM + 1296 MHz	£1,495.00

2M/70CM Mobiles & Base, Receivers & Handhelds in stock etc

TS950S HF Transceiver	£2,499.00
TS950SD HF Transceiver	£3,199.00

THE KW POLICY

KW's policy continues as it has done for the past 36 years — to give the customer value for money including the best service available. Every unit is tested in our TEST DEPT before delivery. We do not believe in sending out sealed packages.

Prices correct at time of going to press

Lots more "Goodies" — Trade-in equipment, servicing, EXPERT ADVICE is FREE. Write or phone for brochures. VISA, ACCESS, RSGB Cards, H.P. All the above prices are correct at the time of going to press and include VAT. Check prices when ordering. Post/Carriage charged at cost. Orders of £200 or over, free delivery within UK.

Open 10am-5pm Tuesday-Friday, 10am-4.30 Saturdays — Write, phone or fax for further details

KW COMMUNICATIONS LTD

Communications Centre, Chatham Road, Sandling, nr Maidstone, Kent ME14 3AY

Tel: 0622-692773

Fax: 0622 764614

Telex: 965834



KENWOOD TS-950S DIGITAL HF TRANSCEIVER REVIEW

Peter Hart, G3SJX

Both Kenwood and Yaesu have recently unveiled new top of the range HF base station transceivers offering very high performance and a number of totally new features. The Kenwood TS-940S has achieved an excellent reputation over the years as a top-flight rig for the discerning DX chaser and contest operator. The launch of the TS-950S has attracted much interest.

PRINCIPAL FEATURES

The TS-950S is a highly versatile base station transceiver with built-in mains PSU. It is available in two versions; the fully fledged TS-950S DIGITAL and the reduced cost TS-950S. The differences will be made apparent later. The receiver tunes from below 100kHz to 30MHz with the transmitter inhibited outside the exact amateur allocations. LSB, USB, CW, AM, FM and FSK are provided with selectable FSK shift of 170, 200, 425 or 850Hz.

Tuning is in 10Hz steps at 10kHz per revolution of the main tuning knob on SSB/CW and 100Hz steps at 50kHz per revolution on AM/FM. Twin VFOs are used and any combination of receive/transmit split between the VFOs and memories is allowed. A separate tuning knob sets the frequency of the TX VFO independently of the main tuning in split operation and a single button allows the RX and TX VFOs to be momentarily swapped for instant checking of activity on the TX channel. On FM, the RX and TX VFOs may be tracked with a constant offset to simplify operation with repeaters. Push buttons select individual bands, returning initially to the last used settings on that band in terms of frequency, split combination, mode, IF filter, preamp status and ATU setting. The frequency may be stepped up and down in 1MHz increments for general coverage operation and a click-step rotary knob shifts the frequency in 5/10kHz steps for rapid frequency changes from one end of the band to the other. 100 memories are provided and these also store split frequencies, mode, IF filter, preamp status, ATU and tone data. The memory contents may be previewed before selection. The band buttons also double as a numeric keypad for direct entry of frequency or memory number. Scanning may be initiated between programmable frequency limits, across the entire active memories or in decade memory groups. Up to ten programmable scanning limits may be stored and the scan speed is variable.

Very comprehensive selectivity-related features have been built-in to aid reception under difficult conditions. Separate buttons select the filter bandwidth at the 8.83MHz and 455kHz IFs, giving bandwidths of 6000, 2700 or 500Hz at the first IF and 6000, 2700, 500 or 250Hz at the second IF. These filters are separately selectable and independent of mode. Whenever a mode or band change is made, the last used filter combination on each mode on each band is reselected. On SSB, twin concentric controls allow the independent adjustment of the low and high frequency slopes of the IF passband and on CW, separate variable controls for the IF bandwidth and AF bandwidth are provided. An IF notch filter operates on all modes except FM.

The most striking new feature on this rig is the use of a second or sub receiver to receive two frequencies simultaneously, the sub receiver being tunable ± 500 kHz relative to the main receiver. The


audio output from the two receivers is combined through separate audio gain controls into the common speaker or headphones. The frequency of the second receiver is indicated on a separate display and may be tracked with the transmit VFO.

Other receiver functions include four selectable AGC speeds, input attenuator, all-mode squelch and receive/transmit clarifier. Two switchable preamplifiers are provided, optimised for sensitivity (AIP out) or signal handling (AIP in). Dual noise blankers are fitted with adjustable blanking levels for both the main and second receiver and with selectable time constants to suit impulse noise and "woodpecker".

To the best of my knowledge, the TS-950S is the first amateur bands transceiver to make use of digital signal processing techniques (DSP). This is used to generate the transmit signal on SSB, CW, FSK and AM. A very high quality SSB signal is generated with selectable audio bandwidth, and on CW, true cosine squared pulse shaping is adopted for minimum key clicks. The rise and fall time of the CW pulse is settable to either 2 or 4ms. On receive, the DSP unit provides an audio filtering function which tracks the IF slope tuning. The DSP unit is retrofittable and bolts on the bottom of the case.

The transmitter power output is nominally 150W, somewhat higher than most rigs, and variable down to 20W. Transmit features include RF speech processor with separate input and output gain controls, built-in electronic keyer with adjustable weighting, VOX, full/semi break-in, microphone muting when using data modes, thermostatic fan and a transmitter monitor facility. A programmable tone encoder is included for repeater use.

Other features include a CW pitch control and Morse code or beep tone confirmations of key presses. Voice announcement of the operating frequency is available with an optional voice synthesiser unit and a host of parameters are settable on power-up to suit individual preferences. An auto-ATU is built-in which will cope with mismatches up to 3:1 VSWR. Tuning conditions are stored in memory for each band and are automatically returned to when that band is reselected. The ATU may also be manually tuned. A temperature compensated reference oscillator (TCXO) is used which ensures that the operating frequency has a maximum error of 10Hz at 20MHz.






Fig 1. TS-950S effective selectivity curve on USB.

A large multicolour, multifunction fluorescent display panel dominates the front panel. The receive, transmit and second receiver frequencies are all displayed simultaneously to a resolution of 10Hz and RIT/XIT is displayed continuously together with IF bandwidth settings and various status indicators. A 30 dot digital bar meter provides S meter on receive and power meter on transmit with two additional bar meters to indicate ALC/collector current and SWR/speech compression. These meters provide a peak hold function.

The rear panel contains the usual comprehensive array of connectors to interface the rig to a linear amplifier, packet and data terminals, IF outputs for monitor scopes, audio in/out etc. Note that for RTTY use, this rig has been designed for US/Far East tones of 2125/2295Hz, not the more commonly used 1275/1445Hz tones in the UK. Most of the functions of the radio can be controlled from an external computer via the optional IF-232C interface. The transmitter drive level (about 10mW) and receiver antenna lines are routed via jumper leads on the rear panel. These leads may be intercepted to interface to VHF transverters or connect to a remote receiver or remote receiver antenna.

Naturally, a rig of this complexity requires a comprehensive and well-written manual. Although the manual has 80 pages and on the surface appears to cover full installation and operation of the equipment, it is not quite up to the usual Kenwood standards. Some of the information is not well described or indexed and sometimes misleading. Full circuit diagrams are included.

The lower cost TS-950S has all the features of the TS-950S DIGITAL with the exception of the DSP unit, CW IF filters and temperature compensated reference oscillator (TCXO). These units may all be retrofitted at a later date if necessary.

DESCRIPTION

The TS-950S is a big radio measuring 40.9 (W) by 15.4 (H) by 44.6cm (D) and at 23kg it is a heavyweight. This is the same front panel size as the TS-940S but somewhat deeper and heavier. The usual steel chassis and PCB construction is adopted with plenty of screening, which explains the weight. A plastic overlay front panel is used with a moderately sized 8.5cm diameter upward facing speaker. The PA unit is housed in a diecast assembly, which together with the ATU, unhinges to reach the carrier and PLL unit underneath. The PA unit and PSU are blown by separate fans.

The main receiver uses a quadruple superhet architecture with IFs of 73.05MHz, 8.83MHz, 455kHz and 100kHz. The second receiver is double superhet with IFs of 40.055MHz and 10.695MHz. A ring of 4 FETs are used in the receiver first mixer for wide dynamic range. The TMS320-15 DSP generates the SSB signal by a method analogous to the traditional phasing method but with a much tighter control over the phase shifts for improved rejection of the unwanted sideband. The signal is generated at 36.89kHz and upconverted to 455kHz. The DSP also generates the CW, FSK and AM signals which are also upconverted to 455kHz. The signals are then converted via the 8.83MHz and 73.05MHz IFs to final frequency where the transmitter PA operates from a 50V supply for increased power output and lower distortion. The memories used in this radio are battery backed using a lithium cell which should last 5 years. The battery is located on the digital board behind the front panel which simply unhinges.

S-METER CALIBRATION

The S-meter measurements are only approximate due to the resolution of the bargraph display. The S-meter sensitivity varied considerably with frequency and was somewhat pessimistic on the higher bands. SSB, CW, FSK and AM gave the same results but FM had the usual very limited range.

SPURIOUS REJECTION

Rejection of all image and IF related responses was in excess of 82dB. This is very good.

STRONG SIGNAL PERFORMANCE

The front-end intermodulation performance is excellent. With the AIP switched out, it is around 1-5dB better than the TS-940S. With the AIP switched in there is a remarkable improvement to over 100dB dynamic range on most bands. Blocking was difficult to measure as reciprocal mixing masked the measurement. The reciprocal mixing or oscillator sideband noise performance was also excellent, one of the best radios I have measured, and substantially better than the TS-930S or TS-940S even with the Lowe modification. The effective selectivity curve is shown in Fig 1. The inband linearity measured with 200Hz tone spacing varied considerably with AGC speed. In the fast position it was relatively poor but with slow AGC it was excellent (-44dB).

SELECTIVITY

The table shows the results using all the combinations of the fitted filters. The skirt selectivities are excellent. Fig 1 also shows that the 455kHz filters have better skirt selectivities than the 8.83MHz filters, but this is only to be expected.

POWER OUTPUT

The power output could be varied down to 12W with the power control, and on CW down to about 1W if the carrier level control is also reduced. Into a 2:1 VSWR and with the auto-ATU switched out, 53-105W could be obtained. With a 3:1 VSWR, this reduced to 25-35W. Switching in the auto-ATU restored power to 110W in all cases.

SPURIOUS OUTPUTS

The level of both harmonic and other spurious outputs was excellent.

SSB PERFORMANCE

The PA intermodulation performance was much better than the average rig. The speech processor degraded the close-in intermodulation products severely but not the out of band products. The DSP performance was amazing. In the widest setting, the -6dB audio bandwidth was 180Hz to 3.0kHz and yet the unwanted sideband and carrier rejection was in excess of 70dB! With the DSP unplugged, the audio bandwidth was about 350Hz-2.7kHz, and carrier and sideband rejections still around the -70dB level.

TRANSMITTER NOISE OUTPUT

The transmitter noise output of the TS-950S is a big improvement over the TS-930/940 as measured previously.




Fig 2. CW keying spectrum at 40 wpm with DSP. Horizontal scale: 1kHz/div; vertical scale: 10dB/div.




Fig 3. CW keying spectrum at 40 wpm without DSP. Horizontal scale: 1kHz/div; vertical scale 10dB/div.

KENWOOD TS-950S DIGITAL MEASURED PERFORMANCE

RECEIVER MEASUREMENTS

FREQUENCY	SENSITIVITY SSB 10dBs+n:n		Input for S9	
	AIP OUT	AIP IN	AIP OUT	AIP IN
1.8 MHz	0.1µV (-127dBm)	0.32µV (-117dBm)	35µV	160µV
3.5 MHz	0.11µV (-126dBm)	0.35µV (-116dBm)	35µV	200µV
7 MHz	0.1µV (-127dBm)	0.28µV (-118dBm)	32µV	200µV
10 MHz	0.11µV (-126dBm)	0.32µV (-117dBm)	50µV	320µV
14 MHz	0.1µV (-127dBm)	0.32µV (-117dBm)	56µV	320µV
18 MHz	0.14µV (-124dBm)	0.28µV (-118dBm)	89µV	450µV
21 MHz	0.14µV (-124dBm)	0.28µV (-118dBm)	112µV	560µV
24 MHz	0.14µV (-124dBm)	0.28µV (-118dBm)	112µV	450µV
28 MHz	0.14µV (-124dBm)	0.28µV (-118dBm)	112µV	400µV

INTERMODULATION (50kHz TONE SPACING)

Frequency	AIP OUT		AIP IN	
	3rd order Intercept	2 tone dynamic range	3rd order Intercept	2 tone dynamic range
1.8 MHz	+4dBm	94dB	+20dBm	98dB
3.5 MHz	+4dBm	93dB	+24dBm	100dB
7 MHz	+4dBm	94dB	+25dBm	102dB
14 MHz	+7dBm	96dB	+26dBm	102dB
21 MHz	+9dBm	95dB	+27dBm	103dB
28 MHz	+13dBm	98dB	+18dBm	97dB

Frequency offset	Reciprocal mixing for 3dB noise	TX noise WRT carrier in 2.5kHz bandwidth
3 kHz	86dB	
5 kHz	90dB	-83dB
10 kHz	102dB	-91dB
15 kHz	107dB	
20 kHz	110dB	-96dB
30 kHz	113dB	
50 kHz	119dB	-99dB
100 kHz	124dB	
200 kHz	130dB	

FILTER (8.83/455)	SELECTIVITY
2.7/2.7	-6dB
2.7/500	2440Hz
2.7/250	545Hz
500/2.7	290Hz
500/500	560Hz
500/250	490Hz
6/6	290Hz
	5960Hz

Tone spacing (7MHz band)	3rd order Intercept	2 tone dynamic range
5 kHz	-12dBm	83dB
10 kHz	-11dBm	84dB
15 kHz	-2dBm	90dB
20 kHz	+4dBm	94dB

S-READING (14MHz)	SSB	FM
S1	1.8µV	0.7µV
S3	2.8µV	1.6µV
S5	5.6µV	2.2µV
S7	16µV	3.2µV
S9	56µV	4µV
S9+20	800µV	5µV
S9+40	6.3mV	8µV
S9+60	40mV	14µV

AM sensitivity (28MHz): 0.8µV for 10dBs+n:n at 30% mod depth
 FM sensitivity (28MHz): 0.2µV for 12dB SINAD 3kHz pk deviation
 AGC threshold: 0.9µV
 100dB above threshold for +1dB audio output
 AGC attack time: 2ms (fast) 3ms (medium) 4ms (slow)

AGC decay time: 0.1-0.5s (fast) 0.6-2s (medium) 2-7s (slow)

Max audio before clipping: 1.8W into 8Ω at 1.5% distortion

Inband intermodulation products: -26 to -44dB (see text)

TRANSMITTER MEASUREMENTS

Frequency	CW power output	SSB (pep) power output	harmonica	intermodulation products third order	fifth order
1.8 MHz	145W	160W	-62dB	-32dB	-38dB
3.5 MHz	150W	160W	-62dB	-30dB	-40dB
7 MHz	150W	155W	-70dB	-36dB	-45dB
10 MHz	148W	152W	-65dB	-36dB	-40dB
14 MHz	145W	150W	-68dB	-30dB	-40dB
18 MHz	142W	143W	-64dB	-30dB	-37dB
21 MHz	140W	140W	-65dB	-27dB	-37dB
24 MHz	138W	138W	-60dB	-27dB	-36dB
28 MHz	132W	132W	-62dB	-26dB	-36dB

Carrier suppression: -65 to -70dB
 Sideband suppression: <-70dB
 Transmitter noise: see table above
 Transmitter AF response: see text
 Transmitter AF distortion: <1%

Microphone input sensitivity: 3.5mV for full output
 FM peak deviation: 4.5kHz
 T/R switching speed (SSB): mute-TX 10ms, TX-mute 1ms, mute-RX 15ms, RX-mute 1ms
 Power into load mismatch: see text

NOTE: All signal input voltages given as PD across antenna terminal. Unless stated otherwise, all measurements made on SSB with the receiver preamp switched in and with the filter settings of 2.7/2.7kHz. All two-tone transmitter intermodulation products quoted WRT either originating tone.

CW KEYING PERFORMANCE

Fig 2 shows the CW keying spectrum using the DSP and Fig 3 without the DSP when keying at 40 WPM. The keying envelopes, as observed using an oscilloscope, appeared similar but the correctly shaped rise and fall characteristic with the DSP results in a 15dB improvement in keying splatter at 1kHz from the carrier. The full break-in performance was also free of distortion up to at least 30 WPM. The T/R switching speed should permit entirely satisfactory operation on all data modes.

ON-THE-AIR PERFORMANCE

The radio arrived just in time for the 3Y Bouvet Island expedition and the QRM of the first few days proved an ideal testing ground for this transceiver. It was in this situation where the sub (second) receiver proved its worth by being able to search the receive band for the expedition receive channel whilst continuously monitoring the transmit channel. All credit to the TS-950S that 3Y5X was worked on six different band/mode combinations within the first day of operation. The receiver performed impeccably under all situations and it was never necessary to use the input attenuator, although it was usually desirable to switch in the AIP preamplifier on the low frequency bands. The receiver was very clean and no strong signal problems of any kind were experienced. VFO clicks were observed every 10kHz but were not objectionable. The weighted flywheel knob has a very smooth action and tunes like an analogue VFO although there is a touch of raspiness to the note when tuning fast. The filters were excellent and so was the performance on the AM broadcast bands.

The quality reports received on transmit with the DSP were superb. On CW, the transmission was very narrow with no trace of clicks and on SSB, the quality reports both with and without the speech processor were most impressive. With the DSP unit disconnected, clicks were audible on CW on either side of the carrier and the SSB reports, whilst still good, were not quite as good as with the DSP unit in circuit.

Ergonomically, the TS-950S was very easy to use although there are a number of small points which could be improved. The IF filters are selected cyclically and this is not very convenient in practice. When operating on CW with 500Hz bandwidth, it involves a lot of button pushing to widen the bandwidth. The VOX button must be pushed in for CW and released for PTT on SSB and I always seem to forget this. Direct VFO from memory would be useful. Trying to listen to two receive channels out of one speaker is not easy and having the capability to use a separate speaker or split headphones for the two receiver paths would be a definite advantage.

CONCLUSIONS

The TS-950S DIGITAL offers a level of performance superior in all respects to the previous top of the range and highly regarded TS-940S. The receiver and transmitter performance is excellent, the ergonomics are good and the second receiver and other comprehensive features most useful. The high quality transmission is unsurpassed by any other rig I have used. The list price of the fully featured radio is £3199, although it is available less DSP unit, TCXO and extra IF filters for £2499.

ACKNOWLEDGEMENTS

I would like to thank Lowe Electronics of Matlock, Derbyshire for the loan of the equipment.

REFERENCE

"Trio TS930S and TS940S HF transceivers" P.J.Hart, G3SJK. *Rad Com* May 1986, pp 328-333.

Further Evolution of the G3LDO Double-D Antenna

A decade of development has led Peter Dodd, G3LDO, to improve and expand upon the original design of his Double-D Antenna. Here he describes his experiments.

INTRODUCTION

In the June/July 1980 edition of *RadCom*¹ I described the evolution of a compact two element parasitic wire beam. The objective was to create a compact antenna without loading coils and traps. The solution was to bend the elements, and the configuration shown in Fig 1 was the result. In essence, this antenna can best be described as a two element Yagi with folded elements. A number of VHF models were built and tested to find the best way to bend these elements; and it was found that they could be folded back to within 20 degrees from the horizontal before the gain started to deteriorate. The resulting configuration was named the "Double-D".

The wire Double-D was found to be amenable to multibanding. Three of these antennas, for 20, 15 and 10 metres were mounted on the same support. The simplest method of feeding turned out to be the best; paralleling the driven elements and feeding them with the one coaxial line as shown in Fig 2.



The rest of this article is devoted to my experiences in trying to make the single band antenna design more compact, but at the same time retaining the same efficiency as a full size two element Yagi. VHF modelling was used to explore these configurations. Two practical designs resulting from this work, together with outline constructional details, are given.

DESIGN CONSIDERATIONS

To reduce the overall size of the antenna consideration has to be given to reducing both the element length and the boom length.

According to the diagrams in the ARRL Antenna Handbook, reproduced in Figs 3 and 4, whilst it is possible to reduce the boom length to 0.1

wavelength and to obtain a gain greater than 5dB the radiation resistance falls to around 10 ohms (and would probably be lower for bent elements). Any attempt to reduce the 'wingspan' of the Yagi elements using the bent element approach results in larger proportion of the ends of the elements in the vertical plane.



Figs 3 & 4. Graphs showing possibility of reducing boom length. Source ARRL Antenna Handbook © 1988 ARRL.

EARLY EXPERIMENTAL WORK

A VHF model of a wire Double D single element was constructed and various configurations tried out. The element retained the gain of a dipole until the horizontal section was reduced to 0.16 wavelength.

I decided that it would be worthwhile trying to design a compact Double-D antenna using this element configuration; the implications of these initial experiments were that a 7MHz beam could be constructed having the same horizontal size as a three element beam for 15 metres. The actual construction would, however, depend on the radiation resistance. I measured the feed impedance of a dipole, a standard Double-D element and a compact Double-D element at approximately $\frac{1}{4}$ wavelength above the ground, via a full wavelength of 50 ohm coaxial cable. These wire element models were measured at frequencies between 28 and 29MHz and the results are illustrated in Fig 5.

Because the measured input resistance was low I concluded that the use of all wire elements would result in reduced efficiency because the relatively

high resistance of the wire would dissipate much of the input power. The addition of a parasitic element would reduce the radiation resistance (and hence the efficiency) still further.

VHF DOUBLE-D MODEL

A VHF model of the Double-D element was constructed using 'plumbers delight' construction, with 18 AWG solid copper wire for the horizontal section and thin hook-up plastic covered wire for the end sections. The element was gamma matched and the element fed with 50 ohm coaxial cable. A parasitic element was then added using the same construction as the driven element. Initially I used an element spacing of 0.1 wavelength but it proved very difficult to set up. Any slight adjustment of the parasitic element, as either a director or reflector, or the slightest movement of the wire sections of the elements, caused large changes in feed impedance. The spacing was increased to 0.15 wavelengths and the model proved much more docile. The final model is illustrated in Fig 6 and appeared to have a gain of 4 to 5dB relative to a reference dipole.

14MHz DOUBLE-D

The first large scale model was constructed for 20 metres. This decision was dictated mainly by the relatively small size of the garden at my previous QTH. This design used aluminium tubing for the horizontal section of the elements and plastic covered wire for the vertical end sections.

The only length of boom material available at the time was a 9 foot length of 2 inch aluminium tubing, so I decided on another attempt at the close spaced beam (element spacing about 0.13 wavelengths). The initial sizes chosen for the elements were 12 feet for the tubular horizontal section and 13'8" for the wire sections. The aspect ratio of these elements is slightly different to the VHF model, but as the model predicted good results for horizontal sections longer than 0.16




Fig 1. Standard wire Double-D antenna.




Fig 2. Multiband Double-D antenna.




Fig 5. Impedance measurements of dipole and Double-D elements.




Fig 6. VHF two-element Double-D.

wavelength no problems were foreseen. The elements were then adjusted for resonance at 14.15 and 13.8MHz for the driven element and reflector respectively. The driven element was connected to the feeder via a gamma match.

All the tests were performed at a frequency of 14.15MHz. A receiver was connected to the antenna. A modulated signal generator, with an 18-inch short wire antenna, was placed at the apex of the roof inside the house, located about two wavelengths away from the antenna under test.

The receiver was tuned to the same frequency as the signal generator and the S-meter readings checked as the antenna was rotated. The length of the signal generator short wire antenna was adjusted to ensure the signal strength was within the range of the S meter. (This method had worked well for me in the past.)

The antenna exhibited poor directivity and the business of reflector adjustment commenced. Small adjustments to the reflector caused wild changes in feed impedance even before any improvement in directivity became apparent; in fact an action replay of trying to set up the VHF model. The lessons of the VHF model were being relearned. The boom was extended to 12 feet (0.17 wavelengths) with odd sections of tubing. This tamed the beast and the gamma match was adjusted without any difficulty. The front to back ratio continued to be very poor in spite of many adjustments of the reflector. Reflector resonances between 13.9 and 13.1 MHz were tried with no improvement in antenna performance.

Because the VHF model predicted that the configuration would work I did not give up hope, although it was in a mood of desperation that I shortened the parasitic element to try it as a director. At 14.0MHz the element commenced to work as a reflector! At 14.1MHz the front to back ratio improved. The element continued to operate as a reflector, with a reduced front to back ratio, up to 14.45MHz. The final reflector resonance chosen was 14.1MHz because it appeared to give the greatest front to back ratio.

The final dimensions are shown in **Fig 7**. A table of design data was derived from these dimensions and is also shown in **Fig 7**.

The performance of the 14MHz band was quite encouraging even though the top section of the antenna was only 32 feet high. The antenna exhibited 'beam quality and a number of 6,000 miles plus DX contacts were made in the DX doldrums of December and January 1984.

So why were the front to back ratio adjustment difficulties encountered with the 14MHz beam not foreseen with the VHF model? The problem arose because no method of measuring element reson-

ance accurately at VHF was at hand, although this situation changed later; see test equipment below. The VHF model, at this stage, was only capable of modelling the general configuration. Maybe I could have been more careful in extrapolating the physical dimensions, although I have not found this method very successful in the past.

In the spring of 1985 I moved QTH. At this new QTH I did not have an antenna mast so I looked into the possibility of fixing a 21MHz beam to the chimney of the house. The largest 'wingspan' practicable was around 12ft because the house is not very big. The design I came up with is shown in Fig 8 and is halfway between the original wire version shown in Fig 1 and the compact derivative shown in Fig 7. The vertical support for the ends of the elements has been used as a 2 metre J type vertical, and was also tried as a 28MHz ground plane. The former was very successful and the latter impractical due to interaction with the Double-D elements.

The main difference between this Double-D configuration and the compact model is that the reflector resonance has to be lower than the operating frequency. This antenna can be adjusted relatively close to ground level because the ends of the elements point upwards.

Groundwave tests with G3FXB, 20 miles away, showed a front-to-back ratio of about 2.5 S points




Fig 7. Perspective diagram showing constructional details of a compact Double-D antenna.

A = $r = 1870$ B = $t = 2226$ C = $r = 1176$ D = $t = 620$
 t(MHz) r(MHz) r(MHz) t(MHz)
 r = length in inches




Fig 8, 21MHz Double-D.




Fig 9. Reference dipole and two-element beam polar diagrams.

measured on the S meter of a Drake R4C. (1 S point = 6dB).

TEST EQUIPMENT

As a result of difficulties in modelling the early designs accurately I decided that further progress could only be made if I possessed better test equipment. As a result I acquired the following:

1. A FET dipper and a frequency counter so that I could measure the resonance of the elements of the VHF models more accurately. The original VHF model of the compact Double-D was measured and the resonance is shown in **Fig 6**.

The VHF Double-D element shows a good dip when resonance is measured. When I first used this test equipment to measure resonance of the elements the driven element was 4.5MHz lower than expected. The cause was found to be the two metres of 50ohm feeder attached to the element. The feeder should be removed when measuring driven element resonance. If removal of the feeder is not possible or impractical its effect can be minimised by terminating the transmitter end with a 50ohm resistor.

2. A professional VHF field strength meter; the one I use was acquired at a flea market at a radio rally. One of the disadvantages of the diode field strength meter is that the device is inherently non-linear particularly at low field strengths. The effect of this is to give inflated front-to-back ratio readings when making polar diagrams.

Because manual plotting of polar diagrams is difficult and tedious I have automated the process. I use a BBC computer, which has an analogue port accessible via the BASIC language. This, together with suitable software and a fast rotator, make a fairly usable automated system.

The outer, middle and inner rings on the printouts represent 0, -4 and -10 dB respectively in these tests which indicated that the two element beam and the Double-D both have an average gain of approximately 4 dB over a dipole.

VHF MODELS, POLAR DIAGRAM MEASUREMENTS

VHF models of a reference dipole and a two element beam were constructed. All the models used 'plumbers delight' construction and employed gamma matching. The polar diagrams of the reference antennas and Double-D are compared in Fig 9.



The compact Double-D could not be made to operate with the parasitic element as a director. As the frequency was lowered the front-to-back ratio of the polar diagram did show a tendency to reverse before it collapsed.

10MHz DOUBLE-D

In the summer of 1988 I became interested in 10MHz mainly because I now had a rig (Drake TX4C/R4C) that would operate on that band. I decided to try a compact Double-D for 10MHz. I used the 14MHz design data as a starting point but modified it slightly by increasing the horizontal section and reducing the vertical sections of the elements to fit the existing mast. The final dimensions are shown in Fig 7.

Checking the front-to-back ratio on this band using the methods used on the 14MHz model was a problem because of the strong commercial stations, so I tried a different approach. I borrowed a professional HF field strength meter from G3PVH which had the advantage of having a very large signal strength meter calibrated in decibels. I placed this on the flat roof of the house extension about two wavelengths from the antenna. The transmitter was connected to the Double-D and a few watts fed to it. I then viewed the meter on the field strength meter, through binoculars, while rotating the antenna. The front-to-back ratio, measured this way, was about 14dB. (This antenna measurement procedure has cast doubts among my nearest neighbours regarding my mental stability).

CONSTRUCTION AND ADJUSTMENT

The construction of the 10, 14 and 21MHz antennas is very similar so I will describe only the construction here. The detail of each antenna is given in Figs 7 and 8. The boom was fixed to the tubular mast with a metal plate and car exhaust U clamps. The elements were constructed from 3/4 inch diameter tubing and connected to the boom in the same manner. Half an inch of the plastic insulation was stripped from the wire element extensions and fixed with hose clamps to the end of the metal elements. The other end of the wire was terminated at an insulator and nylon cord. The nylon cord was then attached to the mast.

All metal surfaces forming a joint should be given a protective layer of grease. This is particularly important where copper wire is fixed to the aluminium on the elements. The effect of clamping dissimilar metals can result in a film of oxide on the joints within a few weeks of construction

resulting in antenna inefficiency and the danger of TVI, if this protection is not carried out.

To tune the reflector on the prototype I used the traditional method of adjusting element lengths by using elements made from two different diameter tubes clamped with jubilee clips. Another method is to make the elements slightly longer than the design figure states and prune the ends of the elements for maximum gain or front-to-back ratio; this method has advantages when the antenna is mounted on a non-tiltable mast because the tips of the elements can be reached by climbing a ladder if the antenna is not too high.

In the initial stages of adjustment the best place to measure resonance by dipping is the point where the wire part of the element joins the tubular part. I find it very difficult to see any sort of a dip at the centre of the element because of the problem of coupling the dipper to the element.

Note that, although dimensions are shown for the Double-D, it is almost impossible to get complete reproducibility of any design. All installations are in different situations, made of slightly different materials and at different heights. For example, if you use bare copper wire instead of plastic insulated wire for the ends of the elements it will be necessary to multiply the wire dimension figures by 1.04 (plastic covered wire appears to




Fig 10. 21MHz beam SWR curve.




Fig 11. 10MHz beam SWR curve.




Fig 12 (left). The compact Double-D antenna in its upright position.

Fig 13 (above). The original standard Double-D mounted on the roof of the author's QTH.

have a velocity factor of about 0.96. Try dipping two identical lengths of wire, one with insulation and the other without to check this). The design data does not include extra wire that may be needed to fix it to the insulator. All installations benefit from some tuning and most well known DX operators have spent a considerable amount of time adjusting their antennas for maximum efficiency. However, having said that, I have found the Double-D not a critical antenna to tune and the 10MHz model worked first time using design data obtained from the 14MHz model. The Double-D has an excellent bandwidth for a compact beam and SWR plots are shown in Figs 10 and 11.

One point should be made regarding the Double-D antenna; it is horizontally polarised and requires the same height above ground as full size beam to get the equivalent performance. However, it is considerably easier to support an antenna with an element span of 16ft than a span of 40ft.

There is a further consideration; if a large Double-D is mounted on a tilt-over mast that bends like mine, the wire elements need to be slackened off to prevent the top element from being strained when the mast is lowered.

There is no reason why the Double-D should not be mounted on a more traditional non-rotatable mast, provided the element wire ends and the nylon cord supports are slack enough to allow the antenna to be rotated. I have not devised a way of guying my antenna system because I find it easier to just tilt the whole structure over if high winds are forecast. The antenna is shown in the upright position in Fig 12.

COMPACT DOUBLE-D PERFORMANCE

I now have had some operating experience with a 14MHz model at 32ft and a 10MHz model at 42ft. On 14MHz the antenna exhibited reasonable directivity and a lot of DX was worked but my signal was rather outclassed by the three or more element beams at more than one wavelength in height.

On 10MHz it was a different matter. Most operators on 10MHz use 100 watts to either a dipole or a vertical. It was surprising what one (theoretical) S point difference made on transmit; also the improvement in signal to noise (and ORM) ratio was well worthwhile.

REFERENCE

P. Dodd, G3LDO, "Wire beam antennas and the evolution of the G3LDO Double-D", *Radio Communication*, June/July 1980. □

EXCLUSIVE TO RSGB MEMBERS



QUALITY AND STYLE, PERSONALISED FOR YOU

▲ LAMBSWOOL SWEATERS

Machine washable. Made in England. Gift boxed.
Colours: Maroon, Navy, Black, Red, White, Grey, Sky Blue, Yellow.
Sizes: to fit chest 34, 36, 38, 40, 42, 44"

■ ACRYLIC SWEATERS

High quality. Machine washable. Made in England. Gift boxed.
Colours: Maroon, Navy, Black, Red, White, Grey, Sky Blue, Yellow.
Sizes: to fit chest 34, 36, 38, 40, 42, 44"

■ ACRYLIC SLIPOVERS

High quality. Machine washable. Made in England. Gift boxed.

Colours: Maroon, Navy, Black, Red, White, Grey, Sky Blue, Yellow.
Sizes: to fit chest 34, 36, 38, 40, 42, 44"

■ SHIRTS/BLOUSES

SHIRTS: White poly cotton. Machine washable. Made in England. Long or short sleeves. Order by collar size: 14, 14½, 15, 15½, 16, 16½, 17, 17½, 18, 18½
BLOUSES: White poly cotton.

Machine washable. Made in England. Long or short sleeves.
Sizes: S, M, L.

■ SWEATSHIRTS

Heavy quality fleece. Machine washable. Made in England.
Colours: Maroon, Navy, Black, Red, White, Grey, Sky Blue, Yellow.
Sizes: S, M, L, XL.

All garments (A-E) embroidered in the design style of your choice.

Design Style 1 RSGB logo in black and gold plus your CALL SIGN in gold.

Design Style 2 RSGB logo in black and gold plus your NAME in gold.

Design Style 3 Your call sign in gold plus your name in blue.

Normal RSGB Mail Order Terms and Conditions apply, please see Mail Order Price List for details.

ALSO AVAILABLE:

■ SEW ON BAOGES

4½ inches long. Ready to sew on. RSGB logo embroidered onto length of membership colours. (Please state number of years when ordering).


■ SHACK BANNER

9" x 6" Ready to hang. RSGB logo plus your own call sign

and number of membership years embroidered onto length of membership colours. (Please state number of years when ordering).

■ HAM BEAR

18" Tall, Fully jointed collectors bear with headphones. RSGB logo and your call sign embroidered onto his jacket. Definitely NOT a toy. Made in England.



STANDARD

FEATURES

Probably the worlds smallest 2mtr Handheld

- ★ Size 110mm H x 53mm W x 32.5mm D
- ★ 5 Watts @13.8V DC in, or CNB414 NiCad pack
- ★ Adjustable output powers
- ★ Programmable battery save
- ★ Auto power off
- ★ Presettable on/off periods via internal clock
- ★ 5 scan modes, including memory scan
- ★ 2 x 10 memory banks
- ★ Switchable steps 10/12 1/25 kHz
- ★ Selectable memories using rotary switch
- ★ Rotary channel or keypad programmable (with CKP412 option)
- ★ 4 multifunction keys for simple programming
- ★ Expandable RX frequency range

"THINK SMALL- THINK STANDARD"

SPECS

RECEIVER:	
Circuitry.....	Double Conversion Superheterodyne
Intermediate Frequency.....	21.8 MHz (Lower heterodyne of C412K Series) 21.8 MHz (Upper heterodyne of C412E/C112E Series)
1st IF.....	21.8 MHz (Lower heterodyne of C412E/C112E Series)
2nd IF.....	455 kHz (Lower heterodyne)
Sensitivity (1 dB SINAD).....	Less than 0.16 μ V
Threshold Squelch.....	Less than 0.1 μ V
Sensitivity.....	Less than 0.1 μ V
Selectivity.....	More than 50 dB (2 signal method) More than 10% distortion)
Audio Frequency.....	200 mW (at 8 ohm 10% distortion)
Output.....	More than 25 dB (C412)
S/N Ratio at 1 μ V.....	More than 28 dB (C112)
Input.....	More than 28 dB (C112)

Performance specifications are subject to change without notice.

TRADE ENQUIRIES WELCOMED
PLEASE PHONE 01-723 5521
★ STRICTLY TRADE PLEASE ★

STANDARD

Standard have done it again! You all know how popular the C500 is, well now here is their latest dual bander — the C528 (not to be confused with the Japanese only version, the C520). The European version has all the facilities that you want in a base station, let alone a hand held!

- ★ Direct 13.8V in for 5 Watts out.
- ★ VHF 2.5W, UHF 2W with CNB151 NiCad pack.
- ★ Dual displays.
- ★ Power save function.
- ★ Multiple memories.
- ★ Priority channel.
- ★ Tone squelch (option).
- ★ Programmable offsets.
- ★ Coded paging function.
- ★ Various scanning modes.
- ★ Programmable step sizes.
- ★ 144-146 VHF. 430-440 UHF, 800-975 Rx only.
- ★ Separate Vol. & Squ. controls for each band.

★★★ HAND HELD ★★★
★★★ REPEATER FUNCTION ★★★

C528 £379

PLEASE REMEMBER, WE ARE THE SOLE AUTHORISED IMPORTER OF STANDARD EQUIPMENT IN THE UK AND WE ARE ABLE TO OFFER A FULL BACKUP SERVICE AND SPARES FROM STOCK

C112 £239

Lee Electronics

NORMAN
G4THJ



Normally 24hr despatch
but please allow 7 days
for delivery

400 EDGWARE ROAD, LONDON W2
01-723 5521 Tx 29x765

OPENING TIMES: 9.30am-5.30pm Mon-Fri 10am-4.30pm Sat

ARE

COMMUNICATIONS

6 ROYAL PARADE
HANGER LANE
EALING
LONDON W5A 1ET
Tel: 01-997 4476


"A DREAM COME TRUE"

TO ALL FT 290 OWNERS, OR FOR THOSE WHO
WANT TO OPERATE HF FROM THEIR 2M RIG.

TOKYO HI POWER HAVE PRODUCED THIS
SUPERB TRANSVERTER DRIVEN FROM
144-146MHz AT 3-10W AND PRODUCING
40 WATTS OF EITHER FM OR SSB ON EITHER
10-15-20-40-80 METRES.


THE UNIT IS ABOUT THE SAME SIZE AS THE FT 290.

SO WHY NOT ENJOY THE IMPROVING CONDITIONS
ON THE HF BANDS USING YOUR 2m EQUIPMENT.



£249 — **NO DEPOSIT**
Cash/cheque/credit card

OR 12 PAYMENTS
OF £23.74



Kenwood TS440S & Auto ATU

One of the finest HF transceivers ever
produced by Kenwood. Whether used as a
base station or mobile — its superb
specification rates it high amongst its
competitors.

Special Exhibition Offer TS440S with auto
ATU **AND FREE** Revex 30amp power
supply — **£1,282** or 48 payments of
£43.06.

Or without auto ATU & PSU **£1,039**

LICENSED CREDIT BROKERS A.P.R. 29% SUBJECT TO STATUS

NOW NO DEPOSIT AND UP TO 4 YEARS TO PAY

WHEN IT COMES TO BREAKING
THE PRICE BARRIER — WE ARE
RARELY BEATEN. NOW A
SUPERB DUAL BAND
TRANSCEIVER FROM STANDARD
AT AN AMAZING **£349.00**

Cash/cheque/credit card or no
deposit and 48 monthly payments
of **£14.01** per month

**NO
DEPOSIT**

Here are 25 good reasons why you
should consider the new Standard 520

- Dual band receive.
- Full duplex transmit (between 2 & 70).
- Receive coverage 130-175MHz, 330-470MHz & 820-960MHz.
- Handheld auto repeater facility.
 - Select 5-tone pager facility.
 - DTMF keyboard.
 - Selectable RF power output.
 - CTCSS option (programmable against frequency).
 - 5, 10, 12.5, 20, 25, 50kHz programmable step sizes.
 - Programmable offsets between 0 and 39.995MHz.
- 20 memories on VHF and UHF.
- Manual toneburst 1750Hz fitted.
- Reverse repeater facility.
- Power save.
- Squelch defeat.
- Dial illumination.
- Priority function.
- Multiple scanning modes.
- Dual display.
- Separate volume and squelch control for each band.
- Full range of accessories available.
- Measures only 2.5ins x 7ins x 1.5ins.
- Full 5W output when powered by 13.8 volts dc.
- One year parts and labour warranty.
- Supplied complete with empty battery case, duplex antenna, belt clip and carrying strap.



STANDARD C520

MORE BARGAINS FOR NEC

ICR7000HF Receiver 500kHz — 2GHz



YES, 500kHz to 2GHz CONTINUOUS receive in one unit. Using the ICR7000 multimode facilities, this probably makes the "2 in 1" ICR7000HF Receiver the most versatile scanner available today. Because of the enormous frequency coverage, the ICR7000HF has 200 mode sensitive channels for increased flexibility.

NO
DEPOSIT

48 payments of
£33.22

Now available on A.R.E. super credit terms.
48 monthly payments of £33.22 A.P.R. 29%
Cash/cheque/credit card price

£989.




Brenda
G4VXL

Both Brenda
and Bernie
will be
pleased to
welcome you
to our stand
at
NEC



Bernie
G4AOG



The R-5000 from Kenwood
100kHz-30MHz. SSB/AM/CW/FM/FSK

Now available on 48 monthly
payments of £26.70 or
cash/cheque/
credit card **£795**

NO
DEPOSIT

PHONE 01-997 4476

REMEMBER

WE SELL
ALL WELL KNOWN BRANDS.
LET US QUOTE FOR
YOUR CHOICE
KENWOOD — ICOM —
STANDARD

AS A RESULT OF
A SPECIAL DEAL
FROM OUR AGENT
IN JAPAN,
WE HAVE A QUANTITY OF

YAESU FT 747s

at the superb price of

£499 inc VAT

OPTIONAL CW & AM FILTERS AVAILABLE IF
REQUIRED



FT 747 HF TRANSCEIVER
100 watts out: SSB/CW/AM (FM option)

Close Encounter with a Moon Man

When Canterbury High School opened its own amateur radio station and space observatory they expected some interesting contacts. But they hit the jackpot when a real astronaut came to visit. Brian Didman, G4RIS*, reports.

Readers will remember an article entitled *The Bardstown Experiment* in the December 1989 issue of *RadCom*, but could be forgiven for not realising that such things could also happen in this country.

Many schools, colleges and universities around the country have some amateur radio equipment but very often due to the lack of time, resources and licensed staff it is not used at all and rarely in an educational way. The Canterbury High School, however, decided to develop a theme of 'communication' in its many forms across the curriculum. The school is now finding that amateur radio has a very useful and definite place in the classroom.

THE FOUNDATIONS WERE LAID

The communication project was launched on March 20th 1989 with a live trans-Atlantic satellite link, set up by British Telecom, during which staff and students were able to talk to U.S. astronaut, Colonel James Irwin, the eighth man to walk on the moon.

Sponsorship was sought to provide a weather satellite receiving station. This was obtained and the equipment set up, giving the school the "earth from space" aspect of the communications theme - it quite literally gave the pupils a new perspective of the earth through the reception of pictures. This experiment proved to be very popular and so two of the science teachers decided to go one step better.

Instead of just receiving signals they believed they could actually transmit messages from the school, so they both studied and passed the RAE. Adrian, the school Head of Science, became licensed as G7FWF and Ingrid received the call G7FQU. Having got their call signs they needed some equipment with which to operate. Again, sponsorship was sought and ICOM UK at Herne Bay were approached. After some discussion they were able to donate a complete HF station! An ICOM IC735 transceiver plus PSU was provided, together with a full size tri-band beam and rotator. They even volunteered to come and set the station up, erect the antenna and do the initial tests to ensure that everything was in order for the children to use.

From day one the interest was very high indeed. As Adrian, G7FWF, says "We were amazed at

the amount of activity on the amateur bands. The children were able to pick up signals from all around the world and identify their locations from the world call sign map above the rig. This has the spin off benefit of strengthening their knowledge of geography. Children also rapidly discovered how much the different peoples of the world have in common with each other."

The enthusiasm for Short Wave listening was so great that there would often be pupils waiting at the school for Adrian to arrive at 7.30am - so they could turn the rig on. The children were learning something new every day, such as the way in which radio waves are propagated around the world, the influence of the sun and weather conditions on signal strengths, and the use of the phonetic alphabet.

Adrian had already had some contact with NASA the first thought was for an astronaut. This seemed most appropriate for the opening of a space observatory. So Colonel James Irwin was approached and he agreed to spend some time in Canterbury speaking to the children and performing the opening ceremony.

THE REALISATION OF THE DREAM

After months of planning and back-breaking toil Colonel Irwin finally arrived in Canterbury on Saturday 13th January 1990. While in Canterbury he launched the school's marketing of lunar rock' holograms, made at the Johnson Space Centre in Houston, from a piece of lunar rock he had collected from the moon.



Dennis Goodwin, G4SOT, of ICOM (UK) Ltd presenting the hand made 'Roake' key to Col Jim Irwin.

To give the station more life local amateurs, in particular G0ILO, G0CBM, G3MDT and G3EMU, would come into the classroom one or two afternoons a week putting the station on the air.

During this period, there was another, much larger project on the drawing board - the building of a space observatory. This was planned and constructed by staff, with some help from local industry. For the official opening a 'personality' was sought, and as

Colonel Irwin was very pleased to give his time to the children during the four days he was in Canterbury, always ready to answer questions, describing his trip to the moon and sharing his experiences of the Apollo 15 mission. This was the first mission to use the Lunar Rover, the first vehicle to have been driven on the moon. He gave a talk to a packed hall of parents and children from a number of local primary schools, and another lecture at a local theatre to a packed house.

Through the medium of amateur radio he was also able to speak to students at the Bardstown Middle school in Kentucky. Adrian had seen an article in *RadCom* describing the work of teacher Chris Luvisi, KC4IDX with his class, and their success in obtaining large numbers of Novice Licences with ten year old children. Adrian and Chris were able to arrange a sked for their classes.

As the Canterbury High School is very new to the world of amateur radio a special event call sign, GB0CHR was obtained so that students could send greetings messages. On the day there was great excitement on both sides of the Atlantic, in spite of the propagation predictions for 10 metres being very gloomy. The presence of a film crew from 'Blue Peter' might have had something to do with it. In the event, the conditions were perfect, with 59 copy in both directions. Colonel Irwin had been expected just to send a short greetings message to Chris, KC4IDX, but in the end most of the American novice licensees at Bardstown queued up in order to get such a rare event in their own log books! They all wanted to pass their good wishes onto the pupils at Canterbury and most had questions to put to Colonel Irwin. Missy, KC4INF, wanted to know if the space suits were hot to wear; Eric asked why he had wanted to be an astronaut; Gail, KC4ISM, was interested in what the earth looked like from space. The Colonel was able to pass a greetings message to Bardstown and, at the same time, briefly answer some of the children's questions.

It was clear from the excitement in the students voices that they thoroughly enjoyed having their own novice call signs and being able to make their own QSOs. There is, in the UK, a discussion document before the DTI which might allow a similar novice licensing scheme to go ahead here; surely this is an import from the USA that we should be pleased to have.

The QSO was also joined by GB2SM from the Science Museum in London. Edmund, KC4ISM was very interested in the problem of acid rain and the GB2SM operators found themselves being asked awkward questions.

When the OSO was completed ICOM (UK) Ltd presented Colonel Irwin with a magnificent Morse key, hand made by Peter Roake G0KDN.

Colonel Irwin then joined the BBC TV crew for the formal opening of the new observatory. Later that day he again took the microphone to pass greetings messages to a regular two metre net of Canterbury amateurs which surprised them greatly! The following day, Col. Irwin caught a flight back to his home in Colorado Springs.

CAN WE KEEP THE INTEREST ALIVE?

The enthusiasm for amateur radio has continued in the school, several of the students had expressed an interest in obtaining their own equipment for short wave listening and enquiries were being made to find a suitable receiver kit for the pupils to build. The school has facilities for construction so the necessary skills can be taught, and perhaps offered as a project in school time.

To further strengthen the link between school and radio, the East Kent Radio Society now holds its bi-monthly meetings at the school, using the school's rig and science laboratories. Members of the EKRS have taken an active part in helping the school - G4SOT and G4RIS giving up a great deal of their time to help B licensees discover the mysteries of morse code. The Society's first meeting at the school was attended by nearly a hundred amateurs, some of whom had travelled from as far afield as

Brighton in order to hear TV weatherman Ron Lobeck reveal the secrets of weather forecasting and propagation.

CONCLUSION

Why is it so important for radio societies to make a major effort to get involved in schools just as the East Kent Radio Society has? The answer is complex and in two parts. Firstly, due to the ravages of time the hobby is losing its older adherents and at the same time it is failing to gain the interest of the young. Of the candidates who sat the RAE in Canterbury in May 1989 it was estimated that 90% of them were over 40 years of age. Even worse only 5% were female. Secondly, schools and their teachers are under-resourced and over-stretched. The pressures of trying to cope with more and more innovations such as National Curriculum, profiling, and the GCSE leaves teachers with no time to search for new ideas and no funding to support their introduction. Amateur radio has much to offer schools and their students so there is a great need for the Novice Licence to be made available as soon as possible. Furthermore it is essential that holders of A and B licences should do all they can to help and encourage the amateurs of the future, by helping the schools and by answering calls from novice

licensees. Perhaps many of the novices of the future will never bother to go on to a full licence, but even so it will have excited their interest in the sciences generally - and we need a population which has a greater knowledge of science and technology.

Please help your local school - the teachers and students deserve and need your support. You know

where to find them, but do THEY know where to find YOU?

The Canterbury High School would like to thank ICOM (UK) Ltd for the loan of the IC781 transceiver used to make the contact, an R9000 receiver, and the exhibition display stand.

Additional material provided by Adrian Beaumont, G7FWF, and Dennis Goodwin, G4SOT



the teachers and students deserve and need your support. You know

where to find them, but do THEY know where to find YOU?

go on. However, taking an equivalent period to compare the cycles up to October 1989 shows that the present cycle was ahead by 29 proton events to the previous 13 - more than double. The number of X-ray flares - the ones that really matter - has been 61 this time as against 38 for the previous cycle, which again is a very large increase. However, the ionospheric comparisons are not so startling. For the same period at Slough, October 1979 gave F2 critical frequencies around 13.8MHz as opposed to 14.4MHz for December 1989. However, we have had some very good days with up to 15.6MHz being reported - and there have been some good openings on 50 MHz.

The sunspot count smoothed Boulder six-monthly levels put the current cycle about 30 ahead of Cycle 21, and about 10 lower than Cycle 19. Considering the level of flare activity, the solar flux levels for this cycle have in my opinion been disappointing, although the monthly means have exceeded those of Cycle 21 for 10 out of the past 11 months. Examination of the Boulder six-monthly smoothed data up to October 1989 shows that present flux levels are about 25 units ahead of Cycle 21 and are comparable with Cycle 19.

Geomagnetic levels, however, are not comparable. This cycle has been very active and there have

been many auroras, mainly due to the large number of proton events which have occurred. In comparison, Cycle 21 was very quiet. The highest A index recorded in 1979 was 42 units on 18 September; by comparison, most of us will remember the event on 13 March 1989 which recorded 284 units. Since then there have been 8 days of over 42 units, with 5 being over 60, 2 over 70, and 1 over 80.

All this brings us to the big question - when will the peak be? My guess is March 1990, which brings us to the matter of what will happen after that. Because the spot count will be going down, do not think that all the other parameters will be doing likewise; in fact the more energetic flares will become more plentiful. Out of the 60 proton events which occurred during Cycle 21, only 20 took place before the spot maximum. For X-ray flares, only 48 out of the 172 for Cycle 21 occurred before the spot maximum. On that basis, we could be looking at about 90 proton events to come - most of which could be expected to give an aurora. We should also have about 230 X-ray flares to come. So in about a year, when the sun's magnetic field has reversed and settled down, we can expect some big auroras. If the pre spot maximum is an indicator of what is in store, then the VHF DX-chasers are in for the time of their lives!

1989 - how was it for you?

A propagation review by C. Newton, G2FKZ

From a propagation point of view, 1989 was a very eventful year - and as usual 'eventful' implies both good news and bad. One bit of thoroughly bad news was that Radio Australia ceased broadcasting its solar data feature each morning. Many people in the UK used to rely on this for up-to-the-minute data; in fact I've been surprised at the number of telephone calls I have recently received asking where such data can be obtained now. The short answer is that I don't know, unfortunately. However, there is the GEC-Marconi Research Centre's 'Short-Term Ionospheric Forecasting Service' which covers Western Europe and gives information on imminent ionospheric disturbances, expected geomagnetic activity, etc. This is available by telephone on 0245 73331, extension 3152. The data is updated at about 1600 hours daily and it's also placed on the Society's Prestel pages. Via amateur radio, K1JRW listens to the WWV broadcast at 18 minutes past the hour and then transmits the details on 28.885MHz just after 1818 hours. This gives spot numbers, solar flux and geomagnetic details.

We did hope that by this time the Society's solar data beacon station would be operating. We have official backing, promise of a frequency just outside the 3.5MHz band and a suitable transmitter. The solar data is available, but I'm sorry to say that the administrative problems of where to site the beacon and how to maintain and finance it remain to be resolved.

Solar Cycle 22 remains comparable with the largest of the previous cycles - Cycle 19 - both for smoothed sunspot number and solar flux levels. Cycle 22 commenced in September 1986, and from the word go it raced ahead of any of the previous cycles since numbering began in 1755. It maintained this lead for about two years. Although Cycle 22 is now falling behind Cycle 19, which was the previous fargest, the final outcome may be neck-and-neck.

The invention of satellites has revolutionized the data now obtainable, and we now do a good deal more than merely look at sunspots. The previous sunspot cycle, Cycle 21, was the first to be scrutinized in any detail by satellites and hence there is a limited amount of previous data to

WOOD & DOUGLAS?

YES — WOOD & DOUGLAS

We're still around and going stronger than ever! Despite the fact that it is nearly 24 months since we last advertised, we still receive a regular flow of orders for our wide range of amateur radio kits.

WHY HIDE OUR LIGHT UNDER A BUSH

Because the many amateurs in professional radio communication activities spotted the fact that we were a source of high quality well engineered radio products that could make their busy engineering lives that much simpler. The result is a £1M turnover company providing professional equipment in the OEM, broadcast and security industries and employment for 20 enthusiastic people.

SO WHY ADVERTISE NOW?

To update our faithful followers that we have moved. Not just to any factory, but to a unique, purpose designed headquarters that will give us 10,200 square feet of production space.

WHERE IS IT?

From the address it looks a long way from Youngs Industrial Estate but in fact it is just over the county boundary, less than a mile and a half distance. The phone numbers should also be noted as these have recently changed.

FREE CATALOGUE?

If you would like to know more about W & D, our products, either amateur or professional, then send a large stamped addressed envelope for a catalogue. Our many years of experience in amateur radio, telemetry modules, video links and radio talkback make us a prime source to satisfy your needs.



Wood & Douglas, Lattice House
Baughurst, Basingstoke
Hampshire RG26 5LL

Telephone: (0734) 811444 Fax: (0734) 811567

WOOD & DOUGLAS

VHF/UHF COMMUNICATIONS PRODUCTS



NEW

WEATHER SATELLITE RECEPTION

APT-1 decoding module enables all weather satellites to be received on any FAX system. Includes full AGC and signal-derived synchronisation for perfect pictures from any source. Plugs into RX-8 system direct. £59 or £39 if ordered with RX-8.

GX-2

FAX SSTV TRANSCEIVE

All modes of FAX and mono and colour SSTV on the BBC computer. All facilities. Send for brochure. Review in March 90 Amateur Radio.

Complete system of EPROM, interface, leads, instructions only £99 or £119 with direct FAX printing option.

TX-3

RTTY CW ASCII TRANSCEIVE

The best software available with every feature you could want. Needs TIFI interface or terminal unit. *BBC-B/Master* and *CBM64* tape £20, disc £22. *SPECTRUM* tape £35, +3 disc £37 inc adapter board.

Also *VIC20* RTTY/CW transceive program £20.

RX-4

RTTY CW SSTV AMTOR RECEIVE

4-mode performance, superb features and ease of use make this still a best-seller. Needs TIFI interface. *BBC-B/Master*, *CBM64* tape £25, disc £27. *VIC20* tape £25. *SPECTRUM* tape £40, +3 disc £42 inc. adapter board (needs TIFI also). Software-only version (input to EAR socket) tape £25, +3 disc £27.

TIFI INTERFACE Designed for TX-3 and RX-4 software and only available with them. Kit £20 (assembled PCB + cables, connectors) or ready-made, boxed with all connections £40.

RX-8 FOR THE BBC COMPUTER

Every possible feature and performance to receive *FAX*, *HF & VHF PACKET*, *COLOUR SSTV*, *RTTY*, *CW*, *AMTOR*, *UoSAT* and *ASCII*.

NEWV2.1 software now gives even more facilities and performance including weather satellite reception using the APT-1 module (see above). Review in Oct 89 Ham Radio Today and March 90 Amateur Radio or send for brochure. Complete system of EPROM, interface, instructions, all leads and demo cassette £259.

BBC LOCATOR with UK, Europe, World maps £10, *MORSE TUTOR* £6, *LOGBOOK* £8, *LOCATOR* £7, *RAE MATHS* £9 for BBC, Spectrum, CBM64, VIC20, Electron. *BBC*, *CBM64* programs available on *DISC* at £2 extra.

Prices include VAT and p&p by return.

technical software



Fron, Upper Llandwrog, Caernarfon LL54 7RF.

Tel: 0286 881886



WITH THE GRAND OPENING OF OUR NEW AMATEUR SHOP
RAYCOM ANNOUNCES NEW DIRECT PHONE NUMBERS
 SALES HOTLINE 021 552 0073 and HELP LINE 021 552 0051 (73's and 51's)

JUPITER II



Save money when you buy this top-of-the-range scanner. 100 memories, coverage from 25-550/800-1300 MHz, priority channel monitor, channel lock-out delay and auto AM/FM switching go to make a great package and we add further value still.

Choose either a **free** broadband mag-mount or a **free** mast mount SkyScan scanner antenna worth £14.95 and a **free** cigar adaptor kit when you order your Jupiter II (and £20 off RRP!)

£299.00 .. save £39.90

SECOND HAND RIGS

Please ask for details of our Second Hand Equipment List. There are many bargains to be found, and it all carries a 3 month warranty.

BEARCAT SCANNERS

Please enquire about the special **PRICES** now available on most Bearcat Scanners. Treat yourself to the scanner you have always wanted at an unbelievable price.

For details of these and other offers, please write enclosing a large SAE.

ICOM IC-R7000



An unbeatable offer from Raycom - £30 off the retail price and a **free** Bearcat handy scanner covering 29-512MHz (with some gaps) worth £99.95 - a total saving of an incredible £129.95! Can't believe it? Send SAE for an information leaflet and offer details. Raycom Credit Card is available - just £96 deposit and £36 per month!

£959.00 .. save £130.00

ICOM IC-3210



ICOM's popular dual bander, 25 watts on both bands, great looking and readable display, full duplex capability, 40 memories and input monitor for instant repeater check. All you need add is an antenna and we have taken care of that.


Regular retail prices:

IC-3210	£499.00
Broadband mag-mount antenna	£14.95
Total regular price	£513.95
Raycom package price	£479.00

SAVE £35!

Raycom Credit Card is available on this pack, just £48 deposit and monthly payments of just £18! Why wait, send for written details now!

ICOM IC-725



ICOM's latest addition to the family, the 725 gives a full 100 watts of multi-mode power and is the second rig to use the DDS (Direct Digital Synthesizer) system. 10 Hz steps for smooth tuning, all mode squelch, 26 memories, and many other features make the 725 the starter rig for those who want more than a starter rig - it's unbeatable value - just look!

Regular retail prices:

IC-725	£759.00
FM TX/RX (AM RX) board	£40.00
20 Amp PSU	£129.99
G5RV 1/2-sized antenna	£14.95
Fist mic	£21.00
Total regular price	£964.94
Raycom package price	£849.00

SAVE £116!

Raycom Credit Card is available on this pack, just £85 deposit and monthly payments of just £32! Why wait, send for written details now!

YAESU FT-747GX



HF all mode 100W transceiver, 0.1-30MHz, with the exclusive **Raycom** mod improving receiver dynamic range by 15-20 dB. Turns a good receiver into a **great** receiver. Ideal as a base and particularly suited for mobile/marine use with its light weight and click-stop dial. Save money with the **RAYCOM STARTER PACK** - its unbeatable value - just look!

Regular retail prices:

FT-747GX	£659.00
Raycom RX mod	£59.00
20 Amp PSU	£129.99
G5RV 1/2-sized antenna	£14.95
Fist mic	£21.00
Total regular price	£883.94
Raycom package price	£749.00

SAVE £135!

Raycom Credit Card is available on this pack, just £77 deposit and monthly payments of just £28! Why wait, send for written details now!

YAESU FT-470



Yaesu's new dual bander is ex-stock at last and packed with features - dual display, dual band monitor, 4 VFO's and 42 memories, power saver, auto power off, CTCSS, DTMF autodial and a wide range of options - SAE for information sheet.

Regular retail prices:


FT-470	£389.00
FNB-10 nicad 7.2v, 600mAh	£34.50
Wall charger	£17.71
Soft carry case	£10.58
Broadband mag-mount antenna	£14.95
Total regular price	£466.74
Raycom package price	£425.00

SAVE £42!

Raycom Credit Card is available on this pack, just £45 deposit and monthly payments of just £16! Why wait, send for written details now!

RAYCOM COMMUNICATIONS SYSTEMS LIMITED, INTERNATIONAL HOUSE, 963 WOLVERHAMPTON RD, OLDBURY, WEST MIDLANDS B69 4RJ. TEL 021-544-6767, Fax 021-544-7124, Telex 336483 IOENTI G.

RAYCOM
 COMMUNICATIONS SYSTEMS LIMITED



RAYCOM gives you more **BUYING POWER**
 ALL MAJOR CREDIT CARDS ACCEPTED: BC, ACCESS, DINERS. INSTANT CREDIT UP TO £1000 (SUBJECT TO STATUS) WITH RAYCOM CREDIT CARD (APR 34.5%). FREE CREDIT ON CERTAIN ITEMS AT MRP. CALL NOW FOR MORE DETAILS.

ORDERING INFORMATION

WE STOCK ICOM, YAESU, BEARCAT, MFJ, BUTTERNUT, CUSHCRAFT, AEA, TONNA, NAVICO, TEN-TEC AND WELZ AMONG MANY OTHERS. SEND SAE FOR FULL LIST.

TEL: 021-544-6767
 PHONE BEFORE 4PM FOR NEXT DAY DELIVERY BY COURIER (£15.00 - OR 2PM FOR DELIVERY BY POST (£10.00 P&P). PLEASE ALLOW TIME FOR CHECKS TO CLEAR. MANY OTHER ITEMS IN STOCK. PLEASE CALL FOR MORE INFO AND FOR EXTRA SPECIAL DEALS!

INFOLINE 0836-771500 9-5pm (week days)

OPENING HOURS 9.5.30 MON TO SAT LATE NIGHT FRIDAY 'TIL 7PM 73 DE RAY G4KZL, JM G4ZMP AND JULIAN.

Way above the competition

A complete range of mobile antennas for Amateur, PMR and cellular radio systems with built-in quality to maintain peak performance and long life. On-glass, magnetic and 'through-body' mounts.

UK distributors for the Doppler Systems Inc range of Radio Direction Finders (now up to 1 GHz). Wideband scanners, preamplifiers and antennas plus a full range of VHF monitor receivers.

For a quality signal buy a quality antenna

Main distributor:
Garex Electronics,
Ting, Herts.
044 282 8580

REVCO

Local Dealers
Nal nationwide

Revco Electronics Ltd.
Station Yard, South Brent, Devon TQ10 9AL.
Tel (0364) 73394 Fax (0364) 72007

S.E.M.

UNIT R, UNION MILLS, ISLE OF MAN
Telephone: (0624) 851277

S.E.M. TRANZMATCH MKIII. The only Aerial Matcher with UNBALANCED and TRUE BALANCED OUTPUTS. 1kW 1.8-30 MHz, £149.50. Built-in EZITUNE (see below), £44.50. Built-in Dummy Load, £9.90. Ex stock.

EZITUNE. Allows you to TUNE UP on receive instead of transmit. FANTASTIC CONVENIENCE. Stops ORM. Boxed unit, £49.50. P.C.B. and fitting instructions to fit in any ATU, £49.50.

FREQUENCY CONVERTERS. V.H.F. to H.F. gives you 118 to 146 MHz on your H.F. receiver. Tune Rx, 2-30MHz, £59.50 ex stock. H.F. to V.H.F. gives you 100 kHz to 60 MHz on your V.H.F. scanner, £59.50 ex stock. Plug in aerial lead of any receiver. Tuning from 100MHz up.

2 or 6-METRE TRANZMATCH. 1kW, will match anything, G2DYM or G5RV? on VHF. £45.00 ex stock.

DUMMY LOAD. 100 W. THROUGH/LOAD switch, £29.00 ex stock.

VERY WIDE BAND PRE-AMPLIFIERS. 3-500 MHz. Excellent performance. 1.5 dB Noise figure. Bomb proof overload figures. £37.00 or straight through when OFF, £42.00 ex stock.

R.F. NOISE BRIDGE. 1-170 MHz. Very useful for aerial work measures resonant freq. and impedance. £49.50 ex stock.

IAMBIC MORSE KEYS. 8-50 w.p.m. auto squeeze keys. Ex stock. Ours is the easiest to use. £49.50. First class twin paddle key, £27.00 ex stock.

TWO-METRE LINEAR/PRE-AMP. Sentinel 40: 14x power gain, e.g. 3 W - 40W (ideal FT290 and Handhelds), £185.00. Sentinel 80: 6x power, e.g. 10 W in, 60 W out, £115.00. Sentinel 100: 10 W in, 100 W out, £145.00. All ex stock.

H.F. ABSORPTION WAVEMETER. 1.5-30 MHz, £39.50 ex stock.

MULTIFILTER. The most versatile audio filter. BANDPASS Hi Pass, Lo Pass and two notches. Frequency and Bandwidth adjustable 2.5 kHz-20 Hz, £88.00 ex stock.

HIGH PASS FILTER/BRAID BREAKER. Cures T.V.I., £7.95 ex stock

CO-AX SWITCH. Three-way + earth position. D.C.-150 MHz, 1kW, £32.00 ex stock.

12 MONTHS COMPLETE GUARANTEE INCLUDING TRANSISTORS Prices include VAT and delivery. C.W.O. or phone your CREDITCARD NO. Ring or write for further data or catalogue. Orders or information requests can be put on our Ansaphone at cheap rate times. Remember we are as near as your phone or post box.


0272
557732
BRISTOL

G1DFK
G2BAR

Radio Communications
Amateur PMR Marine

UPPINGTON

TEL: (0272) 557732 12-14 PENNYWELL RD, BRISTOL BS5 0TJ



The New OMNI V America's Best Just Got Better!

"PARAGON" Transceiver - General Coverage... £1839.00
"CORSAIR" amateur band transceiver... £1200.00
"ARGOSY" mobile transceiver... £589.00
"CUSHCRAFT" CW only transceiver... £399.00

Cushcraft

A3 3 Element Tribander Beam... £329.00

A3 4 Element Tribander Beam... £353.35

AP8 8 Band Vertical 25th High... £164.35

AP5 5 Band Vertical 25th High... £123.36

18 Element 2m Boomel Antenna... £106.59

15 Element 2m Boomel Antenna... £85.26

Ringo Ranger 2m Antenna... £49.95

R5 New 5 Band Vertical Roof Mounting... £259.00

No Radials... £259.00

D3W 10-18 24MHz Rotary Dipole... £159.00

Butternut

HF6VX 6 Band Vertical Antenna... £178.60

HF2V 80/40 Meter Vertical... £159.00

Receivers

AR2002 Scanning receiver covering... £487.00

25-550MHz and 800-1300MHz... £487.00

R535 Aircraft Bands receiver covering... £249.00

108-143 and 270-380MHz... £249.00

R537 Handheld Aircraft Band Receiver... £69.50

Antennas and accessories for above stocked

HF225 General Coverage Receiver... £395.00

AR900 UK Scanner... £199.00

WIN108 Handheld Scanning Airband Receiver... £175.00

AOR 800E Hand Held Scanning FM-AM Receiver... £169.00

75-105MHz, 118-136MHz, 140-174MHz, 407-495MHz, 830-950MHz... £169.00

New Model AOR1000 Hand held Scanner... £249.00

THE G5RV DIPOLE
1/2 SIZE FULL SIZE
40-10 MTRS 80-10 MTRS
£14.50 £16.50
+ £2.50 P&P + £2.50 P&P

HF TRANSCEIVERS
FT161GX £1599.00
FT174GX £658.00
IC165 £2499.00
IC151A £1500.00
IC135 £975.00
IC725 £759.00
IC126 £589.00
Ten Tec Omni V £1839.00

HF TRANSCEIVERS
FT23R - FN810 £243.00
FT411 - FN810 £258.00
FT290R II £429.00
FT211RH £309.00
FT212RV £349.00
IC7GE £265.00
IC2900 £559.00
IC298H £385.00
IC215E inc PSU £1069.00
IC2SE £275.00
IC2SE1 £295.99

VHF & UHF TRANSCEIVERS
FT4700RH £675.00
FT470 £423.50
IC32E £399.00
IC3210E £499.00
IC7400E £635.00

AC POWER SUPPLY KITS

DAIWA heavy duty PSU 30A max 24A rated... £129.50

DAIWA AC PSU 3-15V variable 12A maximum... £79.50

DEE COMM

AMATEUR RADIO
PRODUCTS

UNIT 1A
CANAL VIEW IND. EST.
BRETTELL LANE
BRIERLEY HILL
WEST MIDLANDS
DY5 3LQ.

A SMALL SELECTION OF OUR MASTS
NOW AVAILABLE BY POST



MAST SETS IN STEEL OR ALUMINIUM
OUR STANDARD MASTS ARE SUPPLIED IN 4' x 5' INTER-LOCKING SECTIONS IN THE FOLLOWING DIAMETERS:

	Steel	Ally	P&P
1 1/4" dia.	£10.00	15.00	3.50
1 1/2" dia.	12.00	20.00	3.50
2" dia.	18.00	36.00	4.00

Buy Rope Kits	STD
1 x 3 way guy ring	£15 p&p £4
6 x thimbleless	
12 x wire rope grips	H/DUTY
3 x lumbuckles	
30 metres wire rope	£18 p&p £4

NEW FIBREGLASS COLINEAR - 2 mtrs £39.95 p&p £3.00

We also stock HB9CV's, ZL Specials, Slim Jim's 2 Mir & 6 Mir Halo's, trap dipole kits, SWL aeriels and ATU's, discones, traps, baluns, copper wire, insulators, dipole centres, rope, spreaders.

Winches 400lb £12.95 800lb £16.95 1000lb £19.95

1200lb £22.95 1400lb £24.95.

Wall brackets, fixing bolts, u bolts and mast clamps guy rings, thimbles, lumbuckles and rope grips and large range of tuning caps & roller coasters etc.

As you can see all our products are too numerous to mention. Send £1 refundable against any purchase for our full catalogue and price list.

STAND A24 NEC

TEL: 0384 480565

FAX: 0384 481330

Visa and Access

TRADE ENQUIRIES WELCOME

SEE YOU AT YOUR LOCAL RALLY

ARTHUR GEE, G2UK

21 Romany Road, Oulton Broad,
Suffolk NR32 3PJ.

The various satellite launches referred to in this column last month have now taken place and both that from the ESA's launch site at Kourou and the Japanese launch from their TANE-GASHIMA Space Centre went off successfully. For the record, the Ariane launch was at 0135 UTC on Sunday, 22nd January last and that for the Japanese H-1 launch vehicle was at 0133 UTC on Wednesday, 7th February. A commentary of the launch from Kourou, was transmitted from the site and was well received in this country and thoroughly justified the effort made by many of staying up into the 'early hours' to listen to it. At AMSAT-NA's suggestion, the Japanese satellite JAS-1B which was named "Fugl No2" before launch can now be called "Fugl-Oscar 20" or simply "FO 20." All seems to have gone well. FO 20 has been well received in this country. At the time of writing all satellites have been heard and are in "testing phases" following which they will be brought into full use. It is not possible in the limited space available in this column to give details of all these satellites, but for those who are interested, the February 1990, Number 81 issue of OSCAR NEWS has a full account of them. The two UoSAT's D and E are fully described, as are the Microsats. Details of FO 20 will be given in this column when available. Non-members of AMSAT-UK who would like to read about these satellites can obtain copies of the OSCAR News No81 from AMSAT-UK HQ, 94 Herongate Road, Wanstead, London, E12 5EQ, price £2.50.

I have been asked if I could give details of some literature suitable for newcomers to satellites who want to read about them "right from the grass-roots", as they put it. The following may help in this respect:

The Sheffield Project, a first handbook of satellites at £2.20.
Satellites for Beginners, on all Satellites SEUK at £2.60.
Guide to Amateur Satellite operating at £4.95.
25 Years of Amateur Radio Satellites at £2.75.

All these are available from AMSAT-UK HQ.

AMSAT at the NEC

The RSGB Amateur Radio Convention and Exhibition will be held at the National Exhibition Centre, Birmingham, on Saturday 21st April and Sunday, 22nd April, and AMSAT-UK will be having a stand there. It is an excellent opportunity for both the newcomer and the more experienced satellite enthusiast to discuss their problems



Integration of Microsats and UoSATs D and E on to the Ariane Structure for Auxiliary Payloads. (Photo, UoS Spacecraft Unit).

with AMSAT-UK personnel at the stand. A special effort is being made this year to attract the newcomer with demonstrations of satellite operation with it is hoped tape recordings, etc, to which visitors can listen to satellite OSOs. So if you can attend this Convention look out for the AMSAT-UK Stand.

OSCAR News

AMSAT-UK's OSCAR NEWS has come out in a new format, much improving its presentation, which has brought very favourable comment from its readers. Its new printers, Waveney Print Services Ltd, in Beccles, Suffolk, deserve much praise for their production. OSCAR NEWS has in the past received commendation as the best radio club newsletter/journal. Its new image should certainly help it to maintain its position in future contests. Specimen copies can be obtained from AMSAT-UK HQ at £2.50.

Satellite news

News at hand at the time of writing, suggests that FO 20 should give some excellent opportunities for extreme DX working. Apparently its apogee varies from a high to a low position, which will give quite a variation in communication paths. We also hear that WEBERSAT which has a CCD camera has already had it in operation with good results. The satellite DOVE is also working well, being a very strong signal at the writer's QTH.

There are some repeated short breaks in its transmission, which are a bit off-putting when you first encounter them, but be patient, it soon starts transmitting again! This break in transmission may be to avoid blocking the 2 metre receivers of the other microsats, as it has a 145.825 MHz transmitter output.

From the various letters, newsletters, communications from Kourou, etc, which come my way, one is able to get some insight into what must be a most fascinating period of activity needed to get the spacecraft ready for launching. One is liable to be quite amazed at the ingenuity of the planning and building of satellites and ignore the technological miracles needed in launching. The following excerpts from letters, etc, from Kourou give just a glimpse of these activities: NEWS from Kourou. T minus 30 days, 7 hours, until launch on 11th January, 1990 0135 UTC. "The folks in Kourou have spent a very busy weekend. Harold Price, NK6K, has been the centre of attention for the past two days as he finalises the software for the final load into the spacecraft. There is quite a bit of mechanical work to be done to the spacecraft. Not major rework, but tedious and vital tasks such as getting the final thermal coating on to the spacecraft. Chuck Stout and Jeff Zerr, have been doing most of this work. The mechanical problems with the ASAP have been worked as the place we will be riding is all set and ready to receive the spacecraft. Jan has spent most of his time with the battery charging scheme. The Arianespace people

seem to have forgotten that we have tricked charged all three previous spacecraft while on the gantry and they wanted us to fly the spacecraft dead. Of course, this was unacceptable since they had told us we would be able to and we assumed we could, so we designed the separation around LIVE spacecraft. This meant that all systems but the transmitters were alive from the time the batteries were connected. We MUST charge the batteries or they will be pulled down to nil since we will be on the pad for many days with the live spacecraft. At last a compromise was worked out and that is we charge 10 hours per day. At the current rate of energy consumption by the system, the battery capacity is 55 hours. As you can see we are heating up on locking down the spacecraft to the launcher and getting ready to sit back and wait. I wish to say a special thanks to Dave Cowdin, who has selflessly volunteered to go down over the especially lonely time over Christmas to stay for almost a month to do nothing more than monitor battery charging if all goes well".

Finally, can I remind readers that useful nets take place on Sunday mornings at 1015 local time and on Monday and Wednesday evenings at 1900hrs on the frequency of 3780 or 3777KHz. The first frequency is that preferred but if QRM is too bad, the second is used. Both newcomers and old-hands will find the information given on these nets most helpful in keeping up with the latest satellite news.

MIKE DIXON G3PFR

'Woodstock', Grazebank, Norley,
Warrington, Cheshire, WA68LL

Omissions! - Other publications plus some beecon news

In the February column I mentioned a number of other publications which were of interest to the microwave operator. A welcome letter from Geoff, G3TQF, Leicester, prompted that I hadn't mentioned some of the up-to-date material in the form of the ARRL Microwave Updates, published in '87, '88 and '89. For instance, the '88 update contained a number of designs for the "middle" bands based on the use of Avantek or Mini-Circuits MMICS. Remiss of me, for there is much excellent material contained within the covers of the several updates published following what now seems to be established as an annual event in the States. Other material has also appeared in the Proceeding of the Central States VHF Conferences, numbers 21, 22 and 23, also obtainable from ARRL. Geoff mentioned that the updates are available direct from ARRL HQ and may be paid-for by your plastic friend! Apart from the time for the surface mail delivery (about six weeks), Geoff was so well pleased with the contents that he has already "booked" his Update '90. In the same letter, Geoff apologises to users that GB3LES (2320.995MHz) has been running about 30% power output and a few kHz off-frequency. Power has now been restored but it is understood that the frequency is still slightly off; this will be corrected at the next service. Similarly GB3LEX on 10400.0MHz is possibly a few megahertz off-frequency, again due to correction at the service time.

Since writing the February column I've also obtained my copy of the BATC "ATV Compendium", a nice, compact pocket-sized publication devoted, as you would expect, to ATV. Nevertheless, there are several items of microwave interest including transmit and receive designs for both "24cm" and "3cm", both of which bands are now receiving considerable attention from our (really) wideband colleagues. Whilst on the subject of ATV, it is strongly rumoured that both G4DDK and G4FRE have been doing some experiments with microwave TV - watch out BATC!

New lamps for old

For about ten years the Alpha Cup was awarded to the overall winner of the annual RSGB 10GHz Cumulatives. It appears that this cup was awardable for a limited number of years. We were unaware of this fact and the award period apparently expired some time ago. Our thanks must go to Alpha

Microwave for the award which gave many people a great deal of enjoyment in the events.

It was proposed that, from 1989, the award be replaced by the Dain Evans (G3RPE) Memorial Award. Dain having been instrumental in setting up the concept of Cumulative Activity Periods, later to become contests, in the first instance. Approval has now been obtained for a Memorial Cup which will be held for one year, supplemented by a silver plate which is retained by the recipient. There will be no changes in the terms of the award ie. it will go to the overall winner, as before. It is perhaps rather appropriate that the first (1989) award will go to Julian Gannaway, G3YGF, who, despite his busy year in the office of Society President, still found time to go out and be the overall winner of the event! Well done Julian!

Plans, more plans

Since I mentioned last month that the Microwave Committee were most encouraged to hear of renewed interest in the use of 10GHz for several old but "resurrected" beacon and linking projects, evidence of more interest has come to light which led to a rapid "planning session" at the last Committee meeting in early February. All the requests have come via the RMG Special Projects Co-ordinators, Dave, G4NJU and Jon, G4MDC and are, of course, subject to approval by the licensing authority.

First, renewed interest in linking UHF repeaters to improve "patchy" coverage in poorly served areas. Originally specified in the 2.3 or 10GHz bands, most user groups are said to have found it too difficult or costly to produce equipment for those bands, although the Microwave Committee would not necessarily agree with that. Therefore, would the 1.3GHz band be usable, where commercial equipment or designs or even "surplus" equipment is becoming available? The immediate answer is yes, provided that use is made of the already designated link channels at 1240 and 1909MHz. Although primarily digital, we see no reason why these channels should not carry speech signals also. The alternative, if there is local congestion or another very good reason why the channels cannot be used, would be to nominate some of the presently unused repeater channels. Channels RM16 to RM19 inclusive have been recommended. The existing link channels are most likely to be approved without undue delay, with the others held in reserve.

10GHz has received further attention with requests for nomination of further "channels" for ATV repeaters and "channels" for in-band voice repeaters. These

requests were duly debated and, by the very nature of the band, sub-bands, rather than channels nominated. The recommended solutions are as follows:

Channel

TV0	10,200	10,040	160MHz
TV1	10,225	10,065	160MHz
TV2	10,250	10,150	100MHz

"This "channel" already licensed for GB3TG, mentioned last month.

The apparently "odd" choices were made with due regard to existing band users - amateur and professional: due to the latter, the areas of the band which do not allow unattended use are 10,250 to 10,270MHz and 10,300 to 10,400MHz. Amateur links (digital or speech, as in the 1.3GHz band mentioned above) are designated between 10,006 and 10,026 and again between 10,150 to 10,170MHz. The areas around 10,100 to 10,130MHz and 10,380 to 10,410MHz are, of course, commonly used for normal WBFM operation and wideband beacons.

For in-band speech repeaters, the slot between 10,270 and 10,300MHz (where unattended operation is allowed) is recommended for speech repeater outputs. Inputs could be either around 10,100 or 10,440MHz, both about 170MHz away from the output sub-band. This should satisfy either, northern or southern operators! Your comments would be welcomed.

Is this a record?

The new G4DDK 004 board is already in stock - even before the descriptive article has been published! The original intention was to publish my little review article "Making Microwaves Work" and to follow shortly after with Sam's new design as a detailed practical example of the general principles laid down earlier. However, for one reason or another, it didn't happen that way!

The 004 design is an LO/multiplier board with output between 2.0 and 2.6GHz, information on which is available immediately to purchasers of the board. It has been designed to be suitable for either receive or transmit use in the 2.3GHz band, providing about 7dBm output. One interesting feature which has emerged from the construction of several prototypes is that it is possible, because of the broadband nature of microstrip circuits, to tune up the final doubler to act as an amplifier! This means that besides its original function, the source could be used at about 1300MHz (23cm again!), in which case you might expect some 50 to 70mW output. The dedicated, dual output DDK 001 board gives 2 by 10mW, or 1 by 20mW. So the 004 board could be used as quite a nice little 1.3GHz beacon TX.

BOB TREACHER BRS 32525

93 Elibank Road, Eitham, London
SE9 1QJ

Tha NEC Convention

This month sees the Society's amateur radio convention and exhibition to be held in Hall 7 of the National Exhibition Centre, Birmingham. For a few years now, a few of the country's established listeners have thought of manning a stand at the exhibition to provide an "advice shop" for the SWL. However, we never seem to get our act together in time, and advertisements for the event appear before we have approached the organising team! Perhaps next year.

There will, however, be many special features of the exhibition to interest SWL members. There will be comprehensive representation by the majority of the Society's committees, lectures to stimulate the mind, and the Society's bookstall. This really is the one event in the calendar which ought to attract a large listener following.

VHF contest rules

In an attempt to attract more SWL entries to Society contests, I have re-written, with the VHFCC's approval, the rules for such contests. The full rules will appear in Contest News when space permits. There are some important changes. Firstly, there will be an SWL section for any contest organised or adjudicated by the VHFCC. Next, the HF contest "1 in 3" rule has been introduced, and in "multiplier" contests, this will be "1 in 3 unless the station heard is a multiplier for the SWL". On UHF or other VHF bands there are to be no logging restrictions, but no more than five consecutive contacts made by any one station should appear in logs. The Hansen Trophy will now be awarded to the SWL with the best aggregate score in contests held between 21 January and 2 December this year.

In framing these rules, the views of David Whitaker BRS25429 and Mick Toms BRS31976 were sought. I hope that the full rules will be more attractive to listeners and that starting with either the 50MHz contest on 8 April, the 432MHz event on 5/6 May or the 144MHz contest on 19/20 May, we will start to see some healthier listener participation; and I wonder if we will now see an SWL entry in one of the 1296MHz events?

VHF Awards - Part III

We have already looked at VHF Awards in general, 50MHz awards, and the Counties and Counties Awards. Now, as mentioned last month, we shall look at the "4-2-70 Squares" Awards.

70MHz: 20/4, 25/6, 30/8, 35/8, 40/8, 45/8 and 50/8.

144MHz: 40/10, 60/15, 80/18, 100/20, 125/20, 150/20, 175/20, 200/30, 225/30, 250/35, 275/35, 300/40, 325/40, 350/45, 375/45, 400/50, 425/50 and 450/50.

432MHz: 30/6, 40/10, 50/13, 60/15, 70/15, 80/15, 90/15, 100/15, 110/15, 120/18, 130/18, 140/20 and 150/20.

These are intended to mark successful UHF/VHF achievement and it might not be widely known that they are available to SWLs. Initially, a certificate and one sticker will be issued by Ian G4OUT. Further stickers will be issued as additional Locator Squares are claimed. The title of each award gives the number of locator squares and countries needed to qualify for the award, an example being the 144MHz "100/20" for which you will need QSL cards confirming 100 locator squares including 20 countries on 144MHz. The table shows the awards which are available:

All loggings must be after 31.12.78, and QSL cards must be arranged in alphabetical order of OTH squares claimed and a checklist must be provided.

Now listeners have as much information, over the last three months, as they need to start looking through their UHF/VHF QSL cards, or getting QSL cards off to stations heard in order to provide G4OUT with some extra work!

International Marconi Day

Following last month's insight into IMD, I can provide even more information this time around. First, a correction and an addition to the list of stations which will be active — the second Italian station will be IY4TTM, while the first French station to be active during IMD will be F2IMD.

G3FWE provided more information on the GB0IMD operation. This will be from the Wireless Museum at Puckpool Park which is near Ryde on the Isle of Wight. The station will be active on both SSB and CW. The CW station will be on 21MHz using wartime gear (an AR88 and 62 Set) into wire antennas. The station will support the Mary Rose Award and the Spectrum Award, together with the one day award from the Cornish ARC for the IMD certificate. Remember, the date is 21 April.

"Hugo" revisited

Tony VP2MIX (ex G3ZEN) wrote following my piece in January's Spectrum Analysis about Hurricane Hugo. As a number of people have commented on it, I thought it worth relating some "on-the-spot" views.

Tony said that the hurricane was a truly terrifying experience. Although sheltered on the ground floor of his house, and even a double set of 26-inch thick stone walls on all sides were not enough to make him feel safe. The living

room furniture above was rearranging itself, water was pouring in, and doors complete with frames and nailed down shutters were exploding outwards. His ears were constantly "popping" from the pressure changes. Hurricane force winds lasted for about 8-10 hours, apart from a short period when the eye passed over the island when everything was eerily still for a few minutes before the wind resumed, but from the opposite direction. The general consensus was that winds have reached 200mph, with many small tornadoes spawned within the hurricane itself. Indeed, one amateur recorded one gust at over 160mph on his anemometer before it was destroyed.

VP2MIX was in OSO with the National Hurricane Centre in Miami until the power was turned off a couple of hours before "Hugo" hit and he had thoughts of getting back on the air soon afterwards, but when he wrote — four months later — there was still no power at VP2MIX!

Every amateur antenna and tower in Montserrat was demolished, and so were the huge towers of Radio Antilles (which claims to be the most powerful commercial station in the hemisphere, with a 200kW medium wave transmitter!) and every other radio station on the island. Tony, being an old friend, has offered the family and I a holiday in Montserrat — once it is rebuilt, so I'll have to start saving the pennies!

Listener reports

This time, I have news of an amateur that took the trouble to write and tell me of a useful SWL report he had received. George, G2CIL (ex BRS1914), felt that the report he received from a Belgian SWL — ONL 07837 — was the best he had received during his many years on the bands. The report (which I do not have space to reproduce here) was for a CW report on a 7MHz QSO which George had with G0FIP last September. It was clear, concise, accurate, well presented, provided all the relevant information, and obviously impressed G2CIL. It was good of him to take the trouble to provide the information, as it is always pleasing when SWLs take time and trouble over preparing their listener reports — it pays in the long run!

HAB news

Dennis GW6JNE provided the latest news from the HAB hunters. SWL Dicken has obtained the first HAB

The shack of Jean-Pierre Dufhell, F11AJB, in Paris, showing his R600 receiver.



Awards on 50MHz in the form of a basic award, and a Large Squares class 3 award. Many other Awards have been achieved since our last report, with no fewer than 22 mentioned in Dennis' letter. Finally, if any SWL heard the GW4ZQV/GW6JNE expedition to Wormshead and Burryholms Islands on 9 December last, QSLs can be obtained from Dennis.

Newcomers

I am delighted that a number of newcomers have written with information for this month's issue. Long may it continue! First, we have Mark Hayward BRS92649. Mark lives at Basildon in Essex and uses a Yaesu FRG-7 receiver into a 66' wire inside the garage. It works well, as his list of stations heard proves. He has 130 countries heard and is patiently waiting for some QSL returns.

Egbert Herten ONL4003 saw the column and decided to write. He has been an SWL since 1977. His main interests are DX chasing and Award hunting. He has 318/320 countries confirmed (missing ones are YA and XW8), and over 400 Awards. These include the "WPX Award of Excellence", the YASME Award, and the USA-CA 500. He is also an active member of the German Award Club (DiG) and Egbert suggests that anyone interested in Award chasing should join. The address is Eberhard Warnecke DJ80T, Postfach 101244, D-5620 Velbert 1, West Germany, and please enclose an IRC for the reply!

Garry Telloke ARS92633 is a newcomer, joining the Society in November. He explains that his entry to short wave listening is in a very humble way — listening on an

80m Howes DcRx built from a kit, a homebrew ATU and an audio amplifier recovered from a record player. Despite its simplicity and the very random length of wire, he feels that his loggings are consistent with what other SWLs are hearing. Garry had a query which is a common one amongst beginners — "why can I only hear one side of a QSO when, say, a German is working a station in the British Isles." This is a phenomenon called the "skip zone". I will attempt to cover this and other propagation issues in the next few months.

Stephen Slater BRS92755 has been a member of the Society since December. He has been an SWL since 1962, but has only listened to the amateur bands since last November. He has 133 countries heard on 14MHz. He uses a Howes DcRx 20, with only 20' of wire. Stephen would like to see a short "nostalgia" series in *RadCom*. He feels that there ought to be one member somewhere who is prepared to put pen to paper (or fingers to keyboard) in order to pass on such information to the membership. (If there are any takers, perhaps they would write to HQ... Ed). Stephen also provided some simple circuits which would be of interest to listeners, and I will find room for them next month.

Finale

That's it for another month. Once again a bumper mailbag has led to there being some overmatter. Keep the news coming — it's always easier writing the column with plenty of news at my side! Contributions for the June issue should be with me no later than Monday 23 April. Until the next time, 73.

GEORGE DOBBS G3RJV
St. Arden's Vicarage, 498 Manchester
Road, Noctdale OL11 3HE.

"A bit of real amateur radio"

That is what one of the first timers told me about the QRP Winter Sports. This annual event takes place between Boxing Day and New Year's Day and attracts many of the growing number of QRP operators throughout the world. It's a simple idea: just go on the bands, using less than 5 watts and try to work as many other QRP stations as possible. It is not a contest but rather a fun event. The results and comments have now come in from the last Winter Sports and they make interesting readings. Perhaps if I quote a few examples, readers may want to join in next year's Sports.


On 3.5MHz, Colin, G3VTT, used his homebrew crystal controlled valve transmitter to work two way QRP with AA2U, W3TS, N4AR and EA6ZY. Carl, W1NV, operated a replica 1930's station with a single 45 valve as a Harley oscillator and a four valve TRF receiver to work Glyn, G4CFS who was using 1 watt to a 100 foot wire only 10 feet high. Chris, G4BUE worked AA2U on all eight HF bands and W3TS on five HF bands, all two way QRP. The list of two way QRP 3.5MHz transatlantic contacts is far too large to quote in this column. During 1990, daily transatlantic QRP Tests are to take place on 3560kHz from 0630 to 0800 GMT.

Bert, ZL2BSJ, suffers from an antenna ban at his home QTH and went portable by the seaside with a 15ft high antenna. On 14MHz he worked G4BUE and with his homebrew 10.1MHz transmitter he worked KH6JQI/QRP. Ben, CT4CH, found his magnetic loop was flooded by rain. Undeterred he worked all over Europe with a 1 metre helical whip, as did Kurt, HB9AMZ, with an indoor mounted mobile whip tuned against a metal window frame.

Mike, W3TS, was awarded the G4DQP Trophy for the best overall contribution to the Winter Sports. Mike worked over 40 new European G QRP Club members, including G0AMZ/M and five band two way QRP contacts with G4BUE and G3VTT. The runner-up was Bob, G4JFN for consistent DX contacts. The whole event was tremendous fun and proof that good results can be had with low power and simple equipment.

East to West QRP Weekend

This new event, sponsored by the G QRP Club and Czech QRP Group, is designed to bring together QRP operators throughout Europe and adjacent areas of Asia to strengthen amateur radio bonds and provide



A simple homebuilt QRP station by D3JNB. Left to right: 12 volt power supply, 1W transmitter for 80/40/20 metres, direct conversion receiver and audio filter.

new data on the operation of QRP circuit paths. For the event, Europe is divided into two areas: Area A, being HA, LZ, OK, TA (inc. Asia), SV, All USSR Republics including Asia, YQ and YU and Area B, which is the rest of Europe from the DXCC List. Only contacts between the designated areas will count, contacts between stations in the same area may be made but will not receive points.

Contacts must take place between 1600hrs UTC on Friday 28th September 1990 and 2359hrs on Sunday 30th September 1990. This is a friendship event and it is hoped that competitors will allow themselves good rest periods. CW is the only mode with a maximum power of 5 watts, calling "CQ EW QRP" on the International QRP Frequencies: 28060, 21060, 14060, 7030 and 3560 kHz, ± 10 kHz. The minimum exchange must be RST, power output in watts and the operator's name.

Logs may be submitted, within 30 days to QK QRP Group, U1 Batterie 1, 16200 PRAHA 6, Czechoslovakia. Separate sheets are required for all bands and entries must show date, time, RST in and out, power and name received. A cover sheet must give full details of the station and antennas used and state the total number of contacts made and the number of DXCC countries contacted in the other area. Certificates of merit are to be presented for area and country achievements. Full details will be included in the HF Spectrum Analysis in *RadCom*.

A QRP first on 50MHz?

Axel, N8AXA, has sent me photocopies of his log entries for working all six continents on 50MHz when using 5 watts mobile. The 5 watts was used with a bumper mounted quarter wave vertical and the entire WAC, and 9 DXCC countries were achieved in a month between 5 November and 8 December 1989. Axel chose periods when the band "was hot" and found that his vertical always outperformed his Halo antenna which is also available on the car.

The contacts were with CT1DTQ (cw), DL3ZM/YV5 (ssb), KL7NO (ssb), W6JKV/CT3 (ssb), AH6AP/

KL7 (ssb) JA9IPF (cw), KG6DXS (ssb), CQ2CB (ssb), HB1BI (cw) and GM0EWX (ssb). Like Axel, I suspect that this is a unique achievement and he wonders if there are any special awards he might claim.

The sixth Yeovil QRP Convention

This annual event, organised by the Yeovil Amateur Radio Club, is on Sunday 13 May, 1990 at The Preston Centre, Monks Dale, Yeovil, Somerset. I have never been able to attend the Yeovil QRP Convention but those who have tell me I have missed a good event. The entrance fee is £1.50 and here will be talk-in on S22 from 0830 by GB2LOW.

The event includes an impressive line-up of lecturers: George Burt, GM30XX, on "QRP — A Way of Life", Tim Walford, G3PCJ, on "Home Construction Techniques", Rob Micklewright, G3MYM, on "Daytime Milliwattling on 80 Metres" and Bert Arnold, G3RHI, on "Coherent or Synchronised CW". There are traders stand, displays, QRP station and food and drink are available all day. The Convention closes at 5pm.

Alongside the Convention, the club organises the Yeovil QRP Funrun. This is a light hearted contest for CW QRP stations on 3560 and 7030 kHz on the Bank Holiday weekend preceding the Convention: 0800 GMT, Saturday 5 May to 2000 GMT on Monday 7 May 1990.

The event demands an exchange of RST, Power Output, QTH, Name and G QRP Club number (if any). There will be three Funrun Stations, GB2LOW, G3GC and G3CQR which score bonus points in a rather cunning scoring system. Full details of the Convention and the Funrun can be had, for an SAE, from any of G1MNM, G3CQR, G3GC or G0HDJ, all of whom are as listed in the RSGB Call Book.

International QRP Day: Sunday June 17 1990

IARU Region 1 International QRP Day occurs on a Sunday this year, so a good chance to give QRP a try for at least one day. Just come onto the HF bands using less than 5

watts CW or 10 watts PEP SSB and try the International QRP Frequencies of 3560, 7030, 10106, 14060, 21060 and 28060 kHz (CW) or 3690, 7090, 14285 and 21285 and 28885 kHz (SSB).

The more competitive operators may like to attempt to win the Suttolk Trophy, which is a keepsake plaque and a book token. For this award operation must be for a period of 6 hours, on that day, in not more than 2 periods. Contacts are required with any Region 1 countries with normal QSOs and no serial exchanges. Each Region 1 country, contacted on each band, counts as 1 point, the total score being the total of IARU Region 1 countries contacted on all the bands used. Only one contact per country, per band, is allowed, irrespective of mode. Stations contacted may be QRO.

Entries must include name, address, callsign, power, equipment and time/call/band for each contact and a summary to give band and overall scores. Logs must be sent by 17 July to the Awards and Communications Manager of the G QRP Club, A. D. Taylor, G8PG, 37 Pickerrill Road, Greasby, Merseyside, L49 3ND.

G-QRP CLUB CIRCUIT HANDBOOK

Compiled by
George Dobbs, G3RJV

An invaluable collection of QRP circuits which have appeared in *Sprat*, the G-QRP Club magazine, over a number of years. Projects include: receivers, transmitters, transceivers, transverters, test equipment, speech processor, power supply, cw tilter, ATUs, keyers and much more.

Available to RSGB members
for £5.58 inc p&p

Send your order to:
Lambda House
Cranborne Road
Potters Bar
Herts, EN6 3JE

AN RSGB PUBLICATION

HILARY CLAYTONSMITH, G4JKS
115 Marshalswick Lane, St Albans,
Herts AL1 4UU

Field strengths

The RIS policy statement in the Dec 89 EMC column mentioned the measurement of field strengths produced by an amateur station. Several readers have asked how Amateurs could measure the field strengths produced by their own station and what significance the results might have.

One method of measuring field strength is to use a measuring antenna and a measuring receiver. An amateur receiver could be used as a measuring receiver by connecting a large scale meter in place of its 'S' meter and using a signal generator to calibrate the new 'S' meter in terms of dBµV at the antenna socket. This calibration would only be valid at a particular frequency as there could be significant variations in gain across the frequency range of the receiver.

A calibrated antenna presents more of a problem. In theory a half wave dipole in a field of E volts/metre and aligned for maximum pickup gives an open circuit EMF e where:

$$e = EA/\pi$$

where λ is the wavelength in metres and π is 3.1416.

So in a 1 V/m field at 144MHz for example, a dipole would give an EMF of 0.66 V RMS. The potential difference developed across a 50 ohm load would depend on the radiation resistance of the dipole, which is nominally 72 ohms, but is affected by proximity of ground and other conducting objects. For wavelengths of 4 metres and more, however, a halfwave dipole becomes inconveniently large for making indoor measurements.

One type of antenna used for professional EMF measurements is a biconical. It is a broad-band dipole whose elements are cone-shaped 'cages'. It is supplied with a calibration curve showing its antenna factor over the range of frequencies it is designed to cover (typically 20 - 200 MHz for a biconical). Antenna factor for an E-field antenna is the ratio of the incident field strength in volts/metre to the output voltage of the antenna into its designed load. A professional biconical measuring antenna can cost over £1000 however and a home brew version would be very difficult to calibrate.

Self contained E-field strength meters generally use an electrically short antenna with a broad-band RF amplifier, detector and meter driving circuit, but again professional field strength meters are not cheap. The problem with amateur designs for so-called field strength meters is the lack of a means of calibrating the finished instrument in volts/metre. If any

readers know of published articles on construction and calibration of field strength meters to amateur use (without the use of an EMC test lab!) please inform me via the column.

Given we have a calibrated field-strength meter, a number of factors affect the field strengths which can be measured in the vicinity of an Amateur station. At a distance d metres from an antenna whose ERP is P watts, the theoretical field strength E in volts/metre is given by

$$E = (\sqrt{49.15P})/d$$

This assumes 'free space' propagation conditions and a distance d large enough to ensure 'far field' conditions. As ERP is the power fed to the antenna multiplied by the gain of the antenna relative to a dipole, the above field strength would only be produced in the direction of maximum antenna gain.

In practice, wiring, pipes and any structural metal work in a building could cause reflections or could pick up the Amateur signals and re-radiate them elsewhere. This could cause considerable variations in measured field strength in different parts of a room, particularly at VHF and UHF. In the case of a TV connected to a long coaxial cable or an audio system with long loudspeaker cables it would be difficult to say what field strength the 'installation' as a whole was actually being subjected to, or to relate its immunity in situ to any level of immunity which the equipment may achieve in an EMC test laboratory.

Amateur field strength measurements could give a useful indication of whether the field strength produced by a particular transmitting antenna in nearby buildings is excessively high for a given ERP. In several cases known to the EMC Committee, breakthrough problems on the 10 metre band have been solved by changing from a G5RV antenna to a dipole, thereby reducing the field strength generated in neighbours' premises without reducing transmitted power.

Satellite TV

A member reported that his next-door neighbour was unable to view any TV programme when he was operating on 21 MHz. He had always taken the precaution of having toroids fitted on the mains and antenna leads from his transceiver. The problem had arisen since the neighbour had installed a satellite dish/receiver system. The reception had been free from breakthrough whereas now both terrestrial and satellite signals were affected. He had contacted the installer who disclaimed any knowledge or responsibility, stating that it was the amateur's fault. Assistance was sought from the EMC Co-Ordinator.

He advised that the reception of signals at the dish (Ku-band, 10.7 - 18GHz) and operation of the LNB (dish-mounted down-converter to approx. 1.5GHz) were unlikely to be affected. The particular satellite TV receiver uses an I.F. of 479.5MHz, a BREMA standard chosen to avoid mutual interference with mobile radio systems. Other similar receivers, inadequately designed, have the potential for being affected at I.F. frequencies by amateur transmissions. They also have the potential of radiating from the I.F., but this did not apply here. The satellite receiver operates on the UHF loop-through principle, also acting as a tuner for the terrestrial broadcast signal and receiving aerial input from the standard TV aerial and from the LNB, processing both and giving a modulated output to the TV set on approx. channel 36 UHF. It was therefore possible that the 21MHz signal was entering the LNB downlink cable, the terrestrial aerial and downlead, the mains input to the satellite receiver unit, or by direct radiation into the receiver itself since it was separated from the amateur's station by only a short distance.

A diagnostic sequence was suggested, following a logical progression with the cooperation of the neighbour, to determine at which point the unwanted signal was entering the system and being inadequately rejected.

The result of this was the fitting of a toroid on the terrestrial aerial lead into the satellite receiver, and two toroids on its mains lead. This resolved the problem completely, thus pleasing the neighbour, the amateur and the RSGB EMC service.

The Radio Teleswitch

The following information on the Radio Teleswitch has been supplied by Philip Howarth, G3YAC, who is one of the team at Cambridge Consultants Limited who were responsible for the design of the Teleswitch manufactured by Landis and Gyr Limited. We have had no reports of problems relating to this manufacture of Teleswitch.

Radio Teleswitches are widely installed by electricity supply authorities. They perform the same function as the time switch in an "Economy 7" installation. The time switch ensures that you are charged at the correct tariff and may control storage heaters.

The Teleswitch is an improved time switch that permits greater flexibility and improved performance. It works by receiving signals broadcast alongside the Radio 4 transmissions on 198kHz. The carrier is phase modulated at 25 bits per second with a peak phase deviation of 22.5 degrees.

The signals carry data packets each 50 bits long. Four bits define the message class and 13 provide error correction. Each minute, the

data carries a time message containing information about the year, week, day, hour, etc. The other messages are mostly for electricity board Teleswitch use.

The messages broadcast to all Teleswitches permit accurate time keeping and allow the switching times to be programmed. Depending on the arrangements made with your electricity board, the unit may respond to a variety of commands stored in a diary which has been received off air.

The units contain a 198kHz receiver, phase demodulator and a microcomputer to store the diary information. One particularly interesting specification is the sensitivity. The unit should operate in field strengths of only 100 microvolts/metre. The BBC usually quote around 20 millivolts/metre as the normal service limit. There are also stringent requirements for correct operation in the face of severe interference from e.g. TV timebase harmonics. It is quite startling to observe perfect data emerge from a Teleswitch where absolutely no programme material is discernible on an ordinary broadcast receiver.

The bandwidth of the phase modulation is very small (about 70Hz) and Teleswitch receivers make good use of this and the error correcting coding. Despite these factors, siting a 198kHz ferrite antenna only an inch or so from the digital circuitry creates interesting design challenges. A great deal of effort was put into minimising the electromagnetic radiation from the unit with which I was involved. The result was a unit which is essentially undetectable in terms of RFI radiated from it. On 145 or 432MHz we could not find any noises - even with the "antenna" wrapped around a working unit.

There is nothing in a Teleswitch which should alarm a radio amateur. If you are suffering from noises radiated by a Teleswitch then I suspect it is faulty. You should insist that the electricity board remove it and replace it with a quiet one.

EC EMC Directive

A comment on the RSGB's response to the DTI Consultative Document is contained in the Society pages in the front of this issue.

NEC Birmingham

Visit us at the EMC stand at the RSGB National Convention at the NEC on 21/22 April if you need: (1) Advice, (2) Filters/ferrites, (3) A filter kit for your club, (4) Our new handout on "Advice to Neighbours", (5) A copy of "How to improve your Radio and TV Reception" and/or (6) A copy of "Breakthrough". If you are an EMC Co-Ordinator, we would like to see you too.

Photo Acoustics Ltd.

Radio Communications • Audio Visual
58 High Street, Newport Pagnell, Bucks. MK16 8AQ.
Tel: (0908) 610625

NEW — NEW — NEW — NEW — NEW AR1000 HANDHELD SCANNER

Frequency ranges: 15 to 600MHz, 805 to 1300MHz
Frequency selection: By direct keypad entry or by tuning knob on top panel
Memory channels: 1000 arranged conveniently in ten banks of 100, with direct keyboard access to any memory
Search bands: Ten bands which come pre-loaded with the ten most important UK bands of interest as follows:

Bank 1	VHF air	118-138MHz	25kHz step	AM
Bank 2	VHF air	225-400MHz	50kHz step	AM
Bank 3	VHF PMR1	71-87MHz	12.5kHz step	NFM
Bank 4	VHF PMR2	165-174MHz	12.5kHz step	NFM
Bank 5	Band 3	174.5-225MHz	12.5kHz step	NFM
Bank 6	VHF marine	156-163MHz	25kHz step	NFM
Bank 7	VHF amateur	144-146MHz	12.5kHz step	NFM
Bank 8	UHF amateur	433-435MHz	25kHz step	NFM
Bank 9	Cell 1	890-905MHz	12.5kHz step	NFM
Bank 10	Cell 2	935-950MHz	12.5kHz step	NFM

Reception modes: AM, FM (narrow), and FM (wide) which gives access for the first time to FM broadcast and TV sound in a handheld scanner

Frequency steps: User programmable from 5 to 995kHz, in any multiple of 5kHz or 12.5kHz

Complete with set of 600mA/H NiCd batteries, 240V mains charger, DC power cord with cigar lighter plug, soft carrying case, belt clip, carrying strap, earpiece, high performance DA900 flexible gain antenna

ONLY £249 + p&p £4
THIS UNIT IS £50 CHEAPER THAN ITS NEAREST COMPETITOR!!

We are authorised Dealers for Kenwood, Icom, Yaesu and Standard equipment. All our new equipment is covered by a 12 months parts and Labour warranty and backed up by our comprehensive workshop facilities. We also offer full service facilities for most makes of PMR equipment. Please ring for details.

OPENING HOURS: MONDAY-FRIDAY 9.30-5.30pm, SATURDAY 9.30-4.30pm.



R. N. Electronics

Professionally designed equipment for Amateurs

Our reputation for high quality equipment has spread and we are now regularly sending 6 metre transverters around the world. In every case our equipment is individually tested and aligned to meet these high specifications. All our transverters meet the same high specification.

SECOND HARMONIC: <-70dB INTERMOD: <-32dB
SPURII: <-60dB NOISE FIGURE: <2.5dB

TRANSVERTERS

Our 2m IF transverters require a drive level of 0.5-3.0 watts, or up to 12 watts with our 7dB switched attenuator. The 10m IF models can be supplied for drives between 0.25mW and 20W with a separate receive output if required.

- 144/50MHz 25w pep £199 + £4 p&p
- 28/50MHz 25w pep £209 + £4 p&p
- 145/70MHz 25w pep £249 + £4 p&p
- 145/70MHz 10w pep £199 + £4 p&p
- 28/70MHz 10w £209 + £4 p&p
- 144/28MHz 25w pep £209 + £4 p&p
- 7dB switched Attenuator £25 + £2 p&p

PRE AMPLIFIERS

Low Noise (<1dB) GaAs Fet Pre-amplifiers for 6m, 4m and 2 metres. RF or DC Through Switching (Max 100W pep)

- Indoor boxed unit £38 + £2 p&p
- Masthead (line powered) with indoor DC feed unit £75 + £4 p&p
- LOW NOISE GaAs FET MASTHEAD PRE AMPS for 50MHz, 70MHz, 144MHz, 432MHz and 934MHz 200W power handling £99 + £4 p&p

RECEIVE CONVERTERS

10m receive, 2m IF. With thru switching on transmit use with 6m transverter and work 10m/6m Crossband £45 + £2 p&p

RECEIVE ONLY CONVERTERS

2m IF for 4m, 6m or 10m, receive £39 each + £2 p&p each
10m IF for 2m, 4m or 6m receive £39 each + £2 p&p each

MET. ANTENNAS

50MHz 3 el £42.95, 5 el £64.40, 70MHz 3 el £37.30 p&p £4.50

SEMICONDUCTORS

• BGY41B 450MHz 15w Module £20

37 Long Ridings Ave, Hutton, Brentwood
Essex CM13 1EE. Tel: 0277 214406



All prices include VAT



SPECTRUM OWNERS

NO MORE WAITING FOR PROGRAMMES
TO LOAD, SWITCH ON AND YOUR PROGRAMME
IS READY TO USE!!

We are now able to supply our Spectrum programmes on Eeprom, together with a suitable Eeprom loader board and all hardware housed in one unit. The many advantages are too numerous to mention here. Please contact us for full details. An a/c would be appreciated.

(Currently available for 48K, Spectrum Plus, 128 & +2 only, we are working on +2A and +3 and also the Sam Coupe.)

SEE US AT THE N.E.C.

For further details of other products, send a a/c or see earlier advertisements

J.B.P. ELECTRONICS LTD.

Unit 45, Meadowmill Estate, Dixon Street, Kidderminster DY10 1HH
Telephone: (0562) 751891



ANTENNAS TONNA (F9FT)

THE VHF/UHF ANTENNA SPECIALIST

50MHz	144/430MHz	POWER SPLITTERS	
5 element	F50 71(a)	2 way 144MHz	F48 20(a)
144MHz	1250MHz	4 way 144MHz	C52 50(a)
4 element	C39 39(a)	2 way 435MHz	C43 69(a)
4 element crossed	F37 28(a)	4 way 435MHz	E53 36(a)
9 element 1:48	C33 12(a)	2 way 1250MHz	F38 39(a)
9 element portable	1250MHz	4 way 1250MHz	F42 36(a)
9 element crossed	C32 10(a)	2 way 1296MHz	F38 35(a)
12 element	C48 06(a)	4 way 1296MHz	F43 30(a)
17 element	C66 34(a)	2 way 2000MHz	C38 33(a)
435MHz		4 way 2000MHz	F42 36(a)
8 element	F30 42(a)	ADOREW HELIAX	
19 element	C28 64(a)	LD4-50A	£5.10m
19 element crossed	C43 44(a)	N' Connectois	£20(c)
21 element 432MHz	F48 81(a)	TELESCOPIC MASTS - STACKED	
21 element ATV	C48 81(a)	BRASS - COAXIAL CABLE -	
		ROTATORS ETC	

All prices include VAT. Please add carriage (a) £5.00 (b) £2.20 (r) £1.20, U.K. MAINLAND ONLY. ACCESS or VISA cardholders telephone your order for immediate dispatch. Callers welcome, but by telephone appointment only, please. Send 50p for our catalogue which contains the full specifications.

RANDAM ELECTRONICS (R) SOLE U.K. DISTRIBUTOR
FREEPOST, ABINGDON, OXON, OX14 1BR. Tel: (0235) 523080 (24hrs)



T.A.R.

COMMUNICATIONS

King William Street,
Amblecote, Stourbridge,
West Midlands DY8 4EY.
Tel: Stourbridge (0384 390944)

AERIAL MANUFACTURERS

**NEC
STAND
22 25**

Business P.M.R. Air
Marine Amateur
Custom Built Antennas

Send 20p to cover postage
for our catalogue and price list



WISE BUY BARGAINS!

PYE PFSU UHF hand held clean but no balls	£18.00
PYE M293 HIBAND (A) AM and mics	£75
PYE EUROPA MFSU UHF FM and mics	£35
PYE OLYMPICS UHF FM and mics	£35
PYE F412/414 UHF base stations, slim modern units, no cables	£45.00
PYE P5002 H/B FM h/helds with h ball & ant	£75.00
PYE TULIP base mics	£10
PYE W15 AM LB, with control unit, only	£22
PYE P' BAND, FM Olympics with accs	£25
PYE W15FM (motorcycle) hiband, no control gear but with all plugs	£22.00

ALL PRICES INCLUDE P&P + VAT

CHECKED AND
SERVICED

RACAL RA17 £200
EDDYSTONE 730/A £135

MANY
OTHERS

BARGAINS FOR CALLERS. SURPLUS AND SECOND-USER EQUIPMENT ALWAYS WANTED

G.W.M. RADIO LTD.

40/42 PORTLAND ROAD, WORTHING, SUSSEX BN11 1QN
TELEPHONE: 0903 34897 FAX: 0903 39050



The New Cirkkit Summer Catalogue

- 100s new products
- £10 worth discount vouchers
- Latest books
- Low cost multimeters
- 184 pages
- Only £1.60 available from larger newsagents or directly from Cirkkit



Cirkkit Distribution Ltd.
Park Lane, Broxbourne, Herts EN10 7NQ
Telephone (0992) 444111

OUT NOW! OUT NOW! OUT NOW!

dressler
COMMUNICATIONS LTD.

SPECIAL OFFER

AOR 2002

25-550 — 800-1300 MHZ



FANTASTIC
VALUE

£459.00

INC P.S.U.

ALSO AVAILABLE

AOR 900 — 108-174 MHZ. 225-490 MHZ

AM-FM 830-950 MHZ

HANDHELD SCANNER
IN CHARGER £229.00

NEW MODELS

AOR 2515 5 MHZ-1500 MHZ

62 Banks of 32 channels each scanning 32 channels per sec. 3µV sensitivity VHF AM/AFM. Very impressive radio, same size as the AOR 2002

£579.00

KENWOOD TH 75 dual band handheld 2/70.....£395.00

KENWOOD TM 701 dual mobile RC20 + interface available.....£475.00

YAESU FT 470 dual band handheld, 2 mtr + 70 cms.....£385.00

ALL YAESU STOCKED — PLEASE CALL

191 FRANCIS ROAD,
LEYTON, LONDON E10 6NO.

TELEX 8953609 LEXTON G

PHONE 01-558 0854 01-556 1415

FAX 01-558 1298

STANDARD AUTHORISED DEALER

AX 700

50-904.995 MHZ
Panadaptor Display

£575.00

ALSO AVAILABLE

The new famous C500 dual band inc empty battery case.....£375.00

C150 available, 2 mtr.....£230.00

C528 dual band inc. empty battery case.....£375.00

DRESSLER ACTIVE ANTENNAS

ARA 900
ACTIVE ANTENNA



50MHz to 1300MHz
Gain 17dB Typical
TECHNICAL SPECIFICATIONS
FOR ARA 900

Gain 17dB Typical
Frequency Range 50-1300MHz
Noise Figure 1dB at 50-100MHz

1.5dB below 300MHz
2.0dB below 350MHz
1.0dB below 400MHz
3.0dB below 500MHz
3.0dB below 600MHz
4.0dB below 1200MHz

Intercept Point 3rd Order -180dBm at Input
Post £3.00 or Securitor £7.00 extra



ARA 1500 50 MHZ-2 GHz 10dB GAIN £169
Phone for full details

ARA 30 ACTIVE ANTENNA 50 KHz...40 MHz WITH LIMITED PERFORMANCE UP TO 100 MHz

Professional electronic circuitry with very wide dynamic range. Meets professional demands both in electronics and mechanical ruggedness. 1.7m long glass fibre rod. Decoupled built into waterproof 2.5mm thick aluminium tube. Ideal for commercial and military systems. £129. See review in Practical Wireless August 1985 issue p.35. Both antennas come complete with 7 metres of cable, interface power supply and brackets.

OPEN MON-SAT 9AM-5.30PM
INTEREST FREE HP FACILITIES AVAILABLE
ON MANY ITEMS PROMPT MAIL ORDER



Prices correct at time of going to press. Please phone for latest quote.

KENWOOD


TS 680 HF + 6 MTR
INC: MICROPHONE

£895.00



TS 440
INC AUTO ATU

£1,150.00



R 5000.....£799

R 5000 inc ARA 30.....£899

SEE US AT NEC

ICOM

ICOM R7000 inc ARA 900.....£999.00

ICOM R71 inc ARA 30.....£855.00

ICOM R9000 inc ARA 30 + ARA 900, excellent value.....£3,899.00

ICOM IC 781.....CALL

ICOM IC 765.....CALL

ICOM IC 735.....CALL

ICOM IC 725.....CALL

ICOM IC 228 + H.....CALL

ALL OTHER ICOM STOCKED — PLEASE CALL

FULL RANGE OF CELLULAR PORTABLE

AND CAR PHONES SUPPLIED & FITTED

DUE TO COMPANY EXPANSION WE NOW HAVE TWO

NEW LOCAL AGENTS YOU MAY CALL ANYTIME FOR

SALES OR INFORMATION:

STUART, (BODMLEY, KENT) 01-466 5199, 0860 634526

TERRY, (BIGGLESWADE, BEDS) 0767 316431

**Come and see us
at the NEC in
Birmingham**



**★ LOOK OUT FOR THE MAY
ISSUE...Published 12 April**

★ **CB Radio Supplement**
CB Equipment Review
CB in the Highlands and Islands
CB Corner

★ **Save Money with our Discount Vouchers.**

★ **Home-brewing your style?**

Constructional projects such as a power supply for valved battery radios. Amateur radio ideas, transmitting projects, short wave receiving and ancillary equipment. We show you how to build them in *PW*! Regular "state of the art" features. Read about the latest technology.

★ **Favourites such as...**

Backscatter, Packet Update, Swaps Page & Practically Yours ...see them all along with the new features, in *PW*.

★ **Reviews**

Tokyo 144MHz to HF Bands SSB/FM Transverter.
Morse Keyer Module.

★ **Prize puzzle competition.**

Have a go and win a prize before the rest of the family do!
The Crossword provides a lot of fun and great prizes!

**More pages, better, brighter paper along with a new
crisp presentation style provide, at £1.60, the best
value-for-money radio communications magazine for
the radio enthusiast of the present and the future.**

**PW Publishing Ltd. Eneco House, The Quay,
POOLE, Dorset BH15 1PP
Tel: (0202) 678558 Fax: (0202) 666244**

NEW SERVICE FOR RADIO AMATEURS

YOU CAN NOW DIAL

**WIRELESS-LINE
ON 0898 654632**

**FOR THE LATEST NEWS OF PROPAGATION, DX,
SATELLITE, SPECIAL EVENTS, RALLIES, ETC.
READ BY ELAINE G4LFM.
BULLETINS UPDATED EVERY FRIDAY.**

Calls charged at 38p per minute peak, 25p per minute off-peak.

**BRITISH
AMATEUR
TELEVISION
CLUB**

**1990
RALLY**

SUNDAY MAY 6th

HARLAXTON MANOR

JUST OFF A1

SOUTH OF GRANTHAM



★ **TRADE STANDS**
★ **LECTURES**
★ **EXHIBITS**
★ **FAMILY VENUE**
★ **TALK IN**
★ **BRING & BUY**

ADMISSION:

BATC MEMBERS FREE

NON-MEMBERS £1.00

OPEN:

10-00a.m. to 5-00p.m.

Guide to Utility Stations 1990

**8th edition ISBN 3-924509-90-5
502 pages £22 or DM60**

This unique manual covers the complete shortwave range from 3 to 30 MHz, plus the adjacent frequency bands from 0 to 150 kHz and from 1.6 to 3 MHz. It is the only publication in the world with up-to-date frequencies for the current sunspot maximum — published **NOW** and not five years too late! Latest technical developments such as the multitude of new ARQ and FEC teleprinter systems are covered exclusively by our **UTILITY GUIDE**. Sophisticated operating methods and regular overseas monitoring missions (1989 for months in Dominica, Indonesia, Malaysia, Singapore and Somalia) complete our bestseller. The completely revised new edition includes a frequency list with 17740 frequencies, and a call sign list with 3285 call signs. Up-to-date schedules of FAX meteorological stations and RTTY press services are listed both alphabetically and chronologically. Abbreviations, addresses, codes, definitions, explanations, frequency band plans, international regulations, modulation types, NAVTEX schedules, Q and Z codes, station classes, telex codes, etc — this reference book lists everything. Consequently, it is the ideal addition to the World Radio TV Handbook for the "special" stations on SW!

Further publications available are the Guide to Facsimile Stations (9th edition) as well as the Radioteletype Code Manual and the Air and Meteo Code Manual (10th editions). We have published our international radio books not only since yesterday but for 20 years. They are in daily use at equipment manufacturers, monitoring services, radio amateurs, shortwave listeners and telecommunication administrations all over the world. Please ask for our free catalogue, including recommendations from all over the world. All manuals are published in the handy 17 x 24cm format, and of course written in English.

Do you want to get the latest information immediately? For the special price of £80 or DM220 (you save £14 or DM40) you will receive all our manuals and supplements (altogether more than 1,400 pages!) plus our new CASSETTE TAPE RECORDING OF MODULATION TYPES.

Our prices include airmail to anywhere in the world. Payment can be by cheque, cash, International Money Order, or post giro (account Stuttgart 2093 75-709). Dealer inquiries welcome — discount rates and pro forma invoices on request. Please mail your order to

**Klingenfuss Publications
Hagenloher Str. 14
D-7400 Tuebingen
Fed. Rep. of Germany
Tel: 01049 7071 62830**

ALTRON COMMUNICATION EQUIPMENT

ALWAYS CHOSEN BY PROFESSIONALS
AND DISCERNING RADIO AMATEURS.

COMPACT LATTICE TOWERS
SLIMLINE TUBULAR MASTS

Telescopic—Tiltover, Fixed—Mobile from 3M to 60M. Over 50 Models, suitable for a wide range of civil and military applications such as:

- Radio Communications
- Amateur Radio
- CCTV and Surveillance
- Meteorological Monitoring
- Aero & Marine Nav Aids
- Flood Lighting etc.

Purpose designed using 4.5m and 3m section modules for low retracted heights and cost effective shipping. Engineered to BS1 standards and hot dip galvanised to BS729 for protection. Wind loads are based on BS CP3 CHAP V PT 2 1972 for wind speeds up to 100mph/160kph (BS8100).

ANTENNAS

AQ6-20 "SPACE SAVER" THE COMPACT 4 BANDER THAT IS DIFFERENT. 2, 3 OR 4 ELEMENTS 6, 10, 15 AND 20M.

Unique Fully Sealed Coils.

Hi Q—Close Coupled capacity hat loaded Yagi with optimized performance. Ideal for small spaces. Send for full Spec. sheet. NOW!

QUALITY

RELIABILITY

KNOW HOW

WE DESIGN — WE MAKE — WE SELL — DIRECT
We are sorry not to be meeting old customers and new at NEC this year; this is due to our prior commitment to the Comms '90 show in the same month.

FOR COMPLETE DETAILS PLEASE SEND A LARGE SAE WITH 30p POSTAGE ATTACHED.

H.P. TERMS

ALLWELD ENGINEERING

Unit 1 Plot 27,
Cross Hands Business Park,
Llanelli, Dyfed, SA14 6RB.
Tel: 0269 845178 Fax: 0269 845348

NAVICO AMR 1000/S



2M TRANCEIVERS TODAY - WITH TOMORROW IN MIND!

By now you will all have heard of the plans to adopt 12.5kHz channel spacing in the UK. Therefore it is vital that any transceiver you buy today has the necessary performance to meet this requirement.

Others make their equipment primarily for the American market where 20 and 30kHz channel spacings prevail — thus their offerings for Europe are very much a compromise in performance.

The design priority for the AMR 1000/S was for the European market. A minimum of 50dB separation at 12.5kHz spacing ensures that adjacent channel interference is minimal (Try tuning your current model 12.5kHz away from your local repeater!). The receiver is designed to reject out of band signals with little likelihood of your local police repeater desensitising the front end! This allows full use of the excellent sensitivity (0.14µV) to increase your effective communications range.

Many users report excellent audio quality. This is because we have tailored the transmit audio response to give the most effective signals in today's busy bands. Although primarily designed for voice communications, the AMR 1000/S has many advantages for data communications as many Packet operators will confirm. (9600 baud too!)

Ingenious software control with a well thought out front panel make both our transceivers extremely easy to operate, despite the many programmable functions offered by the AMR 1000/S model.

If performance matters to you, see one at your local dealer today or contact Navico for full information.

NAVICO®

The professionals in amateur radio

Navico Ltd,
Star Lane, Margate, Kent CT9 4NP.
Tel: 0843 290007 Fax: 0843 290471

AH ELECTRONICS

Est. over 20 years

RACAL RA17 Mk2 RECEIVERS all checked and serviced in our own workshop, offered with a 6 months warranty (full spec. on this superb receiver on request.) £260.00 buyer to collect by arrangement.

RA218 SSB ADAPTOR for use with the RA117E Receiver in as new condition £150.00 Carriage £20.00.

AVO 8 MK5 MULTIMETERS used but in excellent condition with leads and case all meters have been calibrated. Superb buy at ONLY £85.00, carriage £10.00.

AVO MINOR MULTIMETERS (list price over £80.00) our price unused £40.00 used tested £20.00 p.p £2.00.

CT436 OSCILLOSCOPES DC to 6MHz bandwidth 23 valves, size 10 x 9 x 14" deep with copy of manual, all in excellent condition, ONLY £70.00, carriage £15.00.

D465 TEKTRONIX OSCILLOSCOPES OC to 100MHz bandwidth, usable to over 160MHz, all solid state portable unit supplied in excellent condition size 11 x 6 x 16" deep, £400.00, carriage £15.00.

CT402 SIGNAL GENERATORS (this is the services version of the MARCONI TF995A2 generator) fitted in a sealed metal case, size approx 17 x 20 x 10", frequency range 1.5MHz to 220MHz AM/FM, supplied in v/good condition, with leads, attenuators and matching pads etc. BARGAIN at ONLY £90.00, carriage £15.00.

MARCONI TF 2015 SIGNAL GENERATORS 10 to 510MHz AM/FM all solid state small size 10 1/2 x 5 x 10", from £295.00.

AMPLIVOX ASTROLITE HEADSETS with Boom Mic, as new £15.00 p.p. £2.00.

FM TUNER HEAOS 88 to 108MHz. 10.7MHz IF output. 4 transistors, could possibly be modified to airband (no info) unused only £6.00 p.p. £1.50.

MAGNETIC DEVICES AERIAL RELAYS as used in PYE W15, W30, AM10 radiotelephones, new unused 2 for £3.00, p.p. £1.00.

SCOTCH 224DP Hi-Fi 1/4" recording tape 1200ft on 5" reels in library box brand new unopened boxes only £2.00 ea. p.p. (£1.00 up to 5 otl) box of 10, £19.00 post paid.

WANTED for my own private collection: WWII military radios — Spy sets, AR11, B1, B2, etc. SX28, BC453, BC 454, command RX's — Top prices paid

CALL 0788 76473

151A BILTON ROAD, RUGBY, WARWICKSHIRE CV22 7AS

Shop open Monday-Saturday 9.30-1pm, 2.30-5pm Closed Wednesday



BORDER

COMMUNICATIONS LTD.
VOICE & DATA COMMUNICATIONS

091 410 6969

*For all your
amateur radio
requirements*

LARGEST AMATEUR RADIO DISPLAY IN THE NORTH EAST

Visit our new showrooms where
you will find a warm and friendly service

AUTHORISED SUPPLIERS FOR:

STANDARD * NAVICO * I.C.S. * JAYBEAM

KENT KEYERS * SISKIN * REVCO * SANDPIPER

DISTRIBUTOR FOR HEDLEYS

HEDLEYS TELESCOPIC STEELBOX TOWERS

Locally manufactured, excellent quality

Courses available throughout the year
ranging from construction to guest
speakers, video presentation etc.

● Officially appointed OPUS computer suppliers

FOR
TECHNICAL
QUERIES
ASK FOR HUGH
G3 JDO

Communications Centre
Units 8a to 8c
Drum Industrial Estate
Chester-le-Street
Co. Durham DH2 1SX
091 410 6969

FOR
PACKET
QUERIES
ASK FOR ALEX
G1 FBY

EASY ACCESS WITH PARKING
OPEN 6 DAYS FROM 9am to 5.30pm
For further details please send S.A.E.

TV

MASTERS

The Antenna Specialists

From a simple ground plane to a 48 element parabam, we can supply the lot! Tribanders, duobanders, beams for 6m, 4m, 2m and 70cm, 23cm and mobiles. Plus G5RVs, rotators, coax, masts and accessories. RSGB books. Mail order available. Callers welcome at Northampton's sole Jaybeam agents.

For full pack inc handbook, please send 30p stamps. For advice call John or Dave G1RVX on 0604 37769

52 St Andrews Street, Northampton
(next to North Bucks Home & Garden Centre)

The 'CHIP' SHOP (Semicons) Ltd

*You need ICs for projects! Shop at the
'CHIP' SHOP for the best service in the business.*

NE602 £2.84 — NE604 £5.50 — MC3356 £3.50
— TDA7000 £4.00 — SO42P £2.25 — V30 CPU £10.50
— V20 CPU £10.50 AND ALL CHIPS FOR 'PACKET'

Full range of Memories TTL HC CMOS, Timers, LED's, Xtal's etc.

Send SAE for list — Please add 75p P&P

PLEASE NOTE — WE ARE CLOSED 12 APRIL-1 MAY



Roger G8ILD Tel: 061 483 1989 Chris XYL



6 Bean Leach Drive — Otterton — Stockport — Cheshire SK2 5HZ

LOSING DX?

ANTENNA NOISE BRIDGE, lind faults FAST, measures RESONANCE
1-160MHz and RADIATION RESISTANCE 2-1000ohms —
without transmitting, ideal for loops, £27.90, get MORE DX.
TWO TONE OSCILLATOR, check your linear, £21.90.
Each kit includes all parts, case, pcb and postage etc.

CAMBRIDGE KITS

45 (RD) Old School Lane, Milton, Cambridge

VALVES VALVES VALVES

The following valves in matched pairs 6JS6/C, 6KD6, 6JB6/A, 6LO6, 6HF5, 6146A, 6146B. YES the 6JS6/C is Japanese and works in the FT101. Most amateur radio valves including difficult to obtain types **EX STOCK**. Quotations without obligation. If we don't stock your type we may be able to import for you, **PLEASE ENQUIRE**. **REMEMBER** over 200 types **EX STOCK**. See for list 'Phone for assistance re types suitable for your equipment. USA and Jap manufacture of popular types available.

DON'T DELAY 'PHONE TODAY 045 75 6114, G4AZM
Wilson, Peel Cottage, Lees Road, Mossley, Lancs OL5 0PG

STAR ELECTRONICS TYNE AND WEAR

We are authorised dealers for Revco, Oscar, Navico, Met
Antennas, G Whip Products, ERA and Howes. Full range of
Plugs, Cables, Components etc.

Call us for genuine secondhand equipment bargains backed
by our service department.

Prompt mail order.

Open 10am-5pm Monday-Saturday

Unit 5C Robert Frazer Ind, Estate, Station Road, Hebburn,
Tyne and Wear NE31 1DB.



For a quote
call us on **0836 293738**



D A T O N G
ELECTRONICS LIMITED

Clayton Wood Close
West Park
Leeds LS16 6QE
Tel: 0532 744822
Fax: 0532 742872

For products you can rely upon to give amazing results

For information on **Active Antennas, RF Amplifiers, Converters, Audio Filters, the Morse Tutor and Speech Processors** send or telephone for a free catalogue and selective data sheets as required.

All our products are designed and made in Britain.
Orders can be despatched within 48 hours subject to availability.



— VISA AND ACCESS WELCOME —



EASTERN COMMUNICATIONS


RADIO AMATEUR, MARINE, PMR, AERONAUTICAL & CELLULAR COMMUNICATION SYSTEMS

INTO THE 1990's - To celebrate Eastern Communications' 10th anniversary we will soon be opening new offices and showrooms for the R.F. Division. Watch this space for further details! Thank you for your support in the past and we look forward to your continued custom.

Fred G4HXX, Tim G4CTT



TS-950SD



IC735



FT-1000

KENWOOD ICOM YAESU

JAYBEAM - MICROWAVE MODULES - DEE COMM - S.E.M. - CAP.CO - BNOS - KENT - LOWE - DATONG - AKD - JUPITER - ICS - DAIWA



0692-650077

CAVENDISH HOUSE
HAPPISBURGH, NORFOLK

SEE US ON STAND A17 NEC BIRMINGHAM 21-22 APRIL



SITUATED AT SOUTHERN END OF M23 — EASY ACCESS TO M25 AND SOUTH LONDON

HF TRANSCEIVERS	
TS950S	£395.00
TS940S	£1995.00
TS440S	£1138.00
TS140S	£882.00
TS680S	£985.00
FT757GX2	£960.00
FT767GX	£1599.00
FT747GX	£650.00
IC785	£2499.00
IC751A	£1500.00
IC735	£679.00
IC725	£750.00
IC726	£849.00

ANTENNA TUNER UNITS	
FRT 7700	£50.00
FC 757AT	£349.00
AT 230	£208.00
AT 250	£366.00
IC AT 100	£370.00
MFJ 941D	£105.00
MFJ 949C	£158.00

MORSE KEYS	
Kent Morse key kits	£33.50 2.50
Kent Twin-paddle kits	£42.50 2.50
Hi Mound MK704	£20.00 2.00
Hi Mound MK706	£22.00 2.00
Vibrotex original std	£81.79 2.50
Vibrotex lmbic std	£77.00 2.50
Benchat BY2 Chrome base	£76.97 2.50

POWER SUPPLIES	
BNOS 12/5E	£74.75 5.00
BNOS 12/20E	£178.25 5.00
DRAE 6 amp	£84.99 3.00
DRAE 12 amp	£113.18 5.00
DRAE 24 amp	£163.42 5.00

2M TRANSCEIVERS	
TH25E	£238.00
TH205E	£199.00
TH215E	£228.00
TS711E	£594.00
TR751E	£599.00
TM231E	£280.00
FT411 - FNB10	£259.00
F1290R II	£429.00
F1211RH	£309.00
F1212RH	£349.00
IC2GE	£285.00
IC290D	£358.00
IC228H	£385.00
IC275E inc PSU	£108.00
IC2SE	£275.00
IC2SET	£295.99

70cms TRANSCEIVERS	
TS 811E	£999.00
1R 851E	£699.00
TH405E	£245.00
TH415E	£280.00
F1 790RH	£499.00
F1 711RH	£349.00
FT 712RH	£375.00
IC 4GE	£299.00
IC4SE	£310.00
IC 448E	£429.00

FILTERS	
AKD IFFI	£6.75 1.00
AKD Broad Breaker	£6.75 1.00
AKD Notch Filter	£7.75 1.00
BNOS Low pass filter 6m	£29.99 1.50
LF30A Low pass filter	£32.26 2.00

DUAL BAND TRANSCEIVERS	
TM 721E	£699.00
TS 790E	£1495.00
FT470R - FNB10	£423.50
FT738R	£1359.00
FT 4700RH	£675.00
IC 32E	£399.00
IC 321DE	£499.00
IC 2400E	£635.00
IC2500E	£675.00

RECEIVERS	
HF225	£399.00
ICR71	£855.00
IC200	£595.00
VC10 VHF Converter	£165.00
FRG8800	£649.00
FRV8800 VHF Converter	£100.00
R5000	£875.00

SCANNING RECEIVERS	
IC R7000	£599.00
FRG 9000M	£509.00
RZ1	£405.00
AR 2002	£497.00
R 535-Airband	£249.00
Standard AX700E	£375.00



FAIRMATE HP100E
Ultimate pocket scanner
★ 1000 channels
★ 25-550 & 830-1300 MHz
★ AM, FM & wideband FM
£299

ANTENNA RANGE	
J Beam 'Minimax' — Tribander	£379.35
J Beam TB3 MK3 — Tribander	£365.70
Butternut HF6VX	£192.65
Butternut HF2V	£103.30
Cushcraft A3 Tribander	£299.00
Cushcraft 2M 215WB	£28.00
Tonna 2050S 5 ele 50mhz	£50.72
Tonna 2080S 9 ele 144mhz	£33.12
G Whip tribander, 10.1.5 & 20M	£44.00

PALOMAR ANTENNA PRODUCTS	
Antenna Noise Bridge — up to 100 mhz	£59.95
Tuner — Tune you ATU without transmitting	£99.95
L E D. S W R Meter — Auto S W R up to 2kW p e p.	£124.95
91 Balun for 1/4 In 27FD Antenna	£25.95

CO-AXIAL SWITCHES	
SA450 2 way SO239	£19.40 1.50
SA450N 2 way N	£28.99 1.50
Disc 3 way SO239	£28.16 1.50
Disc 3 way N	£28.11 1.50
CS4 4 way BNC	£30.39 1.50
MFJ-1701 6 way SO239	£30.72 1.50

ANTENNA BITS	
Hi-O Balun 1:1 5kW PEP	£10.95 1.50
Bicommm Balun 4:1 1kW	£14.95 1.50
Bicommm 7:1 MHz Epoxy Triep4 (pair)	£12.85 1.50
Self Amalgamating Tape 10M x 25MM	£4.25 0.75
T-piece polyprop Dipole centre	£1.00 0.25
Small ceramic egg insulators	£0.85 0.20
Large ceramic egg insulators	£0.95 0.20

CABLES ETC	
URM 67 low loss coax 50 ohm per metre	£0.05 0.25
UR 75 50 ohm coax dia. 5mm per metre	£0.35 0.10
UR 70 70 ohm coax per metre	£0.35 0.10
UR 95 50 ohm coax dia. 2.0mm per metre	£0.40 0.10
4mm Polyester Guy Rope (400kg) per metre	£0.25 0.10
50mtrs 10 swg hard drawn copper wire	£10.95 2.00
75 ohm Twin Feeder Light Duty per metre	£0.25 0.10
300 ohm Slotted Ribbon Cable per metre	£0.32 0.10

GOODS NORMALLY DESPATCHED WITHIN 24HRS PRICES CORRECT AT TIME OF GOING TO PRESS — E&OE MAIL ORDER & RETAIL

BREDHURST ELECTRONICS LTD, HIGH ST, HANDCROSS, W. SUSSEX RH17 6BW (0444) 400786
Open Mon-Fri 9am-5pm except Wed 9am-12.30pm. Sat 10am-4pm

Packet Radio. A new name, an innovative product.

RLC-100 4 port Packet Radio Controller, for the IBM PC and compatibles

£289

A new product for the Radio Amateur from a leading UK commercial communications company - Thor Electronic Systems.

Features:- High Quality 2/3 length 8 bit PC card High spec modem devices 12 Months warranty
4 Independent radio ports Up to 4 cards (16 ports) per PC 4 Modem disconnect headers

Ideal for Network Nodes, Mailboxes or multi-channel working. Includes latest version of BPQ, W0RLI, terminal and 'auto-configuration' software. Please call or write for further information. Other products include G4FAT Complete Station Logbook for the PC, second-user, reconditioned PC components, with 3 month guarantee.



Lion Systems Ltd, Lion House, 56 Lowcsmoor, Worcester, WR1 2SE
Tel (0905) 24180 Fax (0905) 24721



QUARTZ CRYSTALS

QuartzLab MARKETING LTD

P.O. Box 19 Erith Kent DA8 1LH
Tel: (0322) 330830 Fax: (0322) 334904

Telex: 8813271 GECOMS—G
(Attention QUARTSLAB)
An SAE with all enquiries please
PRICES INCLUDE VAT

STOCK CRYSTALS

CRYSTALS FOR 2 METRES
IC25 £2.70 FOR ONE CRYSTAL OR £2.50 EACH FOR 2 OR MORE
TX CRYSTALS
12MHz 30 0 40pF
RX CRYSTALS R0-R7, S8-S23
44MHz Series Res
14MHz 300pF
Scanner Crystals
1589 crystals £2.45
CONVERTER CRYSTALS IN HC18/UT AT £3.30 each
22 00 38 65 42 00 96 000 116 000
FREQUENCY STANDARDS £3.20 each
HC6-U 100kHz 10 000MHz
HC16-U 100kHz 7 00MHz 18 00MHz 10 70MHz 48 00MHz 100 00MHz
TONEBURST I.F. & MPU CRYSTALS IN HC14 £2.80 each
7 165 MHz (For 1750 Hz Tone), 10 245 (For 10 7 1 F)
3 2760 0 000 5 0688 10 2450 15 0000
YAESU CRYSTALS FOR FT101 & FT901 & etc £4.40 each
Many available ex stock (A list is available on request please send SAE)

Full list available on request, please send SAE
PRICES INCLUDE VAT

MADE TO ORDER CRYSTALS

FUNDAMENTALS
FREQUENCY RANGE PRICE
1 TO 1.5MHz £12.40
1.5 TO 2.0MHz £5.90
2.0 TO 6.0MHz £5.50
6 TO 20MHz £5.25
21 TO 25MHz £7.50
OVERTONES
FREQUENCY RANGE PRICE
3rd OVT 21.00 TO 85.00MHz £5.25
5th OVT 60.00 TO 110.00MHz £5.80
5th OVT 110.00 TO 125.00MHz £0.80
7th OVT 125.00 TO 175.00MHz £10.00
DELIVERY
2 0 to 175.0MHz 2 weeks approx. 1 TD 1.499MHz 3 to 4 weeks
Unless otherwise requested fundamentals will be supplied for 30 pf load capacitance and overtones for series resonant operation
HOLDERS — PLEASE SPECIFY WHEN ORDERING — else HC25/U supplied for XTALS above 3MHz
HC6/U & HC33/U 1-175MHz
HC18/U & HC25/U 2-175MHz
HC17 Add £0.50 HC45 Add £3.75
DISCOUNTS Price on application for 10 + units to same frequency/spec or bulk purchases of mixed frequencies
COMMERCIAL CRYSTALS available on first delivery and at competitive prices
EMERGENCY SERVICE: FOR XTALS 1 to 175MHz Add the surcharge for each XTAL Days refer to working days 4 days + £12, 6 days + £7, 8 days + £5, 13 days + £3
CRYSTALS SOCKETS HC25 £0.25 ea HC6 £0.30 ea MINIMUM ORDER CHARGE £1.50 unless ordered with crystals
TERMS Cash with order post inc to UK & Ireland Cheques & PO's to QSL LTD

PRICES INCLUDE VAT

ENTERPRISE ERADIO APPLICATIONS LTD.



ERA LTD
26 CLARENDON COURT
WINWICK QUAY
WARRINGTON WA2 8QP
Tel: (0925) 573118



Prices

MKII MICROREADER £154.95
BP34 AUDIO FILTER £99.50

including VAT and p&p

Sorry about the price increase but when you consider a MKI Microreader with RS232 & tutor cost £149.95 in 1987 we think you will agree that it was needed


MKII MICROREADER

The Microreader is a small compact unit that allows anyone equipped with a suitable SW receiver, to read Morse & RTTY signals simply and without fuss. No computers, interfaces or program tapes are needed, just connect the Microreader to the ear or speaker socket & switch on. The decoded words appear on the built-in 16 character LCD display screen.

The Microreader contains all the filtering & noise blanking needed to allow reception even under bad conditions. A three colour bargraph tuning indicator makes precise tuning simple, while shift indicators take some of the guess work out of RTTY. Despite the fact the Microreader contains two fast processors (12 MHz), it is extremely quiet generating virtually no RFI. The Microreader can also if you wish, transfer the decoded messages to any printer, computer or terminal unit equipped with an RS232 port.

In the tutor mode, the Microreader will send random groups of characters with variable speed & spacing, or plug in your own Morse key to check your sending. In both cases the characters are shown on the display.

To order or for more information on any of our products, ring or write.
All Products unconditionally guaranteed for 12 months.



SEE
REVIEW
PW SEPT. 89

Following in the footsteps of the BP20 the BP34 combines ease of use with performance not found in any other filter in the amateur market.

BP34 FEATURES

Easy to use — The one knob design allows total concentration on the signal.

High Performance — 34 orders of filtering results in 80dB (min) stopband: ripple less than 0.3dB.

High Quality — Use of high quality components ensures performance & reliability.

"Without doubt, the BP34 is the best filter I have used." (Rev George Dobbs G3RJV.)

B. BAMBER ELECTRONICS

TRADE DISPOSAL SALE — ALL LOTS SOLD AS SEEN

Lot 1 Watcold environmental cabinet £300
Lot 2 Leda numbering machine£80
Lot 3 Elite pinning machine£80
Lot 4 Hiltcraft bowl feed unit£450
Lot 5 Fry flowweave soldering machine £500
Lot 6 Griffin industrial oven 2/250FC £300
Lot 7 DEK 1150 Screen washer & material recovery unit£100
Lot 8 GTCO Datetizer tablet£100
Lot 9 Dawe welding head 1133/220 sonic wetder power unit£150
Lot 10 Honewell color graphic camera model 4007£150
Lot 11 2 Advance AF generator type J mod 1£30
Lot 12 2 Marconi power meter TF893A £30
Lot 13 200 x 3 1/4 empty tape spools£10
Lot 14 6 Avo meter model 7£90
Lot 15 2 Marconi electronic voltmeter TF2604£60
Lot 16 Marconi FM/AM modulation meter TF2303£220
Lot 17 2 Pye base stations type F30FM mid band£100
Lot 18 2 hydraulic fluid sampling kits £240
Lot 19 Approx 3,200 microphone inserts£490
Lot 20 Pye base station type F401, high band£150

All prices exclude VAT

Lot 21 Marconi FM/AM modulation meter TF2300A£150
Lot 22 2 Pye base station type F30AM, low band£40
Lot 23 2 Pye base station type L470£40
Lot 24 Pye base station type F30FM low band£50
Lot 25 Broadcast camera zoom lens ...£250
Lot 26 3 Grundig camera with zoom lens£90
Lot 27 67 Pye Westminster motor cycle sets W15FM low band£670
Lot 28 Pye encoder type PC90C£50
Lot 29 2 Pye controller PC2£100
Lot 30 2 Pye controller type PC1£120
Lot 31 2 Pye base station type F414£100
Lot 32 7 Pye Pocketfone type PF85 LVU with charger type BC21£650
Lot 33 Pye Pocketfone P5000 cer adeptor£40
Lot 34 Pye Pocketfone P5000 battery charger type BC29£40
Lot 35 7 Pye Westminster type W15AM high band£70
Lot 36 2 Pye Radiophones type M9140 £50
Lot 37 5 Pye Pocketfone type P5012 (UHF)£300
Lot 38 14 Pye Radiopagers type PG1FM high band£280
Lot 39 2 pairs Pye Pocketfones type PF1£25
Lot 40 3 Pye radiophones type M4000 £60

Callers welcome by appointment only

Lot 41 2 Pye Olympic type M203 low band£30
Lot 42 2 Pye Base station type F30AM high band£80
Lot 43 9 Pye M293 low band£900
Lot 44 19 Pye Pocketfones type PF2AM with batteries, chargers, etc£400
Lot 45 5 Pye M293 high band£700
Lot 46 4 Pye Europa type MF5FM/S/6 mid band£50
Lot 47 5 Avo meter model 8£100
Lot 48 2 Pye power units type AC200 £200
Lot 49 10 Pye Reporters type MF6AM low band£350
Lot 50 Pye controller M82£190
Lot 51 Marconi circuit magnification meter type TF1245 & oscillators TF1246 1247£300
Lot 52 2 Pye M296 (UHF)£200
Lot 53 7 Pye Pocketfone battery testers type BT1£20
Lot 54 3 Solartron Oscilloscopes type CD1400£150
Lot 55 Pye Olympic type M201 low band£30
Lot 56 Pye Olympic type M201 high band£30
Lot 57 11 Pye Pocketfone PF2£100
Lot 58 6 Pye base station microphones £100
Lot 59 2 Pye base station F401 low band £100
Lot 60 3 Pye Westminster type W30AM low band£30

Carriage & packing available, at cost

VISA

5 STATION ROAD, LITTLEPORT, CAMBS CB6 1QE
PHONE: ELY (0353) 860185



QRP KITS AT QRP PRICES!

Guaranteed complete to the last nut!

COMPACT 80m CW QRP Tx/Rx

DTR3 Kit — £81.00 Ready Built — £130.00

- ★ Stable VFO ★ Sidelone ★ Audio Filter
- ★ Requires 12/14 VDC ★ Very detailed instructions ★ Black steel case ★ Printed panel

COMPANION ANTENNA TUNING UNITS

TU1 Kit — £39.25 Ready Built — £54.50
TU2 Kit — £49.50 Ready Built — £68.50

★ Large dia. coil ★ High grade capacitor ★ Built in balun ★ Circuits to match your antenna ★ Up to 30 Watts of CW ★ TU2 has sensitive QRP/SWR meter

QRP SWR METER

- ★ Specially designed for QRP ★ HF 1-30MHz
- ★ Can be set down to 1/2 watt for FSD
- ★ Ideal for milliwatting ★ Low insertion loss 0.2dB
- TUA1 Kit — complete case & meter £17.00

CARLTON

80-40-20m Dc Rx

- ★ Receives USB, LSB and CW ★ Very sensitive and selective ★ Simple modular construction
- ★ 12-14 volt battery operated ★ Printed labels
- Kit complete with case — £66.50


PSU 15 REGULATED POWER SUPPLY

- ★ Ready built ★ Mains Input ★ 13.8V @ 1.5A output ★ Ideal for DTR3 & 'Carlton' ★ Fully protected
- Supplied ready built — £49.50

Send SAE for brochure or call Alan G4DVM on 0602 382509

LAKE ELECTRONICS

7 Middleton Close, Nuthall, Nottingham NG16 1BX
(callers by appointment only)



PACKET RADIO FROM THE SPECIALISTS!

See us at NEC Stand B4

Siskin Electronics have a policy of supplying the best range of packet radio equipment available for the radio enthusiast. We have examined the products of many manufacturers and are pleased to be able to offer what must be the widest range of equipment available from just one UK supplier. All prices include VAT and were valid when going to press.

PACQUIM

HANDIPACKET (LeTNC).....£199.00
MICROPOWER-2.....£149.00
MICROSAT PSK MODEM New! £189.00
PC-120 dual port PC specific card £139.00
PC-320 dual port PC card.....£189.00
TINY-2 with PMS.....£129.00
TNC-320 dual port In Stock!.....£179.00
9600 baud modem.....£ 95.00
REAL TIME CLOCK.....£ 29.95

AEA

PK232 best selling multimode.....£289.95
AM1.3 AMTOR/RTTY New!.....£169.95
PK32 MAILBOX.....£319.95
PK32 MAILBOX upgrade.....£POA

KANTIRINICS

DVR 2-2 two metre data radio.....£199.00
KPC2 11/11F with Wifax.....£165.00
KPC4 11F/11F dual port.....£247.00
KM all mode with Welax.....£285.00
"Smart Watch" 11 all time clock.....£ 29.95

IPHATES

The latest firmware revision with minimal fees and expense! PHONE FOR DETAILS

If it's in stock (and it usually is!) we will dispatch it to you same day!

NOTE: Prices do not include carriage

Siskin Electronics Ltd

2 South Street,
Hythe, Southampton,
SO4 6LB.

Tel: 0703-207155

FAX: 0703 847754

PACKET ACCESSORIES

ATARI Portfolio PC New!.....£249.99
ATARI 520STE + "HamPack".....£289.95
ATARI 1040STE + "HamPack".....£479.95
32K (162256) static ram.....£ 12.50
Custom made audio 11adv front.....£ 11.95
In house custom RS232-TNC lead service!
AMSTRAD 464/664/6128 or
PCW 8256/8512/9512 RS232 I/F.....£ 69.95

TRANSCEIVERS/RECEIVERS

HF-275 Gen. Coverage Receiver.....£395.00
Navico AMR 1000 Transceiver.....£247.00
Navico AMR 1000S Transceiver.....£299.00

SOFTWARE

(Packet, AMTOR, RTTY & FAX etc.)
We supply suitable software for most computers FREE of charge with all TNC purchases.

STUPPRESS:

MNP-5 Quad telephone modem.....£POA
EURAD SMD commercial TNC.....£POA
TOR - Incommertial TOR Index unit.....£574.95



QUALITAS RADIO

High performance VHF/UHF
GaAsFET masthead preamplifiers by
Landwehr Electronic of
West Germany

WRITE OR SEE LAST MONTH'S RADCOM FOR DETAILS
OR WRITE OR PHONE FOR FREE DATA SHEET

Landwehr Electronic preamps are available exclusively through
QUALITAS RADIO, 23 Dark Lane, Hollywood, Birmingham,
B47 5BS. Tel: 021 430 7267.

QUARTZ CRYSTALS - THE SAME DAY

At McKnight we specialise in manufacturing almost any crystal for despatch on the same day, if an order is received by 10 a.m. Tell us the frequency and type of holder you want, plus as much information as possible about the radio or circuit and we'll start work immediately. We can even work from samples where necessary. All crystals are made to order in high stability cold-weld seals.

One charge of £13.50 covers everything including VAT and 1st Class post.
Call now and order by credit card

0703 848961



Amateur Radio Division (Dept X)
Hardley Industrial Estate, Hythe, Southampton SO4 6ZY

Probably the finest morse key in the world!



The ME605

Now you can buy the ME605 Professional Morse Key, previously only available to Government Agencies and Defence Contractors.

Its balance and feel is incomparable. Thousands in use by training and operational personnel worldwide.

ALSO AVAILABLE: Professional headsets • Morse training/radio procedure trainers • Morse encoders/decoders
• Accessories • full 'custom' manufacturing.

For full details and prices call Carol or Nikki on 0442 890890.

MORSE EQUIPMENT LIMITED

70-80 Akeman Street, Tring, Herts HP23 6AJ, United Kingdom
Tel: 0442 890890 Fax: 0442 891155 Telex: 83262 BATECO G



DAVTREND LIMITED

Unit 7a, Filzherbert Spur, Farlington, Portsmouth PO6 1TT
Telephone: (0705) 372004 Fax: (0705) 326307

Introducing the new VHF WAVEMETER for 2 meters



The DRAE VHF wavemeter is designed for use with amateur band VHF transceivers. It can be used to check the level of harmonics (up to the 3rd), spurs, and also that the multiplier chains are set to give the correct multi ple.

The wavemeter uses p.c.b. coils (for stability) and hyper-abrupt varicap diodes to pick out the desired frequency. A schottky (hot carrier) diode detector rectifies the signal to drive the meter, working efficiently even at 450MHz. A regulated 24 volt is generated from the PP3 battery by a switching regulator.


Price £35.94

13.8V LINEAR POWER SUPPLIES	PRICES (including VAT & Carriage)
Sell Reseting OVP	4 Amp £ 57.39
Thermal Trip	6 Amp £ 84.99
Regulation <1%	12 Amp £113.10
Ripple and Noise <10mV Pk-Pk	24 Amp £163.42

**For free brochures,
please send SAE**

We also design and manufacture custom power
converters for Telecoms, Railway and Industrial
applications.

PROFESSIONAL POWER SUPPLIES FOR THE RADIO AMATEUR



YAESU • REVCO • G. WHIP • DRAE • STAR MASTERKEY • WELZ • DATONG • I.C.S. • NAVICO • ICOM

AMATEUR RADIO COMMUNICATIONS LTD.

AUTHORISED ICOM, YAESU AND STANDARD DEALER

STANDARD C528

- Direct 13.8V in for 5 Watts out
- VHF 2.5W, UHF 2W with CNB151 N-Cad pack
- Dual displays
- Power save function
- Multiple memories
- Priority channel
- Tone squelch (option)
- Programmable offsets
- Coded paging function
- Various scanning modes
- Programmable step sizes
- 144-146 VHF, 430-440 UHF, 800-975 Rx only
- Separate Vol. & Squ. controls for each band

PRICE £379

POINTS TO CONSIDER WHEN CHOOSING THE EMPORIUM TO BUY YOUR NEW RIG FROM:

- 1 The largest selection of new and secondhand equipment in the North of England
- 2 All demo transceivers are available for back to back tests enabling you to choose the make or model best suited to your requirements.
- 3 Adequate stocks of all equipment kept
- 4 98% of all servicing and guarantee work carried out in house - often while you wait, therefore eliminating the 2 or 3 weeks delay while your equipment is returned to the main importer
- 5 A friendly and expert advice service both technical and practical.

OUR AIM IS 100% SATISFACTION



**IC-765 FREE SM6
£2249**

25-500 and 850-1300

**JUPITER BASE
MVT6000
£379 incl. P.S.U.**

**JUPITER H/HELO
MVT5000 £299**

- External: 12V DC
- Internal: 4 x HP7 batts
- Telescopic Whip
- BNC Socket



IC-2SE

**RX Coverage
80-180MHz
£275**



NOW IN STOCK The Ultimate in Pocket Scanners

**NEW
FAIRFATE HP-100**

- 25.5-0.830 1300MHz coverage
- 1000 channel memory
- 10 independent search bands
- Compatible with nicads, 2 antennas, carrying case, etc.

£299

Phone for more details

**ALWAYS A GOOD SELECTION
OF SECOND HAND AND
COMMISSION SALES, PHONE
FOR MORE INFORMATION.**

HF Log for the Amiga Computer Card
Index/Contest log/dupe sheet. Will hold
4000 entries.

£12 + £2 P&P



**38 Bridge Street, Earlestown, Newton-le-Willows,
Merseyside WA12 9BA. Only 1 mile from Junction 23 — M6**

Telephone: N-le-W (09252) 29881

Fax No: 09252 29882

OPEN TUES-SAT 10 a.m. - 5 p.m.



INSTANT FINANCE AVAILABLE SUBJECT TO STATUS

Prices correct at time of going to Press.

E & EO.

MICROWAVE MODULES • TONNA • JAYBEAM • SANDPIPER • BNOS • AKO • CAPCO • REVEX • STANDARD

Versatower: XXV+ Still first choice

A range of telescopic towers in static and mobile models from 7.5 to 36 metres with tilt-over facility enabling all maintenance to be at ground level.

Designed in accordance with CP3 Chapter V: part 2: 1972 for a minimum wind speed of 85 mph in conditions of maximum exposure and specified by professionals world-wide where hostile environments demand the ultimate in design, quality and reliability.



Available from
Strumtech Versatower Limited,
Portland House, Coppice Side,
Brownhills, Walsall, West Midlands
WS8 7EX, England.
Telephone: (0543) 452321
Telex: 335243 SEL G.
Fax: (0543) 361050

Agents in
West Germany, France,
Netherlands, Belgium, Sweden,
Switzerland, Norway and Italy.

VERSATOWER RANGE

	Sections	Retracted	Extended
	No.	M.	M.
Mid Series	3-4	4.5	9/10
"E" Series	3	0.7	13.7
Standard			
Series 13M20	2	7.8	12.0
	3	8.0	18.0
	4 + Tube	0.15	24.0
Heavy Duty			
16M20	2	7.8	12.0
	3	8.0	18.0
	4 + Tube	0.15	24.0
	5 + Tube	0.25	30.0

Retracted - Extended heights listed, nominal only

Extended Height: Ground level to centre of Array.

All applications subject to:
Maximum permissible head load - weight/area.
Exposure of location - maximum wind speed.

Note models marked * supplied with obligatory
Guys.


All models - choice of ground mounting.

Technical Staff available to advise on model
selection.

Authorised Dealer
South Midlands
Communications Ltd
School Close
Chandlers Ford Industrial Estate
Eastleigh
Hants. SO5 3BY

COME AND SEE US AT NEC!

BRITAIN'S FINEST HAND BUILT MORSE KEYS. ALL GUARANTEED AND MADE FROM TOP QUALITY MATERIALS. WE STOCK ONE OF THE LARGEST SELECTIONS, AND OUR KEYS ARE RENOWNED WORLD WIDE.



TROPIC MODEL

G4ZPY PADDLE KEYS

Send for our Illustrated Brochure - 4 1/2" x 8 1/2" SAE 10

41 Mill Dam Lane, Burscough, Ormskirk, Lancs L40 7TG
Phone No. 0704 894299



HATELY ANTENNA TECHNOLOGY GM3HAT

1 Kenfield Place, ABERDEEN, AB1 7UW, Scotland, UK
Phone Orders, Evenings 6.30 to 9.30 on (0224) 316004

DIPOLE OF DELIGHT

High Power	2kW DC Input	Lengths	Medium Power	200W DC Input
DD 7/14/21/201	£80	21m (69ft)	MP DD 7/14/21/28L	£40
DD 3 65/7	£86	42m (139ft)	MP DD 3 65/7	£48
DD 14/21	£59	10 7m (36ft)	MP DD 14/21	£31
DDM 14	£30	10 7m (36ft)	MP DDM 14	£16
DDM 21	£25	7m (24ft)	MP DDM 21	£15
DDM 28	£24	5m (17ft)	MP DDM 28	£14
DD 7/21	£52	21m (69ft)	MP DDM 50	£13
DDM 10	£46	15m (50ft)	MP CL 14	£29
CL 24	£30	3 5m x 3 5m (10ft sq)	MP CL 21	£24

All above are mostly 7 days delivery. Prices include UK VAT and POSTAGE. Foreign orders same prices, which includes airmail postage, but not final import taxes. Money back guarantee on all above if returned within 1 month.

CROSSED FIELD ANTENNA Ground Plane Kit GP3 Prices maintained £400 incl VAT & Postage, UK.
Patent applied for UK 2,215,524, other pending also. Air Parcel rates: £450 Europe, £500 USA etc.

NEW PRODUCT CALIBRATION LOAD and WATTMETER for 50ohms 1kW short term, 100W continuous. Price £65.
Proprietor: Maurice C Hately, MSc FIEE, Chartered Electrical Engineer, GM3HAT,
TECHNICAL DETAILS and FULL PRICE LIST need 4 First Class Stamps or Three IRC's

LOUDENBOOMER

400w o/p, Mains Powered, 9 Band H.F. Linear.

Introductory Offer only £499, direct from the designers and manufacturers:
S.R.W. Communications Ltd, ASTRID House, The Green, Swinton, MALTON, North
Yorkshire YO17 0SY. Tel: Malton (0653) 697513

Please write or phone

Steve Webb G3 TPW

for more details and leaflets.

LOW COST KITS for 160-20m

All modular, simple but effective rigs for the novice and the more experienced...

QRP CW TX, vfo, semi break-in, 5-1 watt out £20.00
DC RX, cw/SSB, audio filter, output for speaker £30.00
CW TRANSCEIVER with above features and sidetone £50.00

Please add £1 p&p. Send SAE for details

JANDEK 6 FELLOWS AVENUE, KINGSWINFORD
WEST MIDLANDS DY6 9ET Tel: 0384 288900

RADIO
BYGONES

Visit our stand at the
NEC

In Our February/March Issue:

The Birth of the Collins R390A Receiver
Wireless and the Metropolitan Police
New series: Servicing Equipment of Bygone Days

Annual subscription (6 issues) £12.00 to UK addresses
(£13.00 overseas), or for a sample copy, send a cheque or
postal order for £2.20 (£2.40 overseas) to:

G C Arnold Partners (RM), 8A Corfe View Road,
Corfe Mullen, Wimborne, Dorset BH21 3LZ

Payment by Access/Mastercard or Visa also welcome

STEPHENS-JAMES LTD.



47 Warrington Road, Leigh, Lancs WN7 3EA. Telephone (0942) 676790
Turn at the Greyhound Motel on the A580 (East Lancs. Road).



LANCASHIRE & THE NORTH WEST'S LEADING RETAILER IN AMATEUR RADIO.

ANTENNA RANGE

Cushcraft	
A3 3 Element Tribander Beam	£329.00
A3 4 Element Tribander Beam	£353.35
10-3CD 3 Element 10m Monobander	£115.04
15-3CD 3 Element 15m Monobander	£139.70
20-3CD 3 Element 20m Monobander	£238.21
AP5 5 Band Vertical 25ft High	£184.35
AP5 5 Band Vertical 25ft High	£123.38
18 Element 2m Boomer Antenna	£106.59
15 Element 2m Boomer Antenna	£85.26
Ringo Ranger 2m antenna	£42.95
R5 New 5 Band Vertical Roof Mounting	
No Radials	£259.00
D3W 10-16 24 MHz Rotary Dipole	£159.00
Butterfly	
HF6VX 6 Band Vertical Antenna	£167.00
HF2V 60/40 meter Vertical	£142.00
All Butterfly accessories available	
Hy-Gain Antenna Range available	
Daybeam	
TB3MK3 3 Element Tribander	£365.00
TB2MK3 2 Element Tribander	£246.00
TB1MK3 Rotary Tribander dipole	£123.00
VR3MK3 Tribander Vertical	£85.00
DB4 & 5 Element Beam	£139.00
4Y6m 6m 4 Element Beam	£58.00
5 Element 2m Yagi	£22.00
6 Element 2m Yagi	£28.00
Antenna Tuning Units	
Kenwood AT230	£208.00
MFJ 962B 15 kVW Versatuner	£241.00
MFJ 949C 300W Versatuner	£157.00
MFJ 300 Watt Basic ATU	£105.00
MFJ 1601 Random Wire Tuner	£42.00
Global AT1000 SWL Antenna Tuner	£69.00
Weiz	
DI30N 25-1300 MHz Discone Antenna	£79.00
DCP5 5 band Trappes vertical with radial kit	£195.00
DCP4 4 band vertical	£145.00
Full Range of SWR/Power Meters,	
Antenna Traps, Insulators, etc	
Full size G5RV Antenna	£16.50
Half size G5RV Antenna	£14.50
Carriage/Postage at cost	

Kenwood Range

TS950S HF Transceiver	£3,199.00
TS940S HF Transceiver	£1,995.00
AT940 Automatic Antenna Tuner	£244.86
SP940 Speaker with filters	£87.55
TS440S HF Transceiver	£1,138.81
AT440 Automatic Antenna Tuner	£144.82
PS50 20 amp power supply	£222.49
TS140S HF Transceiver	£862.00
PS430 power supply	£173.78
AT250 Automatic Antenna Tuning Unit	£366.00
AT230 Antenna Tuning Unit	£208.67
TL922HF Linear Amplifier	£1,495.00
MC50 Base station microphone	£46.00
MC60A De Luxe desk microphone	£86.22
TR751E 2m Multimode Mobile Transceiver	£599.00
TM2550E 45 watt 2m Transceiver	£465.00
TS680S HF + 6m Transceiver	£995.00
TM721E FM Dual Band	£699.00
TH25 2m FM Handheld Transceiver	£258.00
TH205E 2m FM Handheld Transceiver	£215.00
TH215E 2m Handheld FM Transceiver	£252.00
TH405E 70 cm Handheld FM Transceiver	£288.00
R5000 General coverage receiver	£875.00
VC20VHF Converter 108-174MHz	£167.21
R2000 General coverage receiver	£595.00
VC10VHF Converter 118-174MHz	£37.54
H55 De Luxe headphones	£161.95
LF30A Low Pass Filter	£34.00
TM231E 50 Watt FM 2M mobile	£289.00
TM431E 35 Watt FM 70cm mobile	£31.00
TM701E Dual Band 25 Watt	£469.00
RZ1 Wide Band Scanner	£465.00

"TEN TEC"

We are pleased to announce we are the northern stockist for the full Ten Tec range
"PARAGON" Transceiver + General Coverage
£1639.00
"CDRAIR" amateur band transceiver £1200.00
"ARGOSY" mobile transceiver £589.00
"CENTURY" CW only transceiver £399.00
New Model "Omni II" Amateur Bands Only Transceiver
Full range of accessories, Psu's - Filters - Microphones.

Receivers

AR2002 Scanning receiver covering	
25-550MHz and 800-1300MHz	£487.00
R535 Aircraft Bands receiver covering	
108-143 and 220-380MHz	£249.00
R537 Handheld Aircraft Band Receiver	£69.50
Antennas and accessories for above stocked.	
HF225 General Coverage Receiver	£395.00
AR900 UK Scanner	£235.00
WIN108 Handheld Scanning Airband Receiver	£175.00
AOR 800E Hand Held Scanning FM-AM Receiver	
75-105MHz, 118-136MHz, 140-174MHz, 407-495MHz,	
630-950MHz	£199.00
New Model Jupiter MkII Hand Held	
Scanner	£299.00

Dalton Range

AD370 Outdoor Active Antenna	£77.62
AD270 Indoor Active Antenna	£58.22
D70 Morse Tutor	£63.40

MFJ Accessories Range

MFJ1701 6 way Antenna switch	£30.72
MFJ910 Mobile Matching Unit	£20.42
MFJ300 watt dummy load	£26.35
MFJRF Noise Bridge	£63.10
MFJ 815 2KW Cross needle SWR/Power	
meter	£57.32

Oaiwa

CS201 2 way Ant Switch	£14.00
CS4 4 way Ant Switch BNC Sockets	£30.39
NS660P 18-150MHz + PEP Meter	£115.00

Rotators

GS400C	£169.00
GS600C	£219.00
Daiwa MF 750E	£254.00
CDE AR40	£168.72
CD 4511	£218.00
Emulator 1057SX	£159.00

Power Supplies

PS120M 3-15V variable 12AMP max	£79.50
PS30MX 30AMP PSU	£129.50

Stockist for HiFi microphones, Mixer amplifiers, Global Publications by RSGB and ARRL.
Post/carriage charged at cost.
Our secondhand list is updated daily. Please send SAE for this or any information.
Shop Hours 9.30 to 5.00 pm Mon, Fri 4.30 pm Sat

RAEDEK ELECTRONICS CO.

BANNERLEY ROAD, GARRETT'S GREEN, BIRMINGHAM B33 0SL

Telephone: 021-784 8655 — Fax: 021-789 7128

RF POWER TRANSISTORS

£	£	£	£	£
MRF134 — 26.00	MRF323 — 26.00	SD1012 — 10.75	2N3055 — 0.75	2SC1729 — 12.50
MRF136 — 27.00	MRF326 — 50.00	SD1013/3 — 10.75	2N3375 — 14.00	2SC1945 — 6.00
MRF137 — 29.00	MRF327 — 60.00	SD1019 — 29.00	2N3553 — 2.75	2SC1946 — 14.00
MRF138 — 35.00	MRF401 — 12.50	SD1019/5 — 29.00	2N3632 — 13.90	2SC1947 — 6.00
MRF208 — 15.00	MRF422 — 39.00	SD1089 — 25.00	2N3733 — 14.00	2SC1988 — 26.00
MRF212 — 11.00	MRF428 — 65.00	SD1127 — 3.00	2N3866 — 1.75	2SC1970 — 2.00
MRF221 — 9.75	MRF433 — 11.00	SD1133 — 10.00	2N4416 — 1.75	2SC1971 — 3.50
MRF222 — 18.00	MRF448 — 69.00	SD1134/1 — 2.90	2N4427 — 1.75	2SC2053 — 1.00
MRF223 — 11.50	MRF449A — 15.00	SD1135 — 11.50	2N5090 — 13.00	2SC2075 — 3.00
MRF224 — 16.75	MRF450/A — 14.60	SD1136 — 8.90	2N5109 — 2.50	2SC2078 — 1.00
MRF229 — 4.00	MRF454/A — 17.50	SD1143 — 11.50	2N5589 — 8.75	2SC2166 — 1.50
MRF232 — 13.50	MRF455 — 16.50	SD1219 — 17.75	2N5590 — 9.75	2SC2237 — 7.00
MRF233 — 14.50	MRF458 — 17.50	SD1224 — 13.00	2N5591 — 10.75	2SC2283 — 10.50
MRF234 — 18.00	MRF475 — 2.75	SD1272 — 12.50	2N5641 — 8.50	2SC2290 — 25.00
MRF237 — 3.00	MRF476 — 2.75	SD1274 — 13.00	2N5642 — 11.00	2SC2395 — 16.00
MRF238 — 12.90	MRF477 — 17.00	SD1278 — 16.50	2N5643 — 12.75	2SC2495 — 20.00
MRF239 — 16.00	MRF485 — 6.75	SD1410 — 25.00	2N5913 — 2.75	2SC2630 — 25.00
MRF240 — 23.00	MRF492 — 25.00	SD1411 — 65.00	2N5915 — 15.00	2SC2905 — 25.00
MRF245 — 35.00	MRF497 — 17.50	SD1416 — 26.00	2N5944 — 9.75	
MRF247 — 35.00	MRF604 — 2.95	SD1428 — 27.00	2N5945 — 11.80	
MRF260 — 9.75	MRF607 — 3.00	SD1433 — 13.00	2N5946 — 12.75	
MRF262 — 15.00	MRF618 — 24.00	SD1434 — 36.00	2N6080 — 8.00	
MRF264 — 15.50	MRF830 — 5.50	SD1441 — 52.00	2N6081 — 9.75	
MRF313 — 11.75	MRF841 — 17.00	SD1444 — 4.50	2N6082 — 10.90	
MRF314 — 21.00	MRF844 — 27.00	SD1488 — 19.00	2N6083 — 12.50	
MRF315 — 37.00	MRF846 — 29.00	SD1574 — 9.75	2N6084 — 13.75	
MRF317 — 57.00	MRF848 — 31.00			
MRF321 — 16.50	MRF1946 — 21.00			

BLW, 8LX,
8LY, PT,
TP, TIP,
CD,
etc, etc

ELECTRONIC TUBES/VALVES

£	£
A2134 — 10.00	ECF804 — 5.00
AZ41 — 2.00	EL34 Siemens — 3.90
CV Nos on Request	EL34 National — 3.00
DA42 — 10.00	EL34 GE USA — 8.75
E92CC — 2.75	EL519 — 6.50
E130L — 12.00	GZ32 — 2.75
EAC91 — 2.00	GZ34 — 2.75
ECC81 — 1.40	KT66 — 12.00
ECC82 — 1.00	8080 — 8.00
ECC83 — 0.90	6146B — 9.50
ECC88 — 1.25	6550A GE — 11.75
ECC91 — 1.50	7025 GE — 6.00
ECC2000 — 5.00	

3CX, 4CX, 5CX and all Elmac Tubes. Please call for prices

572B — 59.00

6 Series Tubes please call

805 — 40.00
807 — 2.50
811 — 10.00
813 RCA — 20.00
872A — 15.00

PLEASE NOTE

that the transistors and valves listed in this advert are just a small selection of the many thousands that we have in stock. Please contact us for types not listed.

TERMS OF BUSINESS

Please add £1.00 carriage and 15% VAT to all orders. Prices correct at time of going to press. Callers by appointment only please.

MAIL-ORDER PRICE LIST

NON-MEMBERS MEMBERS

RSGB BOOKS

Amateur Radio Awards Book (3rd Ed)	£9.35	£7.95
Amateur Radio Operating Manual (3rd Ed)	£6.84	£5.81
Callbook - RSGB 1990	See advertisement on page ix	
G-ORP Club Circuit Book	£6.54	£5.56
HF Antennas for All Locations	£7.24	£6.15
How to Pass the RAE	£6.47	£5.50
Microwave Handbook Vol 1	£23.29	£19.80
Morse Code for Radio Amateurs	£3.21	£2.73
Practical Wire Antennas	£8.09	£6.88
Radio Amateurs Examination Manual	£6.47	£5.50
Radio Communication Handbook Vols. 1 + 2 (PB)	£13.82	£11.75
Teleprinter Handbook (2nd Ed)	£2.29	£1.95
VHF/UHF Manual (4th Ed)	£10.88	£9.25
World at their Fingertips	£8.62	£7.33

RSGB LOGBOOKS

Amateur Radio Logbook	£2.65	£2.25
Mobile Logbook	£1.36	£1.16
Receiving Station Logbook	£4.46	£3.79

RSGB MAPS CHARTS & LISTS

Great Circle DX Map (card for desk)	£0.59	£0.50
Great Circle DX Map (wall)	£3.21	£2.73
HF Awards List and Countries List	£0.54	£0.46
IARU Region 1 Beacon List	£0.44	£0.37
Locator Map of Europe (wall)	£2.17	£1.84
Locator Map of Europe (card for desk)	£0.79	£0.67
Locator Map of Western Europe (wall)	£1.18	£1.00
Meteor Scatter Data Sheets	£3.91	£3.32
Software Register	£1.18	£1.00
UK Beacon List	£0.44	£0.37
UK Repeater List	£0.56	£0.48
World Prefix Map in full colour (wall)	£3.38	£2.87

RSGB MEMBERS SUNDRIES (MEMBERS ONLY)

RSGB Lambswool sweater Code: A	£26.75	
RSGB Acrylic sweater Code: B	£19.50	
RSGB Acrylic Slip over Code: C	£18.35	
RSGB Shirts & Blouses Code: D	£18.99	
RSGB Sweatshirts Code: E	£13.75	
RSGB Sew-on Badges Code: F	£1.95	
RSGB Banner Code: G	£7.95	
RSGB Bear Code: H	£29.95	
RSGB tie (coffee, maroon, green, blue - please state)	£4.50	
RSGB 'Green Book' (details, structure, organisation and objectives of the Society)	£1.20	
RSGB badge car sticker	£0.81	
Standard callign lapel badge (5 weeks delivery)	£2.96	
De-luxe callign lapel badge (5 weeks delivery)	£3.35	
Standard lapel badge (RSGB emblem, pin fitting)	£1.36	
Mini lapel badge (RSGB emblem, pin fitting)	£0.91	
Members' headed notepaper (50 sheets) quarto	£2.81	
Members' headed notepaper (50 sheets) octavo	£1.50	
T & R Bulletin July 1926 souvenir copy	£0.45	

MISCELLANEOUS

1990 RSGB Pocket Diary	£2.82	£2.40
1990 RSGB Desk Diary	£4.12	£3.50
Car sticker 'Amateur Radio' (2 colours)	£0.81	£0.69
Car sticker 'I Love Amateur Radio'	£1.14	£0.97
Car sticker 'I'm on the air with amateur radio' (4 colours)	£0.92	£0.78
Car sticker 'I'm monitoring, 5, are you?' (2 colours)	£0.81	£0.69
Radio Communication back issues	£1.47	£1.25
Radio Communication bound volumes	£22.69	£19.29
Radio Communication bound volumes 1977-88		From £10.29
Radio Communication Easybinder (old and new sizes now in stock)	£5.82	£4.95
RSGB HF contest log sheets (100)	£3.87	£3.29
RSGB VHF contest log sheets (100)	£3.87	£3.29

OTHER PUBLICATIONS

All About Cubical Quad Antennas (RPI)	£7.00	£5.95
All About Vertical Antennas (RPI)	£7.65	£6.50
Amateur Radio Computer Networking Conference 5, 6, 7, 8 Papers (ARRL) Vols. 1-4	£18.10	£15.39
Amateur Radio Satellites - The First 25 years (AMSAT-UK)	£4.65	£3.95
Antenna Compendium Volume 1 (ARRL)	£10.76	£9.15
Antenna Notebook, W1FB (ARRL)	£7.82	£6.65
ARRL Antenna Book	£13.71	£11.65
ARRL Operating Manual	£13.65	£11.60
AX25 Amateur packet radio link-layer protocol (ARRL)	£6.76	£5.75
Beam Antenna Handbook (RPI)	£8.53	£7.25
Better Short-wave Reception (RPI)	£5.87	£4.99
Callbook - International Listings 1990	£19.41	£16.50
Callbook - N American Listings 1990	£19.41	£16.50
Complete DXer (Idiom)	£8.47	£7.20
Complete SW Listener's Handbook (Tab)	£15.24	£12.95
DX Edge (HF propagation aid)	£21.07	£17.91
FCC Rule Book, (ARRL)	£7.00	£5.95
First Steps in Radio (ARRL)	£4.41	£3.75
Fup - FO12 Technical Handbook (AMSAT UK)	£5.85	£4.80

NON-MEMBERS MEMBERS

Guide to Oscar Operating (AMSAT UK)	£2.94	£2.50
Hints and Kinks for the Radio Amateur (ARRL)	£4.12	£3.50
History of QRP (Milliwatt Books)	£9.89	£8.40
Interference Handbook (RPI)	£8.35	£7.10
Introduction to Weather Satellite Reception	£2.94	£2.50
Joy of QRP (Milliwatt Books)	£11.35	£9.65
Linear Op-Amp Handbook (Carr)	£18.62	£15.83
Low Band DXing (ARRL)	£9.35	£7.95
Morse Code the Essential Language (ARRL)	£4.06	£3.45
Noise Antenna Notebook (ARRL)	£6.47	£5.50
Operating an Amateur Radio Station (ARRL)	£2.65	£2.25
OSCAR 13 Handbook (AMSAT-UK)	£6.06	£5.15
Passport to World Band Radio 1989 (RDI)	£11.71	£9.95
QRP Notebook (ARRL)	£4.12	£3.50
Radio Amateur Antenna Handbook (RPI)	£8.00	£6.80
Radio Amateur DX Guide (ARCI)	£4.12	£3.50
Radio Amateur Map of North America (ARCI)	£3.59	£3.05
Radio Frequency Interference (ARRL)	£4.12	£3.50
RTTY Awards (BARTG)	£3.47	£2.95
RTTY The Easy Way (BARTG)	£3.47	£2.95
Satellite Anthology (ARRL)	£4.41	£3.75
Satellite Experimenters' Handbook (ARRL)	£7.94	£6.75
Simple Low Cost Wire Antennas (RPI)	£8.53	£7.25
Slow Scan Companion (BARTG)	£3.47	£2.95
Sold State Design for the Radio Amateur (ARRL)	£10.53	£8.95
Transmission Line Transformers (ARRL)	£8.18	£6.95
Tune in the World with Ham Radio (ARRL)	£4.12	£3.50
TV for Amateurs (BARTG)	£2.02	£1.72
USA Licence Manual - Advanced Class, ARRL	£3.86	£3.28
USA Licence Manual - Extra Class, ARRL	£3.86	£3.28
USA Licence Manual - Technician Class, ARRL	£3.86	£3.28
World Atlas (ARCI)	£4.67	£3.97
Yagi Antenna Design (ARRL)	£11.71	£9.95
Your Gateway to Packet Radio (ARRL)	£7.70	£6.55
2MT Whistle - The Birth of British Broadcasting	£16.24	£13.80
25 Fun to Build Projects for Learning Electronics Theory	£7.82	£6.65
99 Test Equipment Projects (Tab)	£12.88	£10.95

INTERFERENCE SUPPRESSION FILTERS

Band Breaker Filter	£8.76	£7.45
Ferrite Toroid (pack of 2)	£3.82	£3.25
High Pass Filter for FM Broadcast Band 2	£8.76	£7.45
High Pass Filter for UHF TV	£8.76	£7.45
Notch Filter Tuned to 14MHz	£9.93	£8.45
Notch Filter Tuned to 21MHz	£9.93	£8.45
Notch Filter Tuned to 28MHz	£9.93	£8.45
Notch Filter Tuned to 50MHz	£9.93	£8.45
Notch Filter Tuned to 70MHz	£9.93	£8.45
Notch Filter Tuned to 145MHz	£9.93	£8.45
Notch Filter Tuned to 435MHz	£9.93	£8.45
RSGB Filter Kit	£51.00	£43.35
Six Section Filter for UHF TV	£20.58	£17.50

Please note: These prices have been changed to reflect current production costs.

LANGUAGE AND MORSE INSTRUCTION AIDS

CW into Foreign Languages (VE3EIM, VE3MGV)	£5.82	£4.95
Radio Amateurs Conversation Guide (OH1BR)	£5.65	£4.80
Dutch Supplement to Conversation Guide	£1.41	£1.20
French Cassette Supplement to Conversation Guide	£5.77	£4.90
German Cassette Supplement to Conversation Guide	£5.77	£4.90
Russian Cassette Supplement to Conversation Guide	£5.77	£4.90
Spanish Cassette Supplement to Conversation Guide	£5.77	£4.90
RSGB morse instruction tape (to 5wpm)	£5.04	£4.28

MAGAZINE SUBSCRIPTIONS

QST (including ARRL membership):		
One year - surface mail	£34.22	£29.25
Two years - surface mail	£70.34	£60.12
Three years - surface mail	£102.66	£87.75
One year - air (KLM) W.Europe only	£88.24	£75.00
Ham Radio Magazine, one year, by air	£25.74	£22.00

(Please wait 90 days before expecting delivery.)

NEWSLETTER SUBSCRIPTIONS

Connect International (monthly)	£9.35	£7.95
DX News Sheet (weekly)	£21.77	£18.50
Microwave Newsletter (10 issues per year)	£7.94	£6.75
Raynet News (6 issues per year)	£5.82	£4.95
5 Metre and Up DXer (monthly)	£9.35	£7.95

Newsletter subscription rates are those for subscribers in the UK and countries in the EEC. For rates to other destinations please contact the Circulation Department at RSGB, from where free sample copies of newsletters can also be obtained.

RAYNET SUPPLIES

Raynet Badge - Embroidered	£1.04	£0.88
Raynet Badge - Lapel	£0.89	£0.76

continued on next column

Members visiting HQ are advised to telephone first to confirm availability of goods (0707) 59015

Raynet Badge Clip
 Raynet Car Sticker - Circular
 Raynet Identification Sticker
 Raynet Manual, 1986 Edition
 Raynet Poster
 Raynet Tie

NON-MEMBERS MEMBERS

£0.50 £0.43
 £0.65 £0.55
 £0.51 £0.43
 £3.41 £2.90
 £0.98 £0.83
 £5.83 £4.96

NON-MEMBERS MEMBERS

£4.11 £3.49
 £3.87 £3.29
 £22.29 £18.95
 £0.99 £0.84
 £1.46 £1.24
 £2.50 £2.13
 £7.06 £6.00
 £7.14 £6.07
 £7.06 £6.00

MICROWAVE COMPONENTS

Capacitors
 1000pF Coflin Capacitor (pack of 10)
 Trimmer for G4DDK 1152MHz boards

£1.08 £0.92
 £0.99 £0.84

Exciters
 GOHM32 Ooppler Module

£74.06 £62.95

Hardware, PCBs & Laminates
 G4DDK 1152MHz Amplifier Board
 G4DOK 1152MHz Local Osc. Source PCB (RC 2.3/87)
 CBT-40 Mounted Termination, 40W, 50ohm
 CuClad 233 PCB, 0.005", 2 x 1inch block
 CuClad 233 PCB, 0.031", 2 x 1inch block
 Regulator PCB (RC 10/81)
 UHF Source PCB (RC 10/81)
 WG20 Copper Waveguide (per foot)
 G4OKK PCB 004

Semiconductors

DC1501E Mixer
 MD4901 SRO
 MGF1302 GaAs FET
 µPB581C 2.6GHz Divide by 2 Prescaler
 µPB582C 2.6GHz Divide by 4 Prescaler

£14.39 £12.23
 Out of stock
 £8.18 £6.95
 £8.02 £6.82
 £8.02 £6.82

HOW TO ORDER

NON-MEMBERS. Use left hand price columns. Note that members' sundries are only available to members of RSGB.

MEMBERS. Use right hand price columns. It is essential that you quote your callsign or RS number so that you can be recognised as a member.

PRICES. These include postage, packing, and VAT (where applicable) and are subject to change without notice.

AVAILABILITY. Goods are available less postage and packing from RSGB Headquarters between 9.15am and 5.15pm Monday to Friday. However you are advised to confirm availability of goods by telephone before visiting Headquarters. We attempt to keep ample stocks of all our sales items, however as this list has to be prepared several weeks in advance we cannot guarantee that any item on this price list is immediately available.

PAYMENT. Payment may be made by post enclosing a cheque or postal order. These should be crossed and made payable to 'Radio Society of Great Britain'. If sending cash please use registered post. You may use your credit card for payment by post or by telephone. We accept RSGB Credit Card, Visa, Access (Mastercharge), American Express, and Oinar Club cards. Our telephone number for orders is (0707) 59015 (24hrs). Our Giro account number is 533 5256.

DELIVERY. Goods will be despatched to UK destinations by 2nd class letter post or parcel post, or surface mail to overseas destinations. Please contact RSGB Headquarters for 1st class letter post or airmail rates. We normally despatch goods within 60 hours after receipt of an order, but as delays can sometimes occur please allow 28 days before enquiring about non-delivery of goods.

ORDER FROM:

RSGB SALES (CWO)
 Lambda House, Cranborne Road,
 Potters Bar, Herts, EN6 3JE



RADCOM PCB SERVICE

G4PMK SIMPLE SPECTRUM ANALYSER

November 1989

BOARD DESCRIPTION	CODE	PRICE
RF Board	118946	£5.30
Video/sweep board	118947a	£4.25
Marker generator/PSU	118947b	£3.90
Complete set of 3 boards	1189SSA	£12.50

G3TXQ TRANSCEIVER

February/March 1989

BOARD DESCRIPTION	CODE	PRICE
Main IF/Audio	028945	£10.00
VFO	028946	£4.75
Driver/Preamp	028947	£5.50
Low pass filter	028948a	£6.50
Band-pass filter	028948b	£4.00
Control board	038942a	£4.50
Regulator board	038942b	£2.00
Complete set of 7 boards	0289TXQ	£23.50

All prices include postage and packing.
 Please note these PCBs are not available from RSGB HD, but direct from Badger Boards,
 87 Blackberry Lane, Four Oaks, Sutton Coalfield B74 4JF. Tel: 021-353 9326

CONTEST NEWS

RULES

SUMMER 1.8MHZ CDTEST 1990 RULES

1. Date and time: 2100UTC Saturday 23 June to 0100 Sunday 24 June 1990.

2. Sections: Single or multi-operator. British Isles entrants must be members of RSGB. (a) British Isles (b) Overseas (including EI).

3. Band and mode: 1.820 - 1.870MHz, CW only.

4. Exchange: RST plus serial number starting with 001. British Isles stations must also give their county code as shown in *Radio Communication* January 1990.

5. Scoring:

(a) British Isles Section: three points for each completed contact with a bonus of five points for the first contact with each British Isles county and for the first contact with each country outside the British Isles.

(b) Overseas Section: three points for a contact with a station in the British Isles (not EI), with a bonus of five points for the first contact with each British Isles county.

6. Documentation: Logs to be headed: date/time (UTC); callsign; RST/number sent; RST/number received; code received; bonus; points claimed. *Duplicates must be clearly marked without claim for points.* Unmarked duplicates will be penalised at the rate of 10 times the number of points claimed for them, and logs found to contain more than five duplicate contacts for which points have been claimed would normally result in disqualification.

Each entry must be accompanied by a cover sheet and the following signed declaration: I declare that this station was operated strictly in accordance with the rules and spirit of the contest and agree that the decision of the Council of the RSGB shall be final in all cases of dispute.

7. Name and address for entries: Address logs to HF Contests Committee, John Allaway, G3PKM, 10 Knightlow Rd, Birmingham, B17 8QB, England.

8. Date for entries: Logs must be postmarked no later than 15 days after the end of the contest.

9. Awards: Certificates of merit will be awarded to the winner and runner-up in each section.

50MHZ TROPHY FIXED/SINGLE/MULTI OPERATOR AND SWL

8 April, 0900 - 1700 GMT

Only fixed stations in this event.

The general rules apply.

There will be three sections: S SWL; F Single Operator Fixed and M Multi-operator fixed.

County and Country multipliers will be in accordance with general rule 14. The Isles of Scilly count as Cornwall, North and South Humberston is only one county.

The station with the highest overall score will receive the Telford Trophy.

All entries and checklogs to G8XVJ Erik Gedvilas, 518 Manchester Road, Paddington, Warrington, Cheshire WA13TZ.

144MHZ AND SWL

19-20 May, 1400-1400 GMT

General rules apply (see above).

Three sections: S Single operator; L SWL; M Multi-operator.

County and Country multipliers (general rule 14, but see above).

All entries to Bob Harrison, G4UJS, OTHR.

432MHZ TROPHY AND SWL

5 May, 0900-1700 GMT

General Rules apply (see above).

Three sections: F Single Operator Fixed; S SWL; O Open section.

The 1951 Council cup will be awarded to the station with the highest overall score in the contest.

All entries and check logs to VHF Contest Committee c/o G8HHI OTHR.

432MHZ TD 24GHZ

5-6 May, 1400-1400 GMT

General rules apply (see above).

There will be three sections: L SWL; S Single Operator stations using same call on all bands; M Multi-operator, who may operate on all bands concurrently using separate callsigns.

Scoring: Radial Ring 432-1296 and 1 pt per km on all other bands. Hall points may be claimed for cross band contacts. Individual band and overall tables will be published.

All entries to G4WAD Tanglewood, Bridge Street, Lower Moor, Pershore W102PL.

VHF NATIONAL FIELD DAY 1990 RULES

1. Duration, 1400GMT 7 July to 1400GMT 8 July 1990

2. Site Notification. Each Group intending to compete must send details of the site to be used to: VHF Contest Committee, c/o B Llewellyn G4DEZ, 110 South Avenue, Southend-on-Sea, Essex SS2 4HU., to arrive no later than 1 June 1990. The appropriate site registration form can be obtained from G4DEZ OTHR, or at NEC or VHF Convention stand and should contain the following information. The name and address of the person responsible for the entry, the name of the group, the callsigns to be used on each band, the section (Open, Restricted or Low power), the locator and national grid reference of the site, and sufficient access information for an inspector to locate the site (preferably a sketch map). Each group may only register one site. A stamped addressed post card should be included if confirmation of receipt is required.

3. Bands. Up to four separate stations may operate simultaneously on the 70, 144, 432, 1296 and 2320MHz bands. Single band entries for 144MHz will not be accepted. The 70MHz CW section will take place in the period 1400-2200GMT, and the 70MHz SSB section will take place in the period 0600-1400GMT, with close down between 2200GMT and 0600GMT. The same callsign must be used on 1.3GHz and 2.3GHz, with no simultaneous operation on these two bands. The 1.3GHz and 2.3GHz stations will close down for the period 2200-0600GMT.

4. Operators. Any RSGB member or group of members operating from the British Isles

(excluding Eire) may enter. Visiting foreign amateurs may also operate field day stations as long as they are members of IARU member Societies. Groups operating from the same site may combine their scores subject to rules 3 and 5.

5. Stations. All the stations forming one entry must operate from within a circle of 1km radius centred on the operating position of any of the stations. All equipment including antennas, must be installed on site not more than 24hrs before the contest, and the site must not be used by the entrant for transmitting activities during the live days prior to the contest. Only portable accommodation can be used to house the stations. Power for all equipment must be derived from an on site generator or battery. The public mains supply must not be used.

6. Scoring. Contacts will be scored by the radial ring system. Scores on 1.3GHz and 2.3GHz will be added together to give a final microwave score. The overall score will be determined as per general rule 10 using the final 70MHz, 144MHz, 432MHz and microwave scores.

7. Contest exchanges.

(a) On 70MHz OTH information must be exchanged. It must be given in a different form on each mode.

(b) On 144, 432, 1296 and 2320MHz OTH information need not be exchanged.

(c) Contacts with stations whose callsigns appear on any of the group's cover sheets will not count for points.

8. Sections. There will be four sections: Restricted section (R):

(i) The height of any antenna must not exceed 10 metres above ground level.
(ii) Only one antenna per band may be used (eg. no stacked, bayed or collinear arrays or switching between two or more antennas). A slot led Yagi or Quad antenna is permitted. Dish or Backlure antennas must not exceed 2m diameter.

(iii) 2.3GHz contacts will not count for points in this section.

Low Power section (L):

(i) The power output of any band must not exceed 25W PEP at the transmitter.

(ii) The height of any antenna must not exceed 10 metres above ground level.

(iii) Only one antenna per band may be used (eg. no stacked, bayed or collinear arrays or switching between two or more antennas). A slot led Yagi or Quad antenna is permitted. Dish or Backlure antennas must not exceed 2m diameter.

(iv) 2.3GHz contacts will not count for points in this section.

Open section (O): as per general rules.

SWL section (S): as per general rules.

9. Inspections. All stations are subject to inspection by members of the VHF Contests Committee or nominated representatives. Should the inspector be unable to locate the site due to inadequate or incorrect information, the entry will be disallowed. In the event of a last minute change it is the responsibility of the group to make suitable arrangements for the inspector to find the site. The inspector must be given immediate access to all parts of the site with the right to stay as long as desired, and the ability to return at any time during the contest.

10. Entries.

(a) All entries must be postmarked no later than 31st July 1990.

(b) Entries must be addressed to: VHF Contests Committee, c/o B Llewellyn G4DEZ, 110 South Avenue, Southend-on-Sea, Essex SS2 4HU. [PLEASE NO RECORDED DELIVERY]

11. Awards. The Surrey Trophy will be awarded to the overall winner of the Open section, the Arthur Watts Trophy to the overall winner of the Low power section, the Tartan Trophy to the leading Scottish entry in the Open section, the Scottish Trophy to the leading Scottish entry in the Low power section, and certificates will be awarded to the winners and runners-up on all bands in each section, and to the leading stations in each country. Although nothing has been finalised it is hoped that a Trophy will be awarded for the leading station in the new Restricted section.

12. A position certificate will be awarded to any group who require it, however please enclose a separate SAE of at least A5 size, no SAE no certificate.

13. Please enclose postcard or SAE (separate from 12 above if you require confirmation of receipt or extra contest forms).

SWL RULES FOR VHF/ UHF/SHF CONTESTS 1990 ONWARDS.

1. The 1990 general rules for SWL sections of the Society's contests have been revised in an effort to try to attract a greater number of SWL entries. Any contest organised or adjudicated by the Society will carry a listener section. The VHFCC have sought the views of some of the country's leading contesting SWLs in framing these new rules.

2. The 1990 general rules for VHF/UHF/SHF contests will apply except where they are modified below.

3. Listener contests are open to any non-licensed member of the RSGB. Only the entrant may operate the receiving station.

4. Logs must show the following information.

1. Date and Time (GMT).
2. Callsign of station heard.
3. SWL report of station heard.
4. Report, Serial Number, and OTH Locator/Information (if applicable) sent by station heard.
5. Callsign of station being worked.
6. Points claimed.

5. Stations may only be claimed for points if they are in OSO with another station.

6. On 144MHz, the callsign in the "station worked" column must only appear once in every THREE contacts logged. In "multiplier" contests, this info shall be read "must only appear once in every THREE contacts logged unless the station being worked is a new multiplier for the listener".

7. If both sides of a OSO can be heard, both may be claimed for points provided that rule 6 is not contravened.

8. There are no restrictions on logging any station heard on any of the VHF UHF or SHF bands. However, it should be noted that the VHFCC expect that no more than five consecutive contacts made by any one station should appear in any listener log on any VHF UHF or SHF band.

9. The Hansen Trophy will be awarded to the SWL with the highest aggregate score in all the SWL sections of RSGB contests between 21st January and 2 December 1990. The aggregate score will be calculated in accordance with general Rule 10.

GENERAL RULES FOR RSGB VHF/UHF/SHF CONTESTS 1990

The rules governing all RSGB VHF/UHF/SHF Contests held in 1989 will include the following general rules, supplemented by individual rules for each contest. Please read the rules carefully before the event.

Queries on VHF contests may be made to Bryn Llewellyn, G4DEZ, 110 South Avenue, Southend-on-Sea, Essex, SS2 4HV. Telephone: 0702-460747.

The individual contest rules contain most of the detailed information on the sections, scoring systems and methods of tabulation. Unless otherwise stated in the individual contest rules, all of the general rules apply in every contest.

Please note that all points claimed for a contact will be lost by both stations if either station logs call signs incorrectly, including any suffix. The receiving station will also lose all claimed points for a contact where other information is logged incorrectly. Ten times the claimed score will be lost for unmarked duplicate contacts.

The committee intends to make station inspections in events other than VHF NFD during 1990.

1. Entries

All entries must be sent to the contest adjudicator at the address shown in the individual contest rules. Entries sent to other addresses will be treated as check logs. All entries become the property of the RSGB and cannot be returned. Recorded delivery and registered post should not be used, as receipt of your entry may be delayed.

2. Last posting date

All entries must be postmarked not later than 16 days after the end of the contest or last cumulative activity period.

3. Cover sheets

All entries must be accompanied by a correctly completed current RSGB VHF/UHF contest cover sheet (Form 427-89) for each band used, including full details of antennas and final amplifier devices. In multi-band events entrants must also complete a multi-band sheet (Form 4422). In contests using a country/country multiplier scheme a multiplier check list must also be included.

4. Operators

All operators must be RSGB members.

5. Single-Operator fixed stations

Single operator fixed stations are those operated by the licensee in person from his/her normal place of residence, with no assistance with operating or log keeping during the contest.

6. Fixed stations

To be eligible to enter a fixed station section the station must be located at the main station address shown on the licence validation document.

7. Locations

In multi-band events all stations forming one entry must operate from one site, defined as a circle of 1km radius. All equipment for P stations must be installed on site during the 24 hours before the contest or during the contest itself. There must be no operation from the site on the bands involved in the contest in the week prior to the contest.

Entrants may not change the location of their stations during the contest.

8. Valid contacts

No points will be lost if a non-competing station contacted by an entrant is unable to supply an IARU Local or serial number, but the receiving operator must obtain and record enough information to be able to calculate the claimed distance score. Contacts with stations whose call signs appear on the cover sheet will not count for points.

Only one scoring contact may be made with a given station on each band in use

during the contest, ie any call sign regardless of suffix or prefix may only be worked for points once. Any non-scoring contacts must be clearly marked in the log. Unmarked duplicate contacts will be penalised at the rate of 10 times the claimed score for that contact.

In cumulative contests one contact may be made with a given station (as defined above) during each activity period. The adjudicator will normalise the scores in each session (see rule 10), and each entrant's best three scores will be combined to determine the overall placing. Entrants should submit logs for every session for which they are active.

9. Radial ring scoring

Contacts made between stations separated by the distances shown in the table will score as indicated.

km	Points
0-5	1
51-100	3
101-150	5
151-200	7
201-250	9
251-300	11

and pro rata. For computer scoring purposes a conversion factor of 111.2km/degree must be used. In 50MHz contests all contacts over 650km score 25 points.

10. Final Tabulation of multiband and cumulative contests

The final tabulation showing the overall results will be formed by taking the sum of the normalised scores on each band or from the three best sessions in cumulative contests. The normalised score will be calculated by dividing each station's points score by that of the band/session leader and multiplying by 1,000.

ie

Normalised score for each band/session =
Score achieved

x 1,000

Band/session leader score

11. Awards

There will be an award to the highest scoring station in each section. An award will also be made to the runner-up in each section in which there are ten or more entries. Certificates of merit may be awarded at the adjudicator's discretion.

12. Crossband contacts

Crossband contacts do not count for points.

13. Log keeping

The logs for contest entries must be made out on current RSGB VHF/UHF log sheets or, if computer listings are to be submitted, these must be cut to A4 size, RSGB log format, line spaced to contain 25 contacts per sheet, and be correctly collated (not Z-fold). Each sheet must be headed with the entrant's call sign, IARU local, contest title, and sheet number. The total points claimed on each sheet must be included at the foot of the sheet. Logs must be tabulated as follows:

- Date/time (GMT)
- Call sign of station worked
- My report on his/her signal and serial number
- His/her report on my signal and serial number
- IARU Local received
- QTH or country received (when required) or comments
- Points claimed

The contest exchange must consist of both call signs, RS or RST report followed by serial number, and IARU local. Where QTH information must be exchanged it must be given as a point identifiable on an Ordnance Survey route planning map or equivalent (scale 1:625,000) or as a distance and direction not greater than 25km from such a point. Any complaints received

or made about signals must be recorded in the comments column.

14. Country/country multipliers

- In contests using a country/country multiplier scheme the contest exchange will include the full country name on phone or the code letters shown in this operating guide on CW. The country must be shown on each log sheet.
- Each new country or country worked is a multiplier and must be clearly identified in the log. Note that this includes your own country and country, and that a contact with a station in another G Prefix area can count for both a country and country multiplier. Where more than one station is worked in a particular Scottish region, additional multipliers can be claimed for each contact, up to a maximum of three multipliers per region.
- The score obtained under rule 9 is multiplied by the total number of multipliers worked to provide the claimed score.
- A separate multiplier check list must be included showing as a minimum the countries and countries worked in alphabetical order together with the call sign and a serial number of the first claimed contact for each multiplier. If other contacts are to be considered as alternative multipliers should the first contact be invalid for any reason, then please include call signs and serial numbers for subsequent contacts with each country or country.

15. Serial numbers

Serial numbers start from 001 on each band and advance by one for each contact. In cumulative contests serial numbers increment from 001 for each activity period.

16. The DTL licence limits must be strictly adhered to.

In an RSGB contest (sponsored or controlled by VHFCC) where the contest power limit is lower than the DTL licence limit then this limit, (as described in the rules for the contest in question) must also be strictly adhered to.

If upon inspection a station is found to be running ILLEGAL power, or above the contest power limit, the station will be DISQUALIFIED, all operators of that station during the contest in question will be liable to a BAN on entering ALL VHFCC sponsored or controlled contests for a period of up to TWO years.

17. The same antenna system must be used on transmit and receive.

18. Stations using telephony in the recognised CW sub-bands are liable to disqualification. Entrants must observe the provisions of the IARU/RSGB band plans. Bands other than those included in the contest cannot be used simultaneously by a separate station for setting up contacts or talkback.

19. Stations which persistently radiate poor-quality signals, or otherwise contravene the code of practice for VHF/UHF contest operation (see below), are liable to disqualification or loss of points. Gross errors in logging will result in disqualification.

20. Contacts made via a repeater, man-made satellite, or moonbounce will not count for points.

21. Proof of contact may be required.

22. Entrants must permit inspection of their stations by members of the VHF Contest Committee, or its representatives, and give site access information if requested to do so. The inspector must be permitted to remain for as long as desired, and to return to the site any time during the contest. Contestants must demonstrate to the inspector's satisfaction that they are obeying the rules of the contest.

23. The rules of the Council of the RSGB shall be final in all cases of dispute.

24. Site registration may be required at VHFCCs discretion.

RESULTS

21/28MHz TELEPHONY CONTEST 1989 RESULTS.

The October event was marked by excellent propagation conditions, resulting in a number of records for this contest. These included the highest number of participants, QSOs and multipliers. Well over 30,000 different stations were active and 188 different countries were worked on the two bands. Fifteen UK stations made over 900 contacts with four topping the 1000 mark. How very different from a few years ago when this event was won with a QSO total of under 250!

The overall winner, who will be awarded the Whitworth Trophy, is once again GW4BLE, who made a total of 1200 checked contacts, of which 940 were on 28MHz. Second is G3NLY/P, who had almost as many contacts as the leader, but a few less multipliers. The 28MHz leader, and third placed overall, is G3XBY who made nearly 1100 contacts on the band with 89 checked multipliers. He will receive the Powditch Transmitting Trophy. The Melcall Receiving Trophy is once again awarded to BR332525, although he did not manage the double this year as he was pipped on 28MHz by the Powditch Receiving Trophy by BR587156 who managed to find an extra multiplier or so. Martlesham DX & CG fielded two stations in the Multi-operator section and had a rare old battle to decide the 1 and 2 positions. Their 'A' station, G3PIQ/P managed to gain the certificate by making 1000 plus contacts and a lot of multipliers. Their 'B' station, G0KPV/P was second, with the Pontefract Group, G3FYQ, third.

The Committee was very pleased with the overseas entry in all three sections and for the many stations who sent in check logs. In the single-operator section, 9H1GI, was the run-away winner, followed by the regular supporter of RSGB contests, NM2Y, with another regular, G3GJQ/5N22 in third place. These three receive certificates. None of the other country leaders managed to get anywhere near the 50% of the leader's score to qualify for certificates. However, the committee have decided to award certificates to the other three continental leaders, RW9AB, ZL1AAS and CE7CX. In the overseas multi-operator section, UB4QWW receives the certificate and in the receiving section, certificates are awarded to UA3-147-1221 for Europe, ILA-568 (VE) for North America, UA0-098-134 for Asia and ZS-SWL-Rosenburg for Africa.

Adjudication of this event has been a major task with over 80,000 contacts to check. Bearing in mind the overall QSO rate, which at times was over 120 contacts per hour for the leaders, logkeeping was generally of a high standard. Many stations lost points in checking, mainly through call-sign mistakes and wrong claims for multipliers; however, it was pleasing to note that the majority of entrants used dupe sheets and unmarked repeat contacts were at a minimum. Although most of the logs were well presented, two UK entrants had not read the rules and their logs could not be checked as there were no separate band logs or summary sheets with their entries. The use of computer derived logs was widespread and while the majority were well formatted and easy to check, one UK entry was printed in compressed type with an excessive number of entries per page. Another used double-sized type with only 20 entries per page, while a number of overseas logs were printed on A5 or old style quarto paper with up to 100 entries per page!

The Committee thank all those who sent checklogs, including EA3CR, G4RWW, G4UJS, G6LX, GW3JI, HA5FA, IK7BPV, RA3DPD, RB5CY, RC4OW, RW9HZ, RW0CVV, SK0MG, SM2NTU, SM4SET,

CONTEST NEWS

SM5OV, SM0GSA, SP9RVD, UA1MAR, UA3DPH, UA9MGX, UB5KF, UF6QBA, UR8QS, UZ3RZT, UZ3TRJ, VE7XO, W2BS, W8XT, W0ZZ, Y02BLP, YU7SF, ZM1AAS and ZL4DX.

The next 21/28MHz Phone contest will be on Sunday 7 October 1990.

G6LX.

UK TRANSMITTING (SINGLE OPERATOR)

Pos	Callsign	28 MHz	TOTAL
1	# GW4BLE	235208	555538
2	G3NLY/P	175617	532776
3	GW0ARK	28917	302436
4	G3XBY	291831	291831
5	G4FMO	45705	261435
6	G3PJK	70380	235800
7	G4YLO	234070	234070
8	G3TBK	45056	202950
9	G0BJR	161040	161040
10	G4OJH	133866	133866
11	G4BUO	36720	115232
12	GM3CIX	45800	114540
13	G4IOF	109394	109394
14	GW4OXB	8021	89305
15	G3WBM/P	8094	86328
16	G0IGM	19311	75096
17	*1 GM3BCL	0	60264
18	G3NSY	59157	59157
19	G2FII	12705	53058
20	G2GT	8025	49245
21	G3OLU	27544	43758
22	*2 G4IQM	37791	37791
23	G0FGI	0	31356
24	G3MGW/P	12312	29028
25	G3NKC	1890	17700
26	G4PPR	288	9345
27	G4OAJ	470	6570
28	G0GFO	1440	5796
29	G4PTE	945	5145
30	GU4NYT/P	405	780

UK TRANSMITTING (MULTI-OPERATOR)

Pos	Callsign	TOTAL	Name of Group
1	G4PIO/P	506385	MARTLESHAM DX & CG 'A'
2	G0KPP	445200	MARTLESHAM DX & CG 'B'
3	G3FYQ	365820	PONTEFRAC & DARC
4	G4NOK	338604	NORTH WAKEFIELD RC
5	G4SVV/P	327579	G4SVV GROUP
6	G0JSM	304896	G0JSM GROUP
7	G0MCG	276318	MANSFIELD CG
8	G4RFB	229554	FLIGHT REFUELLING ARS
9	G4IRC/P	205902	IPSWICH RC
10	G3CSA/P	157788	ELLSMERE PORT & DARC
11	GW4FZW	137940	NEWPORT ARS
12	G4SND	133878	NEWBY AND FRIPP
13	G3WOK/P	89817	SOUTHDOWN ARC

UK RECEIVING

Pos	Callsign	28 MHz	TOTAL
1	# BR52525	40440	121323
2	# BR587156	40500	100485
3	BR520249	2829	22512
4	BR528198	1914	20988
5	G7AQU	198	1134

OVERSEAS TRANSMITTING (SINGLE OPERATOR)

Pos	Callsign	TOTAL
1	# 9H1GI	65232
2	# UB4QWW	39270
3	# NM2Y	31500
4	# G3GJQ/5N22	26568
5	U23XWC	20925
6	W4/G4BHE	17955
7	ISECW	15117
8	IIA5KFL	14850
9	UR20A	13068
10	UV3AFB	10944
11	HA2KSD	10317
12	IO/N4QIV	8859
13	UA5LAM	8184
14	SP7LZO	7797
15	RB4JF	7068
16	UV3DN	6336
17	LZ1KCO	6318
18	K6SVL	5763
19	YU7LS	4802
20	CN8FC	4320
21	RW9AB	4230
22	N4NFS	4212
23	JA4YPE	4185
24	IK6BOB	4026

25	RB5IU	3444
26	U01GWV	3408
27	UC2OL	3350
28	RA9GDV	3204
29	YO2LDE	3168
30	UB4TWL	3076
31	JA7SN	2976
32	JM1LRQ	2940
33	UA1LOT	2925
34	OK3YK	2790
35	RV6LD	2700
36	K7RDH	2610
37	YU4XA	2610
38	EA3NA	2390
39	YU2TX	2310
40	IT9BGC	2310
41	UA3ZU	2304
42	LA1XDA	2211
43	UA3TAM	1989
44	SP9EMQ	1980
45	IA9DFA	1917
46	I Z1 KRB	1840
47	UZ6AXQ	1835
48	ISD4EQ	1815
49	OH6GZ	1794
50	R1BAR	1744
51	YK4F	1692
52	UB5BFF	1650
53	IK1IY	1650
54	JY9SA	1547
55	YO9KPP	1520
56	UT5UBN	1518
57	UT4UZ	1443
58	UI5UHF	1200
59	LZ1DM	1200
60	UA9CI	1188
61	EA5AN	1188
62	JA1BUI	1110
63	JA1BNW	1080
64	JA6WJL	1008
65	RW3AN	992
66	JR7LVK	936
67	YU7SF	890
68	JA6EFT	837
69	SP7FOI	828
70	UO2GFU	819
71	UA4PMX	756
72	UW9CM	738
73	UB5SEL	735
74	SP8HPW	714
75	JAGODU	696
76	UL7RER	693
77	IIA9CD	690
78	UL8RWR	684
79	YO9FEH	672
80	OK1KZ	672
81	SM0JOO	672
82	UV6LAP	672
83	Y44NO	648
84	OX32M	612
85	ZL1AAS	609
86	LZ1OJ	594
87	UV3CDR	585
88	YO4CVT	540
89	JA8RJE	522
90	SM4BTF	522
91	YO3JW	520
92	UA3DPX	486
93	Y35WF	480
94	JP1DMX/H18	480
95	SP4GFG	455
96	UB5AFI	441
97	LZ2WM	440
98	LA3WGA	414
99	K2PS	414
100	CE7CX	414
101	LZ1KVZ	406
102	EA5CPH	406
103	LZ1BJ	378
104	UA3ZFT	360
105	Y25PE	294
106	JA9OOF	285
107	JH9CAV	210
108	YO2CMI	208
109	JH1IAO	180
110	PA0KDM	180
111	YO5ADW	180
112	JA2NNF	165
113	ON5FV	150
114	OK3CX5	150
115	JA8RYL	150
116	K8C	132
117	JA1YFG	120
118	SP8DVP	96
119	Y66ZF	27
120	Y38ZB	27
121	JH2WH5	12

OVERSEAS TRANSMITTING (MULTI-OPERATOR)

Pos	Callsign	TOTAL
1	# UB4QWW	39270
2	LZ1W	31950
3	HK3JJH	6264
4	JAQAA	991
5	DF7HX	407
6	JA1YFG	108

OVERSEAS RECEIVING

Pos	Callsign	TOTAL
1	# UA3-147-122	18100
2	LZ1M 333	10320
3	OK3-27071	2723
4	*3 NL-8992-R33	2504
5	OH3-694	2028
6	OK3-28612	1512
7	IIA-568 (VE)	1452
8	ZS-SWL-ROSENBERG	1029
9	YO2-1572/HD	793
10	NA-123861	790
11	UA0-098 134	780
12	NL60-10700	774
13	EJMO-VU211 R	771

13	SWL-HL102	423
14	F OTAWA-VS6	391
15	UA9 090-60	324
16	T ISHIKAWA	168
17	I-SWL-GUARI	159
18	Y38-01-B	72

= Trophy Winner

* = Certificate Winner

*1 = No separate band logs, no multiplier list, no declaration or summary sheet (claimed score shown)

*2 = No bands shown on log or multiplier sheet, wrongly formatted computer log, no declaration (claimed score shown)

COLCHESTER/CHELMSFORD D.F. QUALIFYING ROUND RESULTS

Following the extended very hot weather of the 1989 summer, Sunday 10 Sept. '89 broke much cooler and windier. This was the day of the RSGB D.F. qualifying event jointly run by the Colchester and Chelmsford ARSs. At midday 20 teams assembled on the village green near the church at Long Melford in Suffolk.

At 1320 BST good signals were heard from both transmitters, the 'A' station being especially strong; the competitors took their bearings and made their deliberations. The decision in which order to locate the transmitters was made rather more difficult since they were located in diametrically opposed directions. At 1330 all competitors departed in search of the hidden transmitters.

Station 'A', G4POV/P, operated by Alan Williams was located in a bamboo thicket in a damp, marshy area of a wood through which a stream passed, at Spencers, Man's Cross, G1 Yeldham, about 8.25 miles SW of the stall. A fairly long run was required from the nearest access point, and competitors were then faced with a stream to cross and also a wet area. At the end of the afternoon the area surrounding the transmitter was indeed "squelchy", with several competitors going into the mud way beyond their

knees. Nine competitors located this transmitter during the contest, with a further six being "talked-in" just after the end of the contest, as they were still on site.

Station 'B', G3WHR/P, operated by Dick Brooks was located within a tangled mass of uprooted liri trees, in Northfield Wood, at Onehouse, Slowmarkel, about 13 miles NE of the stall. A long, obviously visible antenna had been erected for the competitors to locate, and most did only to find that the friendly dummy transmitter operator "Fried" was in residence, and connected to the antenna. The real hidden transmitter was located some distance away from the obvious attractions, and connected via a 'tee' into this antenna, using very fine wire passing through the liri trees in the area. This wire was impossible to see in the dark wood. These plays ensured that although a good many competitors were on site, a considerable period elapsed before the TX was eventually located. Nineteen teams eventually located this transmitter.

After the event, 48 persons enjoyed a splendid buffet tea at the Club House of Sudbury Town FC, where prizes were presented to the winners. They in turn then explained the secrets of their success.

POSN	NAME	CLUB	TIME OF ARRIVAL	
			STN 'A'	STN 'B'
1	M Hawkins	Chelmsford	1444 00	1543 32
2	B Bristol	Mid-Thames	1448 00	1557 40
3	G Wrentham	Covenly	1447 30	1559 26
4	P Cunningham	Colchester	1443 00	1600 00
5	A Mead	Chelmsford	1449 00	1616 57
6	P Larkbaster	Devizes	1621 00	1514 00
7	C Morry	Dunliff Heath	1447 00	1628 58
8	G Nichols	Banbury	1929 00	1528 13
9	C Bardon	Chelmsford	1448 30	-
10	R Emery	Colchester	11639	1519 29
11	A Collett	Chelmsford	-	1526 00
12	C Metcalf	Mid-Thames	-	1528 41
13	P Lisle	Mid-Thames	11638	1535 45
14	K Chan	South Manchester	11637	1536 00
15	D Newman	Northampton	-	1538 29
16	T Gage	Mid-Thames	-	1538 53
17	R Goodall	Mid-Thames	11635	1539 45
18	W Pochey	Mid-Thames	11634	1540 30
19	P Clark	Paignton	11644	1544 55
20	M Standen	Mid-Thames	-	1504 30

(NAMED COMPETITOR FOUND TX AFTER OFFICIAL END OF CONTEST)

M HAWKINS and A MEAD qualified for the National DF Final on 24 September 1989 [see next month's RadCom]

G4HKC

SALISBURY QUALIFYING EVENT

Date: 13th May

Map: 184 (Salisbury and the Plain)

Assembly: 13.00 for stall at 13.20 BST

Location: Woodhenge, just off A345 between Amesbury and Durrington, NGR 151434.

Competitors requiring tea should notify A Newman, 14 Victoria Road, Wilton, Wiltshire, SP2 0DY; tel 0722 743837 not later than 3rd May.

MID THAMES QUALIFYING EVENT

Date: 10th June

Map: 165 (Aylesbury and Leighton Buzzard)

Assembly: 13.00 for start at 13.20 BST
Location: Great Kingshill village green car park, NGR 876981

Competitors requiring tea should notify Colin Boyce, Coombe Bank, Hatches Lane, High Wycombe, Bucks; tel 0494 712083 not later than 3rd June.

BANBURY QUALIFYING EVENT

Date: 24th June

Map: 151 (Stratford upon Avon)

Assembly: 13.00 for stall at 13.20 BST
Location: Daylton Hall School car park, NGR 435417

Competitors requiring tea should notify Graham Nicholls, 64 Mascord Road, Banbury; tel 0295 265492 not later than 17th June.

IARU/RSGB 432MHZ-24GHZ, OCTOBER 1989 CONTEST RESULTS

The only bright spot in this contest was the slightly increased entry across most of the bands from single-operators. As for multi-operator stations, they were conspicuous by their absence with several bands unrepresented and overall participation down by about 50%. The SWLs deserted the contest totally. Certainly the weather was not kind, very wet and windy over most of the country on Saturday, improving Sunday. Although this might have been a factor, it is more likely that the lack of activity from groups centres around a lack of desire to operate unless a kill is guaranteed.

Only the overall single-op winner, G4FUF on the east coast, reported any DX. Throughout the rest of the country, contestants' comments included hostile, unspeakable,

boring, and poor, with just a slight improvement in the last two hours. Even worse was the lack of activity, particularly on the higher bands. Several stations commented that it was the worst they had known in many years of contesting. The only multi-op to report on 5760 MHz, G3OHP/P, spent several frustrating hours trying to find a contact on this band and G8APZ/P had a similar lack of success on 24 GHz.

Some remarks were made about the rules and these will be reviewed before this contest is run again.

Congratulations to the winners and runners-up in each section. Entries will be forwarded for adjudication in the IARU contest.

G4WAD

OVERALL RESULTS

SINGLE-OPERATOR SECTION				BAND POSITIONS					
Pos	Callsg	Point	432	1.2	2.3	3.4	5.6	10	
1	G4FUF	4288	2	1	1	2	-	2	
2	G8IFT	1732	12	9	3	6	-	1	
3	G4PMK	1460	8	-	4	1	-	-	
4	G4E2P/P	1020	-	-	-	4	-	3	
5	G3SEK	1000	1	-	-	-	-	-	
6	G6DER	1000	-	-	-	-	1	-	
7	G4EOD	962	11	5	2	-	-	-	
8	G4LRT	840	-	-	-	3	-	-	
9	G1GEY	815	4	2	-	-	-	-	
10	G8OPR	783	5	3	5	-	-	-	
11	G8APZ/P	530	-	-	-	7	-	4	
12	G4ZTR	435	7	6	-	-	-	-	
13	G8CHW	405	-	4	6	-	-	-	
14	G4LDR	387	3	-	-	-	-	-	
15	G4NBS	377	9	7	-	-	-	-	
16	G4AUC/P	370	-	-	-	5	-	-	
17	G4NTY	228	6	-	-	-	-	-	
18	G1NRM	130	10	-	-	-	-	-	

MULTI-OPERATOR SECTION				BAND POSITIONS					
Pos	Group	Point	1.2	2.3	3.4	5.6	10		
1	South Birmingham RS	3183	5	2	2	1	-	-	
2	Three Spies & Antel CG	2688	1	3	1	-	-	-	
3	South Manchester RC	1949	4	1	3	-	-	-	
4	Five Bolis	1053	3	4	-	-	-	-	
5	Bracknell ARC	735	2	-	-	-	-	-	

432 MHZ

SINGLE-OP SECTION

POS	CALLSIGN	POINTS	QSOs	LOC	PWR	ANT	BEST DX	KM
1	G3SEK	22264	106	91HP	400	21Y	F6KSP/P	694
2	G4FUF	20669	70	01GN	300	21Y	OL3NAD/	716
3	G4LDR	8697	45	01CO	50	17Y	PA0PLY	495
4	G1GEY	7290	29	94FW	100	21Y	F6CTT/P	784
5	G8OPR	5157	23	91FE	25	17Y	PA0PLY	469
6	G4NTY	5077	36	83TM	100	21Y	G3DAH	338
7	G4ZTR	4110	17	01LV	25	21Y	F6KSP/P	681
8	G4PMK	3538	27	93GT	70	19Y	G0GJV/P	340
9	G4NBS	3365	14	02AF	100	21Y	OL0UD	500
10	G1NRM	2891	28	91UC	100	12Y	F6CTT	419
11	G4EOD	674	9	93ON	15	8Y	G4NBS	154
12	G8IFT	62	1	82XJ	10	18Y	G8KOW/P	62

MULTI-OP SECTION

1	G4HRY/P	35864	154	93XH	400	320M+	FF6KPO/P	
2	G0GJV/P	26349	122	80ST	350	2x21Y	DL0UD	671
3	G4NPH	23755	111	02BI	400	4x17Y	OF0SAR/P	
4	G3FVA/P	22462	121	93EH	150	4x23Y	FC1DBE	936
5	G8OHP/P	14480	95	92GB	100	21Y	DF3KV/P	571

1296 MHZ

SINGLE-OP SECTION

POS	CALLSIGN	POINTS	QSOs	LOC	PWR	ANT	BEST DX	KM
1	G4FUF	12505	53	01GN	350	2.5D	F6KSP/P	645
2	G1GEY	6100	23	94FW	200	4x23Y	G4CVI	455
3	G8OPR	5515	31	91FE	70	23Y	G1GEY	416
4	G8CHW	4918	42	91TQ	100	480L	DJ5BV	528
5	G4EOD	3308	25	93ON	80	270L	G4CVI	298
6	G4ZTR	3129	29	01LV	100	23Y	OF0HS/P	365
7	G4NBS	2817	18	02AF	4	4x23Y	DL1EBR	419
8	G4PMK	1901	16	93GT	50	23Y	G4CVI	319
9	G8IFT	1455	10	82XJ	150	4x23Y	G3GIM	267

MULTI-OP SECTION

1	G3UHF/P	7200	45	93EH	80	8x23Y	PA0EZ	475
2	G1OHP/P	6175	43	92GB	100	4x23Y	DF0HS/P	532
3	G2LO/P	4939	29	93XH	350	4x55Y	PA0WMX	427
4	G4NPH	2818	18	02BI	200	470L	ON7WRA	399

2320 MHZ

SINGLE-OP SECTION

POS	CALLSIGN	POINTS	QSOs	LOC	PWR	ANT	BEST DX	KM
1	G4FUF	1614	11	01GN	70	2.5D	PA0PLY	319
2	G4EOD	1076	9	93ON	5	490L	G4FUF	235
3	G8IFT	408	3	82XJ	20	1.2D	G4FUF	-
4	G4PMK	241	5	93GT	15	0.6D	G4EOD	61
5	G8OPR	178	2	91FE	25	23Y	G4FUF	150
6	G8CHW	19	1	91TO	0.5	660L	G3JXN	19

MULTI-OP SECTION

1	G4IEV/P	807	8	93XH	2	1.8D	G4FUF	198
2	G3OHP/P	743	7	92GB	30	1.5D	G4EOD	174
3	G8SAR/P	261	4	93EH	4	1.2D	G4IEV/P	105

3456 MHZ

SINGLE-OP SECTION

POS	CALLSIGN	POINTS	QSOs	LOC	PWR	ANT	BEST DX	KM
1	G4PMK	76	2	93GN	0.8	0.6D	G3ZTR/P	49
2	G4FUF	67	5	01GN	7	2.5D	G88KE	30
3	G4LRT	64	2	92KJ	0.03	1.3D	G3OHP/P	35
4	G4E2P/P	48	2	01DO	1.3	0.6D	G4FUF	12
5	G4AUC/P	28	1	01QX	18	0.7D	G3LOR	28
6	G8IFT	27	1/2	82XJ	-	1.2D	G3OHP/P	54
7	G8APZ/P	18	2	01EO	0.06	Home	G4FUF	18

MULTI-OP SECTION

1	G3OHP/P	68	1	92GB	21	1.3D	G4LRT	42
---	---------	----	---	------	----	------	-------	----

5760 MHZ

SINGLE-OP SECTION

POS	CALLSIGN	POINTS	QSOs	LOC	PWR	ANT	BEST DX	KM
1	G6DER	34	1	93GN	6	0.6D	G3ZTR/P	67

10GHZ

SINGLE-OP SECTION

POS	CALLSIGN	PTS	QSO	LOC	PWR	ANT	BEST DX	KM
1	G8IFT	62	1	82XJ	0.2	Home	G8KOW/P	62
2	G4FUF	30	2	01GN	0.25	0.45D	G4E2P/P	18
3	G4E2P/P	24	2	01DO	0.0002	0.3D	G4FUF	18
4	G8APZ/P	18	2	01EO	0.01	0.4D	G4FUF	12

CONTESTS CALENDAR

RSGB HF CONTESTS

1 Apr	Ropeco I (Jan 90)
1 Apr	Peck Memorial Trophy DF (Mar 90)
9 Apr	1st 28MHz Cumulative (Feb 90)
15 Apr	Low Power Contest (Feb 90)
17 Apr	1st 28MHz Cumulative (Feb 90)
Apr 22	Northampton DF (Mar 90)
25 Apr	1st 28MHz Cumulative (Feb 90)
3 May	1st 28MHz Cumulative (Feb 90)
11 May	1st 28MHz Cumulative (Feb 90)
13 May	Salisbury DF (Apr 90)
19 May	County Roundup SSB (Mar 90)
20 May	County Roundup CW (Mar 90)
23 June	HF National Field Day (Feb 90)
10 Jun	Mid-Thames DF (Apr 90)
23, 24 Jun	Summer 1.8MHz (Apr 90)
24 Jun	Banbury DF (Apr 90)
14, 15 Jul	SWL
15 Jul	Low Power Field Day
15 Jul	Ripon DF
29 Jul	Chelmsford DF
19 Aug	Coventry DF
26 Aug	ROPOCO 2
1, 2 Sept	SSB Field Day
9 Sept	Torbay DF
10 Sept	2nd 28MHz Cumulative
18 Sept	2nd 28MHz Cumulative
26 Sept	2nd 28MHz Cumulative
30 Sept	DF National Final
4 Oct	2nd 28MHz Cumulative
7 Oct	21/28MHz Contest
12 Oct	2nd 28MHz Cumulative
21 Oct	21MHz Contest

RSGB VHF CONTESTS

8 Apr	10GHz Cumulatives
8 Apr	50MHz Trophy Fixed/Single/Multi OP and SWL (Apr 90)
5, 6 May	432MHz Trophy & SWL (Apr 90)
5, 6 May	434MHz to 24GHz (Apr 90)
6 May	10GHz Cumulatives
19, 20 May	144MHz & SWL (Apr 90)

10 Jun	10GHz Cumulatives
10 Jun	432MHz CW Single/Multi
10 Jun	432MHz FM Fixed & Open
7, 8 Jul	VHF Field Day (Apr 90)
22 Jul	10GHz Cumulatives
28 Jul	144MHz Low Power/SWL
29 Jul	432MHz Low Power/SWL
All Aug	432MHz Activity
12 Aug	1-3 & 2-3GHz Triphes
19 Aug	10GHz Cumulatives
All Sep	1296MHz Activity
1, 2 Sep	144MHz Trophy/SWL
9 Sept	10GHz Cumulatives
16 Sep	70MHz Trophy/SWL
30 Sep	50MHz CW
6, 7 Oct	432MHz - 24GHz SWL & IARU
7 Oct	10GHz Cumulatives
9 Oct	1-3 & 2-3GHz Cumulatives
17 Oct	432MHz Cumulatives
21 Oct	70MHz CW
25 Oct	1-3 & 2-3GHz Cumulatives
2 Nov	432MHz Cumulatives
3, 4 Nov	432MHz CW 8-hr Marconi/RSGB
10 Nov	1-3 & 2-3GHz Cumulatives
2 Dec	144MHz AFS/Fixed/SWL
4 Dec	432MHz Cumulatives

There will be an SWL section in every VHF contest even if not mentioned in rules

OTHER CONTESTS

First Tuesday each month
144MHz Scandinavian VHF/UHF/SHF Activity Contest (Jan 89 VHF/UHF)

First Thursday each month
432MHz Scandinavian VHF/UHF/SHF Activity Contest (Jan 89 VHF/UHF)

First Monday each month
Microwave Scandinavian VHF/UHF/SHF Activity Contest (Jan 89 VHF/UHF)

Dates of publication of rules in *RadCom* are shown in parentheses

CLASSIFIED ADVERTISEMENTS

Classified advertisements 50p per word (VAT included) minimum £7.00. Please write clearly. No responsibility accepted for errors. Latest date for acceptance — 5 weeks before 1st of issue month. Cheques should be made payable to RSGB.

All classified advertisements MUST be prepaid.

Copy and remittance to: Victor Brand Associates Ltd, 'West Barn', Low Common, Bunwell, Norwich, Norfolk, NR16 1SY.

NB. Members' Ads must be sent to 'Members' Ads', RSGB Hq.

FOR SALE

AMMOON/MICROMETALS TOROIDAL CORES, Ferrite, Beads, Rods etc. Send 50p for catalogue. Ferromagnetics, P.O. Box 577, Mold, Clwyd, N.Wales CH7 1AH.

OSLS 1000 £21 (SWLS, Logs, Colour cards, Stamps, Patches. — S.A.S.E. for samples). Currie, 87 Derwen St, Consett, DH8 8LT.

OSL CARDS. Try me for quality and price. SAE for samples. A. W. Bailey (G3YNI), Brean Down Press, 78 Alfred Street, Weston-Super-Mare, Avon BS23 1PP.

"RAYNET" YELLOW REFLECTIVE TABARDS with "Raynet" like Police, Ambulance. Medium £9.00, Large £9.50, XLarge £10.00. "Raynet Controller" 50p extra. "Raynet Control" Road Sign, 900mm x 600mm rippled mounted £49.50. Nonreversible battery connectors (10 pairs/pack) £4.00. Mike Watson G8CPH, Ipswich (0473) 831448.

MOSLEY ANTENNAE — All the famous British Manufactured Antennae, direct from us including spares/replacements. Mustang, Elan, TA-33Jnr etc. Full Details shown in our Handbook, price £1.25 refunded upon purchase of Antennae. Mosley Electronics, 196 Norwich Road, New Costessey, Norwich NR5 0EX (Administrative address only).

ANTI-YVI MULTIBAND AERIALS, TRAP DI-POLES, F7FE. Aerials, Traps, Baluns, etc. Data 30p SAE. Aerial Guide £1. G2DYM, Uplowman, Devon EX16 7PH. (03986) 215.

SAVE MONEY — MAKE IT YOURSELF DIY projects — Loops, ATU's, Field Strangh Meler. SAE G2VF OTHR.

OSL CARDS to your design on coloured cards. SAE Caswell Press, 11 Barons Way, Woodhalch, Reigate, RH2 8EU. (0737) 244916.

WE CAN SUPPLY ICOM, Yaesu, Uniden, Welz, Navico, S.W.L. ATU from £39 + £2.50 p&p. Also full range of Ant. Cables, etc. Please send for list. Seaward Electronics, Unit 10, Lynstone Trading Est, Bude, Cornwall, Phone 0288 355998, after 6pm 0288 354892. Access, Visa, R.S.G.B. Master Card.

CALLSIGN BASEBALL CAPS — Blue, Red or Black, send £3.90 including p&p. Send for details of callsign shirts. M. J. Hilton, 3 Highfields, Heswall, Wirral, L60 7TF.

G4MH MINI BEAM for HF, still at £98 inc VAT. SAE details. Supplies of Kenwood, Yaesu etc. Selection of used equipment. The Amateur Radio Shop, 4 Cross Church St, Huddersfield, West Yorkshire. 0484 420774.

OSL CARDS designed personally for you, or one of our wide range of special pictorial designs in single or multi colours, raised print or normal print, super-gloss or matt. For quality and value send L.S.A.E. for samples to: Contact Cards, 289 Church Street, Blackpool, FY1 3PE, Lancs.

70MHz FULL SPEC CRYSTALS PYE W15 70.260 AM/FM, 70.450, 70.475, 70.425 FM Ex Stock at £10.50 per pair, Made to order service available. C.A.R.E. (North West) Ltd, 12 Leeside Close, Liverpool, L32 9QT. Tel. 051 426 2546 (evenings/weekends).

G4TJB OSL CARDS. OSL CARDS printed to your specification including photocards and cartoons. ANTENNAS (whips to beams), SCANNERS, TRANSCEIVERS, POWER SUPPLIES, LINEARS, PREAMPS, CABLE, CONNECTORS. We can supply almost anything (phone and ask) Part exchange welcome. For samples and product list S.A.E. to 24 Portishead Road, Worle, Weston-Super-Mare. BS22 0UX. 0934 512757.

OSL CARDS. Gloss or lined cards. SAE for samples to Twrog Press, Penybont, Gellilydan, Blaenau, Ffestiniog, Gwynedd LL41 4P.

PRINTED CIRCUIT BOARDS supplied for one-offs, prototypes and as quantity runs. High quality PCBs made to order for all RAO COMM projects. We can supply 'home brew' PCB kits, materials, lamination solution and the right tools. Artwork supplied 2 to 1 and from your schematic drawings. Also film positives and a plotting service. Please send SAE for information or write for quotation to Badger Boards, 87 Blackberry Lane, Four Oaks, Sutton Coldfield B74 4J or call 021-353 9326.

SAMSON TWIN-PADOLE key £36.00. Paddle EL-keyers:- ETM-5c, £88.00. ETM-8C, (eight memories) £144.00. ETM-1C EL-keyer, £36.00. G5BM OTHR (0531-820960).

ALUMINIUM TUBE. Heavy-duty (scaloid) tube approx. dimensions 20' long, 2" dia, 1/4" (4.5mm) wall thickness. 20' and 10' lengths available @ £1.80 + VAT per ft. C.W.O. Carriage extra. Ruspier Hire (Crawley) 0293 871621 office hours only.

MAKE YOUR OSL a collector's item with GW3COL's personalised sketch £10. Penrhynbach, Abersoch 2675.

AERIAL WIRES, strong PVC coated £6.50, hard drawn 14swg £14, 16swg £11.50, all per 50 metres post/VAT paid, 30p stamps for full lists of cables, etc — W. H. Westlake, Clawton, Holsworth, Devon.

OSL CARDS. Clear plastic hanging display wallets hold 20 cards. Pack of three £3.20. Viola Plastics 36 Croll Road, Hastings, Sussex.

J.A.B.. The new name in MAIL ORDER. Electronic and R.F. Components, with an evening telephone service. Catalogue 50p (Refunded on first order) from:- JAB, 76 Wensleydale Road, Greatbarr, Birmingham B43 1PL.

RSGB AMATEUR RADIO INSURANCE SCHEME

"ALL RISKS" INSURANCE for portable/mobile/base station amateur radio and ancillary equipment. A service for RSGB members only. Also public liability and equipment insurance for affiliated clubs and societies. Details and leaflets from Sarah Baylis or Jenny Lovell, Amateur Radio Insurance Services Ltd, 4a Russell Hill Road, Purley, Surrey CR2 2LA. Tel: 01-660 0820 or Fax: 01-660 9222.

COMPUTER SOFTWARE HARDWARE

AMSTRAD/IBM PC COMPATIBLE SOFTWARE. Large SAE to Charles Crane G4YFN, 2 Pimenio Drive, Earley RG6 2GZ.

THE G4TYF LOG, date, band, power, mode, time, callign, name, OTH, RX/TX/RPRT. Search QSL/Log, print out labels, nice screen, four inputs. Disk 2000 entries, free resistor decoder, BBC, Commodore 64, £20. Enclose callign. E. Aston, 64 Gurney Valley, Bishop Auckland, DL14 8RW. 0388-607500.

G4UXD'S CELEBRATED MORSE TUTOR: BBC's, IBM-PC, compatibles. Adjustable speed, delay, letter frequency, 100 tests, attach your key, +++++ 7.95 disc. SAE details/free trial D. Brandon, 1 Woodlands Road, Chester CH4 8LB.

G3WHO AMTOR/RTTY/CW MK II BBC B/Master. Full feature, split screen, memories, mailbox, selcall, etc. Eprom £27, P. J. Harris, 10 Appleby Close, Great Alne, Aylesbury, Warwickshire B49 6HJ. Tel. 0789 488377.

IBM/PC. COMPATIBLE AMATEUR/SWL STATION LOG/DATABASE, interactive. Prelix, Country, Continent, CO/ITU Zones, Local-time databases. Userfriendly Multioptions include QSD checker, Real-time/log entry, searches on Call/Date/Name. Print/sort options etc, with new updates/additions. Compiled for speed. Hard or Floppy disc 360k-1.44m. Liked/noted as one of the best logging programs £20. Include Call/SWL, R, Wilmo, 1 Retreal Collages, Church Lane, Broadbridge Heath, Horsham RH12 3ND.

IBM PC CLONES. AMTOR software £30 works with any good RTTY T.U. RTTY software £15. AMTOR + RTTY £40. Split screen, disk logging, printing, callign capture and many more superb features. Grosvenor Software (G4BMK), 2 Beacon Close, SEAFORD, Sussex BN25 2JZ. (0323) 893378.

LOGBOOK — Software for IBM PC. Search facilities, QSL labels, prefix table, Maidenhead calculator. On 5.25" disk from SIMON COLLINGS, G4SGI, Southwold, Harnham Lane, Wilthinton, Cheltenham, Gloucestershire, GL54 4DD. £15.00. S.A.S.E. for information on product range.

HOLIDAY ACCOMMODATION

FLYING FROM GATWICK? Stay at Mill Lodge Guest House, 4 minutes from airport. Transport available. Telephone (0293) 771170.

GULF COAST, TAMPA, FLORIDA. Luxury bungalow, sleeps 6-8, close to all Florida's attractions, £250 per week. Phone Bob GOGHT on 040-928-475 for further details.

THE GAMBIA — special radio holidays available in the wonderful winter sun location from only £299 for one week half board inclusive of flight. Only small single supplement. For more information call 0794 514646 now!

ELEVATED SITE, use of shack, B&B, Caravan, Bunk House, Camping. Open all year. "Tynrhos", Mynytho, Pwllheli LL53 7PS. (0758) 7407 12.

CORNWALL, FARMHOUSE ACCOMMODATION. B&B, E.M. six berth caravan. Set in a secluded location near Truro. Tel John (G4LJY) 0872 863849.

RARE DX ISLAND, holiday guest house situated on Gozo (JM76AB). Included in the price: Use of Fully Equipped Shack. All travel and accommodation arranged. All paperwork included for your 9H Call Sign. For further details please write to: Mr. T. Manzi (GM/9H3LY), 31 Panland Terrace, Edinburgh, Scotland, EH10 6HD.

MISCELLANEOUS

HEATHKIT UK spares and service centre. Cedar Electronics, Unit 12, Stallion Drive, Bredon, Tewkesbury, Gloucestershire. Telephone (0684) 73127.

COURSE FOR CITY & GUILDS, Radio Amateurs Examination. Pass this important examination and obtain your licence, with an RRC Home Study Course. For details of this and of other courses (GCSE, Career and Professional examinations etc) write or phone — The Rapid Results College, Dept JT17, Tuition House, London SW19 4QS. Tel 01-947 7272 (9am-5pm) or use our 24hr Recordacall service 01-946 1102 quoting JT100.

HOME VIDEO CAMERAMEN — Send your friends overseas a videolape. We convert your videolapes between NTSC/PAL/SECAM. Details from GM8NVG, STABLE RECORDINGS, Lochend, BEITH, Ayrshire, KA15 2LN. 0505 85488.

ELECTRONICS WORKSHOP Repairs, rebuilds, modifications, advice. Specialists in valve equipment. See also PAYL School. Green G1NAK Chylean, Tintagel, Cornwall. 0840 212262.

R.A.E. PAY AS YOU LEARN CORRESPONDENCE. £2 per lesson includes tuition. See also Electronics Workshop, Green, C.Eng. M.I.E.E., Chylean, Tintagel, Cornwall, 0840 212262.

WANTED: Bugs, CodeTrot, German Novaplex and Scheinmaster, also Eddystone S669. Smiley White WB4EDB, PO Box 5150, Fredericksburg, Va 22403, USA.

OSL WRITING SERVICE for contesters, DXers, busy people, £3 per 100. Details (0521) 77842.

WANTED · WANTED · WANTED!

Engineers of quality
Contact *The Engineer's Choice*

BULLDOG ENGINEERING RECRUITMENT
& Management Services

11 Marlborough Place, Brighton BN1 1UB.

Tel: 0273 570574 Fax: 0273 570285



SE 10773

J. BIRKETT

25 The Strait
LINCOLN LN2 1JF
Tel: (0522) 520767

TV IN LINE FILTERS Consisting of Two FX1588 Rings With Thirteen Turns of Coax Terminated by Coax Plug and Line Socket @ 95p. 20 TTT PACKETS OF ASSORTED CRYSTALS HC60/HZ250 Each Packet Contains One or Two Crystals Could Be Up To 40 Pieces for £1.30. GAS FETS 186Hz Qui Of Spec Devices @ 3 for £1.99. SELECTION OF BUT OF SPEC UNUSUAL MICROWAVE DEVICES, Gallium Arsenide Tape Ended Detector Diodes @ 5 for £1.95, Surface Mount J Band Detector Diodes @ 2 for £1.80, Surface Mount X Band Detector Diodes @ 2 for £1.60, Gallium Arsenide Mixer Diode 26 to 40 GHz Surface Mount 3 for £2.95. MOTOROLA UHF HAND HELDS 2 Channel Less Crystals and Aerial With 2 used Ni-Cards With Some Suggested Details To Convert To 70CM, @ £23.60 (P.P. £1.50). STORNO 0007 MOUNTING FM TRANSCEIVERS 10 Channel, No Accessories @ £8 (P.P. £3.3). X BAND BURN DIODES @ £1.65, 24 GHz LOW POWER BURN DIODES @ £2.30, DIODES LIKE 1N23 @ 45p, SIM 2 @ 45p. AIR SPACED VARIABLE CAPACITORS, 15+15p, @ £2.50, 10+10+20p @ £1.50, 200+350p @ £2.50, 500+500p @ £2.95, 170+380p With Double Geared Drive @ £2.50, FETS, 2N3819 @ 25p, BF256 @ 25p, 2N3824 @ 25p, BF111 @ 30p, J304 @ 6 for £1, J230 @ 4 for 60p. DUAL GATE MOS FET 3N201 @ 80p, 3SK88 @ 60p, VN10KN @ 50p, VN1 OLN @ 40p, VN211 @ 40p.

ACCESS AND BARCLAY CARDS ACCEPTED. P&P, 60p UNDER £5, OVER FREE, UNLESS OTHERWISE STATED. C.M. HOWES AND WOOD & DOUGLAS KITS AVAILABLE BY POST AND FOR CALLERS.

SERVICE MANUALS

Available for most Video Recorders, Colour and Mono Televisions, Cameras, Test Equipment, Amateur Radio, Vintage Valve Wireless, Any Audio, Music Systems, Computers, Kitchen Appliances etc.
Equipment from the 1930's to the present and beyond
Over 100,000 stocked, originals and photocopies
FREE catalogue Rpsir and Date Guides with all orders

MAURITRON TECHNICAL SERVICES (RC)

8 Cherry Tree Road, Chinnor, Oxfordshire, OX9 4QY
Telephone: (0844) 51694 office hours. Fax: (0844) 52554

PROCOMM (UK)

Cash paid for used Amateur Equipment. Part exchange welcome.
SAE for stock list

9am-9pm, Mon-Sat, 0235 532653, 0860 593052.

Callers by appointment please: 102 Larkhill Rd, Abingdon, Oxon.

CASH — CASH — CASH — CASH

PANIC RE. VALVE SUPPLIES & PRICES!!

We have not been selling GE/6146B recently. G.E. the makers of the 6146B fitted by Yaesu to 101ZD etc. had a problem? Now they have at last replaced a batch of low output valves — with which they supplied us — with higher quality tubes of current production. The price is up over 50% but we got them at replacement at old price. Prices must go up when these are sold. 6146B C.E. matched pair, high output £35 p.p. (or 3 for FT102 C52) — Also last few Jap. green banded 6KD6 £40 pair p.p. — N.E.C. 12BY7A £22 each p.p. — G.E. 12BY7A £9 p.p. — N.E.C. 6J56C £38 pair p.p. — Special offer FT102, 101ZD and 902 owners. CW Filter (normally £40) half price with full set of valves.

G3LLL, HOLDINGS AMATEUR ELECTRONICS
45 Johnston Street, Blackburn, BB2 1EF. (0254) 59595.

ACCESS/VISA

SYON TRADING

16 THE RIDGEWAY
FETCHAM, LEATHERHEAD, SURREY. KT22 9AZ
Tel. 0372 372587 Callers by appointment only

7MHz Traps £11 pair - Balun 1kw 1:1 £12.35 4:1 £13.00 - G5RV full size £18.20
half size £15.80 - Antenna switches 2 way 500W 50Mhz. £7.67 - 3 way 2kw 500Mhz.
£16.53 - Dummy load 15W 3GHz. £29.95 50W 500 Mhz. £13.33

RF Connectors BNC plug 75p Round socket 75p PL 259 50p Reducer 15p
SO239 square 45p N plug £2.25

RF Adaptors BNC plug - SO 239 £1.70 BNC socket - PL259 £1.70 N socket - BNC
plug £2.75 N plug - SO 239 £2.70

Microphone Connectors (line sockets) 2 pin 85p 4 pin 65p 5 pin 80p 6 pin £1
7 pin £1.30 8 pin £1.45

IC Sockets 8 pin 8p 14 pin 10p 16 pin 10p 28 pin 18p 40 pin 24p
Toroids T37-2 35p T50-2, T50-6, T68-2, T68-6 all at 40p T37-12 35p T94-2 60p

ALSO STOCKED :- Kanga Kits - Black Star Products - Malsor Kits
Nevada Products - Spectrum Kits - Resistors - Capacitors - Diodes
Switches - Regulators - Semiconductors - Connectors - Cable.
Full list 40p refundable with order; ACCESS; VISA; CHEQUE p&p 50p

KANGA'S QRP KITS

KITS FOR THE AMATEUR, BUDDING AMATEUR & THE LISTENER

KSGA




KANGA PRODUCTS is a small BRITISH company providing kits for amateurs throughout the world. We provide clear, precise instructions coupled with superb quality PCB's and only the very best components, without making the finished product appear like 'painting by numbers'. If you don't like what you buy, we also give a full, money back guarantee with each and every kit that we sell.

DIRECTIONAL POWER METER

George Dobbs — "Our initial test of this design suggests it is better than the BIRD wattmeter... This circuit will become an amateur radio standard" much better than SWR bridge — actual fwd and rev powers are displayed. Supplied less the two required meters at..... £17.95

DUMMY LOAD KIT

Have you got one? Everyone should have a dummy load in the shack and ours is ideal, with facilities for power readings, and up to 100 watts for 1 minute too. Only..... £10.95



Prototype 'Sudden' RXS

IAMBIC KEYS

An Iambic keyer on a small PCB, full dot-dash memories too. Excellent value at..... £16.95 Also available the KANGA speed control, 6 presets on a small PCB to ensure your speed is accurate at all times..... £2.95

MORSE OSCILLATOR

A morse code practice oscillator that is an ideal aid for those who wish to learn CW. It also acts as a sidetone for your homebrew rig and also as a bench AF amplifier..... Just £12.95

THE 'SUDDEN' DC RECEIVER

A very neat Direct Conversion receiver designed by the Rev George Dobbs. Ideal for all bands up to 40m but will still work at 20m. Very simple to build too, ideal as a first project for a youngster. And only..... £17.95

Please add £1 for p&p
Some kits are supplied semi-complete. Send a large SAE for full details.

KANGA PRODUCTS, 3 Limes Road, Folkestone, Kent CT19 4AU. Tel: 0303 276171

TRADE ENQUIRIES WELCOMED

ANNOUNCEMENT

Amidon/micrometals Toroidal Cores, previously supplied by TMP Electronic Supplies, will as from May 1st be marketed by:—

FERROMAGNETICS

PO BOX 577

MOLD, CLWYD, N. WALES CH7 1AH

PLEASE SEND 50p FOR NEW CATALOGUE, DATA AND PRICES

TENNAMAST FOR TILT-OVERS

GM60AL and GM4VHZ

Our wind up, tillover Tennamasts are ideal for HF and VHF beams. Designed and professionally built by amateurs for amateurs, they are safe and easy to use, slim, elegant and economically priced from £190. Immediate delivery.

BEAM KITS Homebrew your own GM4UTP 5 Band Quad or VK2ABQ Beam with our low cost kits.

Call 05055 3824 (24 hours) for Brochure and Info plus friendly technical advice

TENNAMAST SCOTLAND

81 Mains Road, Belth, Ayrshire KA15 2HT



AERIAL TECHNIQUES

AR300XL Aerial Rotor, Control Unit and Alignment Bearing
Rotor unit type AR300XL and control console. Continuous indication of beam heading. Clamps to 2" (52mm) max. mast and takes 1 1/2" (38mm) max. stub mast. 'Offset' type mounting. Vertical read carrying 45kg. Special offer £39.95 plus £2.95 p&p. AR1201 Alignment (support) bearing. Allows greater/higher head loads. Fitted above rotor. £18.10.



Plus full range of Rayco Oscilloscopes, air/marine antennas, rotators and all aerial hardware.

11 Kent Road, Parkstone, Poole, Dorset BH12 2EH. Tel: 0202 738232

DX TV Monitor/Rxs and Video Recorders

Full range of mono/colour dual/multi-standard and VHF and UHF sets with sound channel switching. Also VHF/UHF PAL/SECAM/NTSC recorders



VISA

MasterCard

Semi 75p for our PRO/AM catalogue



Members' Ads

Conditions of acceptance are published on the Members' Ad order form inserted into the wrapper with every issue of *Radio Communication* posted to members. This form must be used when placing an advertisement; and please note that FOR SALE, WANTED and EXCHANGE advertisements must not be mixed on the same form. A new, more flexible, pricing scheme has been introduced. Details are on the form. Each advertisement must be accompanied by the correct remittance, as a credit card payment, cheque or postal order made payable to the Radio Society of Great Britain. Please note that because this is a subsidised service to members, no correspondence can be entered into.

FOR SALE

●YAESU FLD400 TX, FRD400 RX, matching spkr, complete set spare valves, manuals, ideal 1st HF rig: £280. BNOS 12V/12A PSU: £85. Mark, GOLF, Reading 0734 61227.

●TRIO TS71E, 2m multimode, manual, m/c, 12V lead, exc. cond: £450. John, G6AZV OTHR. Poole 0202 602362.

●CHROME bench: £75. Chrome lmbic Vibroplex: £75. CDRTR44 ham rotor: £40. B/W monitor: £15. G4CJY OTHR. 0494 30018.

●YAESU FRG8800: £495. Pakratl 232 with data and fax sw/are. All cables: £200. Datong AD270 indoor active ant. £35. Atlas new. Carr. paid. Sell as one lot for: £700. G4MLBE OTHR. Llewellyn 0595 4270.

●EDDYSTONE EC10 RX with manual, £55. Heathkit 102 scope with manual £55. Vic 20 computer, fully expanded, Databroker, cartridges. G4BKK RTTY TX program, several books, £75. All above VGC. Carr. paid and open to offers. RSGB Bull/ShortCom, 30 bound vols. 1953-83 complete ShortWave map, 15 bound vols. 1955-70 complete, Sensible offers please. G4MLGU OTHR. Dunoon, Argyll 036987 341.

●ONE copy of 12w/12h GHz lagging notes in German. £5. Inc post. G4DGO OTHR. 04022 22581.

●FT7767 with 2m and 6m modules. Ong packing: £1000. G4LJR OTHR. Horsham 0403 64275 G4LJR.

●BNOS linear, 10W in 100W out on 2m and 6m: £1250. G4LJR OTHR. Horsham 0403 64275 G4LJR.

●YAESU FL2100Z linear 9 bands, 10-160m. Perfect cond. £550. G4PYA OTHR. Whitstable 0227 793250.

●AL NCO ALR72E 70cm 25W FM mobile c/w mobile bracket and 35.8 base colour. Boxed, immac. £265. AF800E 75-950MHz with spkr, AM/FM VHF scanner, c/w chrgt box, under warranty. B/wks old. £135. Cobra 148GTL converted to 10m, work stations with only 10W with service and conversion manuals: £135. Exch all above for TS71E, FT726B WHY? Ian, G1HOK OTHR. Dagenham 01-517 8277.

●EDDYSTONE RX 630 works well. £45. Tno P600, VGC: £150. Marconi generator TF995A, £45. H/B SSB 160m TX 3W Q.P. £20. General Radio UHF oscillator 220-920MHz: £45. Rascal pwr meter 1-1000MHz 0.1-3W: £35. Marconi FT 1041C voltmeter: £15. Spare valves and original manuals. Also stocks of diodes boxes and meters for callers. Sorry but buyers must call. Hertsford 0992 582307 G3ZYL.

●10M 3ole yagi plus 6x 6ft lengths of scaffolding plus 5x1 scaffolding sleeves. Hardly used, VGC. Bargain: £75. Buyer collects. Bracknell 0344 852134 RS92693.

●TRIO TR9000, 2m multimode, £300. Welz swr SP420. £49. Speech processor Joyomura, £45. Camford, JVC GR7. Compact exc: £465. Oxford 0865 863333 G6ASA.

●FT9800 lcvr. £950. TL922 linear: £950. SM220 monitor: £200. MN2000 ant tuner 2kW: £150. BNOS 12-25A PSU. £150. Oskar swr £30. MM 2m 10-100 linear: £130. PSU Brem 13-8-10A: £25. Rotor. Tasma RT50 and control: £35. Ants 2m omni: £15. SSB 2m belt: £20. 70cm 19ele. £20. 6m £20 unused. Coax cable, 40m metre. Howard. G6H2H OTHR Ipswich 0394 460474.

●YAESU FT230R, boxed, minirid s/case, mcads, chrgt: £230. Swan 350 HF lcvr, GWO: £120. Derek Watson, G3JZJ OTHR. Chelmsford 0245 261701 x353.

●TRIO Kinwood VFO240, must be in VGC. Also Drake R4B, cash w/ing. G3GGK OTHR. Cambs 0954 210374.

●SCANNING rcvr. Tandy PRO2004. 25-520MHz 760-1300MHz. AM/FM/WFM 30ch, Mains or 12V operation: £200. G4KWT OTHR. Reading 0734 898526.

●YAESU FT7767GX with mic, Immac, boxed £1000. Heavy duty galvanised 3-section lattice tower c/w baseplate winches. Cables length 561. £400. Duwa MR750P rotor and lof bearing £180. G4WJZ OTHR. 0792 792470.

●FT726 lcvr 70cm/2m/6m satellite, 3 beams, 2m unused, 6m 100W linear 6m RX preamp. Closing down on VHF: £900. G3PTN OTHR. Leeds 0532 654644.

●JAYBEAM Minimax inbander model MA3 HF beam for sale, VGC. Buyer collects: £185. G6SXB OTHR. March, Cambs 0354 740660.

●HF beam Butternut 2ele HF58 compact beam for 20-15-12 meters in onrg. carton. Never assembled or installed: £150. Would prefer for buyer to pick up. GOML/U. Bracknell 0344 488847.

●TET HB34D inbander. Exc performer, some rusty U-bolts. Buyer inspects and collects. £125. Components for linear amp, and part 813s with bases,

2kV and 10V transformers, tuning caps, ceramic coil former, RF choke etc: £125. G3BWH OTHR. 089275 555.

●TS440S with ATU: £950. IC3210E dual-band £425. FT290R Mk2: £350. FT470 dual-band nicad chrgt. s/case: £350. All above are in unused cond, boxed and under warranty. May pl/exch WHY? G4GZS OTHR. 0788 815506 after 6pm.

●SX200 scanner 240AC/120C 2x manuals. ong packing: £130. Datong Morse tutor D70: £30. Both exc. cond. G6GCM OTHR. Ellesmere Port 051-355 9325.

●ICOM IC701 HF 100W lcvr and ICPS701 PSU £375. MML432/100 UHF 100W linear amp. £195. MMT144/28R VHF lcvr: £95. Jaybeam 9ele cross yagi: £25. G6GFS OTHR. Oxford 0993 771424.

●AVO all wave osc c/w msl, means batt operation VGC: £20. RTTY TAU ST5MC. VGC. £40. Creed MOD 7E teleprinter 50 baud. VGC. Free with the T.U. 3ele 50MHz beam. £10. Pye RX domestic mains 9 w bands 22MHz. Exc: £20. Wood cabinet. RadCom hbook going for. £8. As new. Preler buyer inspect/collect. Maldon 0621 855648 G1AVE.

●AVO 47A in case. £80. Sator T124 TX PSU. manual: £50. GEC Miniscope, in case: £25. TR1998 TX/RX £25. Wavemeter Type W1633. £10. Heathkit scope, manual, £60. James, Solabey, 4 Longview Dr, Huyton, Liverpool. RS90512.

●BNOS 144MHz linear and preamp 3W in 180W out: £250. Yaesu FT790R, mcads, case etc: £250. Mutek 50MHz lcvr 144MHz IF: £200. MM 1296MHz lcvr, 144MHz IF: £150. SSB Electronics 23cm lrvr on: £90. All exc cond. Hokushin 2m/70cm diplexer unused. £25. Rotorator speed control kit, see RadCom Jan 86: £25. Pyn PFI pocketphones Rx and TX, chrgs, etc. Details. G6XIL OTHR Poole 0202 665284.

●ICOM IC402, immac, boxed, spare xials: £200. 0795 421207 Sounthmore, Kent. Monitors: Hitachi 14in high res 47kHz analogue input. 14in colour multisync monitor with long persistence CRT. Especially suited to IBM VGA, Amiga, Archimedes with reduced flicker from interlaced video signals. Swiss-made heavy duty 18 pin dot matrix letter quality printer, 100cps, cost £350. Acceptor £299.00. IBM PC keyboard £10.00. BBC computer 5 25in disk drive: £10.00. Monitors: £199.00. Guildford 0483 62586 G4IYA.

●COMMODORE SX64 computer c/w joystick, MPS803 printer, comm modem, Prostel, some s/w, £225.00. IC2E spare batt pack DC/DC cvtr, spkr, mic, s/case, 10MHz RX/TX boxed £130.00. Maplin TU1000 RTTY terminal unit, tuning indicators etc. Suitable for most computers RS232C or TTL output levels: £40.00. 2x Pye Vanguard's low-band, each c/w valves: £10.00. One Ansaphone after 6.30pm. G6ELE. Colne, Lancs 0282 869609.

●RIO TR2300 FM portable 144-146MHz with mcads, chrgt, case and msl booklet: £95. Mutek SB2M CW SSB portable 144000-144050 and 144250-144400 1W output with mcads and msl booklet: £75. G9BVF OTHR. Melton Constable 0263 961434.

●KENWOOD TS520SE HF lcvr. Exc. cond. AT200 ATU S9990 spkr, MC50 mic, Complete station £525. Can arrange delivery. G4W4WE. Swansea 0792 207482 after 5.30pm.

●REALISTIC PRO2004, 3mmer 25-1300MHz. Also D130 discove, VGC. £350. G4NP1 OTHR.

●FT101E, clean chg hbook, mic: £225 for quick sale. SEM Transmatch ATU 1.8-28 mcs 70. RT109 wartime RX c/w 6V carb. bat. 1951 Variometer ATU. Few spare valves. Picap hbook collectors item: £70. All above plus carr or collect. Peter, works OTH. Cleveland 0287 34379 daymo G4VLN.

●ANT 3ele Mel 6m. Also 10ele 2m beam with rotor: £80. G1UAG. Ilford, Essex 01-550 2502 after 6pm.

●IC735: £700. Dreo PSU 13.8V 24A: £100. SP3000 ATU: £125. Heathkit Humer linear: £650. Tennamast 30ft mast and ground post: £150. Complete data station, phone for details: £370. Butternut HF2V vort: £50. Homebrew lcvr 20W output 160-80-40: £50. G-whip £60. Many books and components. Phone for details. G3XWZ OTHR. Hendley 0455 616034.

●YAESU FT102, plus FM board, FC102 ATU. MD1 base mic, Welz CT100 dummy load. All in 1st class cond: £700.00. Preter sell complete. G1ev, G4JUR OTHR. Newcastle 091-483 7919.

●IC24G with PSU £105. ZGPSU M1565 variable 0-15V 0-6A. £30. MM 144MHz cvtr. 28-30MHz: £10. G4GIZ OTHR. Ebury 0282 842778.

●UNUSED 2ele Gem quad in onrg. carton. Offers. Pitch-prop motor mounted for vert. operation: Offers. Buyer collects. G2ALO OTHR. Storrington, W Sussex 0903 742146.

●CAPCO magnetic loop ant model AMA6. As new £220. G6EDV OTHR. 01-701 9734.

●KORG Trident studio synth. Full size keyboard. Separate brass and string synths. Recent major service, and new contacts throughout. Cw stand, lof controls and mini Roland cube 60W amp. A bargain at: £475. Will split £350/£125 or exch for

all-mode 2m mobile or Trio R2000 Yaesu FRG8800 or WHY. Must be VGC. Also for sale, PRO2003 AM FM base scanner: £145. Lowe SRX30 comms rcvr: £125. Further details by phone. John Evans, G7CEC not OTHR. Rossendale, Lancs 0706 874055.

●YAESU FT730 70cm transmitter £110. FT208 c/w last chrgt base unit, mobile mic: £120. AR2001 scanner 25-550MHz. £100. All in GWO. Stan Greaves, G1HCV OTHR. Bromley, Kent G8RTW.

●RACAL RA17 rcvr. Full HF coverage, VGC c/w manual: £130. 2m amp OOV0640: £25. Welz SP220 swr PEP meter, 1.8-200MHz. Mnt: £40. G1EJU OTHR. Wolverhampton 0902 771909.

●AMSTRAD PC2085 with 30Mb hard disk, extra 5.25 floppy, 14in VGA monitor, mouse and much s/w: £975.00. G3OIT OTHR. Thundersley 0702 555778.

●FC102 ATU 1200W. Indicates swr, pwr with load facility. Coax or wire. Exc: £185. G3WMB OTHR. Ware 0920 463554.

●ALTRON C35 slimline tower, post mounted with socket and spare cables. VGC: £250. Spectrum TRC2-10 lrvr, factory-built, never used: £60. MM 144.30LS 30W linear: £70. Buyer pays transport. G3OIL OTHR. Salisbury 0722 330567.

●TS940S immac. cond: £1490. FL2100Z HF linear, FL277Z. Exc. Little used: £490. Yaesu FC102 1.2kW ant tuner pwr meter £130. 6m nonv SSB ng c/w ant Good order: £50.00. PX2mh-held G4VIO OTHR. 0388 763501.

●FTV901 lcvr c/w 2m/4m/6m modules. Transverts 10m 10m. All modes: £350. G4VNR OTHR. High Wycombe 06285 24118.

●KENWOOD TS940S built-in ATU, voice synth. V lrvr use, 16mths old. Service manual: £150.00. G3MMH OTHR. Ashford, Kent 0233 622996.

●FT736R all mode 2m 70cm plus 6m module and Adonis desk mic. As new, box, hbook etc: £1400.00. Milton Keynes 0906 616726 G4RMK.

●BIRD 4X with case and elements. As new. £325. G4SKX OTHR. Stockton, Cleveland 0642 676477.

●MIC MOD 330 frequency counter MMD50500: £35. Surbiton 01-390 1566 G5DS.

●YAESU FRG7, VGC unmod manual. Used standby lcvr. Buyer collect or pay carr: £110. G3AZW OTHR. Trowbridge 0225 752655.

●YAESU FT726R, 2m unit only listed. As new cond. No mods: £425. G3AWI OTHR. Marshfield 0623 842227.

●GTH 2 bed semi, through lounge, bathroom. Large kitchen, gas CH, secondary glazing. Double garage with pwr and pt. Large garden. Permission for 35ft mast and HF quad. Quiet village, 2 miles from town centre. No chain. £51,000. G4DFE OTHR. Dudley 0384 235834.

●MIC MOD 23cm lrvr MMT1296/144. Fitted extra osc xtal and switch for 1298/1300: £100. Surbiton 01-390 1566 G5DS.

●CLEARANCE. Rovoex 536 15-7.5ps. GWO. Leak Stereo 70. Philips cassette deck. Whatlode Tnrons. Garrod parallel tracking turntable. Offers to G4UMN OTHR. Kettering 0536 790094.

●YAESU FT775 10W 8-band lcvr c/w MH1B8 mic and FP80 PSU £430. Yaesu FL110 200W 160-10m linear: £125. H-mound HK808 Morse key on marble base: £135. LPF for FT775, £10 or complete station lcvr: £575. Heathkit SB102 80-10m 180W lcvr c/w SB600 spkr. HP23A PSU, mic, manuals: £220. Will deliver ng 50 miles or buyers collect/ pay carr. Don. Arminster 0297 35131 G3AQY.

●AR2001 VHF/HF scanner RX. 25-550MHz. Good cond with box, adaptor etc: £150. G3WGS OTHR. Northwich 0506 893193.

●ICOM IC02E 2m h-held, with BP3, BP5, case. Exc. cond. Spectrum 2X plus 2 128k computer. Both items: £120.00. Also orig. Olympus XA rangefinder camera. Offers around. £100. G4JEU W London 01-573 2081.

●YAESU FT726R. lited 2 6/70, exc cond. 6m module, only 6mths old. Recently overhauled by 0268 45573.

●TS530SP Cw filter, audio filter VFO240. SP230, MC50: £650. Heathkit SB230 linear. £350. Frank OTHR. Altrincham 061-928 6828 anytime G6AKX.

●AR2002 scanning comms RX 25-1300MHz. As now in box: £300. Datong D70 Morse tutor: £30. Icom discove AH7000 25-1300MHz, only used indoors: £35. Jaybeam VFO3 HF inband vert 10/15/20m, never used: £50. Buyer collects. Not OTHR. Reading 0734 688532 G6HFN.

●YAESU FL2100Z, little used. Buyer collects. Regret no packing. Also unable to carry personally due being disabled. £500.00. G3DYV OTHR. Huntingdon 0487 841558.

●PRINTER, Brother M1109, as new. Serial and parallel interfaces. Tractor feed: £129. G3XSO OTHR. Gt Missenden 02406 5234 after 6pm-w/e.

●TS940S, mnt cond. Auto ant tuner: £1800. IC02E used £150. IC04E, unused: £225. Vince, G4ODG OTHR. Bourne 0778 422795.

●TS680S HF lcvr plus 6m, boxed, 14mths old with CW filter YC455C: £113. New £750. PS430: £110.

H-mound marble base straight key: £25. Standard C120 VHF FM handle, as new: £140. G4FKR. Winchester 0962 880411.

●YAESU FT411 latest 2m h-held. Btft clip, nicad, YH2 headset. Less than 1mth old. Perfect cond £230. G3KLF OTHR. Fareham 0329 236906.

●FC102 HD ATU 1200W, in-line pwr meter. Peak reading etc. Orig box: £160. G6HMH OTHR. Kidderminster 0562 67026 anytime.

●DRAGON64 computer, as new. Spare keyboard, databroker PSU, manuals, several books: £50. Lawrence G6BJG. Coalville 0530 36595.

●YAESU FT101 lcvr. Good cond: £220. G6PFD OTHR. Ashford, Middx 0784 251310.

●HACAL modems P263A CIU, £50. Large quantity valves, state requirements. 12V in 240AC out 400W inverter: £25. RadComs 76 89 linc. Offers. Transformer 240V in 6V 500A. 12V/250A, 24V/125A output: £40.00. G4JOY OTHR. London 01-455 0540.

●AR88 good cond. Offers, Spares and manual incl. Cheshunt, Herts 0692 28110. RS91563.

●LOWE HF RX: £80. MM RTTY-TV cvtr: £80. Digiscan 2MHz digital freq expander, 28-23MHz: £25. Brem 28-30MHz 100/200W 240V amp: £45. RTTY 1X/RX Morson terminal unit, ZX81-16k computer, keyboard: £50. Some games, Jaybeam 2m 5XV c/w harness: £12. G4VOO/G4VZZ OTHR. Staines 02814 5461.

●YAESU FT102 HF TX/RX with matching FC102 ATU. Fitted AM/FM and narrow CW filter: £575. Will accept modern 2m mobile p/txch and provide demo and free delivery 100 miles. G3XFN OTHR. Sutton Coldfield 021-353 3564.

●SCANNING rcvr SX2000 VGC. £199.00. Genuine reason for sale, upgrading station. G4W1AT OTHR. Swansea 0792 290770.

●JAYBEAM 8XY/2m, now, boxed, 2 in £450. CR23 as new: £10. M01 144 8X, as new, 2 at: £350. Carr. by arrangement Roger, G3MEH OTHR. Tring, Herts 044282 6651 or 01-380 6121.

●BBC-B, RX80, Cumans 4080 track drive, Coflon monitor Motory teleclat adaptor. Epron blowers, expanded firmware, super desk, as new. The lot: £400. Valve OQOV7-50, boxed: £30. Crinks DSB 160m lcvr with PLL and lrvr readout: £25. Buyer collects. G3ZYL. Hertsford 0952 582307.

●JRC 125mhz 250Hz htr NDB500 PSU. NFG97 ATU. Yaesu SP102: £900. FT736. Benox LP144-10-50. BNOS LPM432-10-50. Revox swr/pwr meter. W540 Dron VHF wavemeter: £1000. All as new. Any that, going OTH. G4OER OTHR. Dunstable 0582 608152.

●10M mobile ng SSB/CW/FM, prod conversion of Superior 2000. £95. HC220 Hoves 2-20m lrvr 14dollar 25m mobile, 10W out: £46. MML 2m lrvr amp, 3W m, 30W out: £45. G4VRY OTHR. Bourne-mouth 0202 420909.

●ZX Spectrum computer 48k. Simplest for CW/RTTY transe and CW training. Recently repaired and under guarantee, 10 amateur and game tapes, manuals etc: £50. Plus £2.50 post. G6HRT, G4MULZ OTHR. Largs 0475 679271.

●BBC-B, lrvr 5 25m disk drives, Microtune colour monitor, Z80 CP, M second processor, plus considerable sw/are: £300.00. G3IQM. Dornland 0342 832889.

●TOWER HD lattice 3-section, height down 13ft, fully extended 33ft. Near new, wall or base mount: £125. Rotorator housing, wrench, mols: £25. Can be seen erected. Will dismantle. Carr extra. G4LJN OTHR. Staleford 0526 833281.

●TWO 42in/2m portable sectional aluminium masts c/w guys, top/bottom linings, stakes, all in canvas bag: £185.00. Unused 25m reel of 3/8in mains cable, ideal for hold days: £30. Buyers collect. G3SWH. Horsham 040372 2444 eve.

●EDDYSTONE 830 9-bands 300kc 30mc with manual. Exc. rcvr in good cond. Would deliver reasonable distance: £145. Sheffield 0742 585337 G6LNV.

●YAESU FT200 HF lcvr 10-80m with PSU: £250. GOMMA. Gwenthowe 0344 771990.

●X150A, chimney, cap brns, unused: £35. G3SSE OTHR. Brighton 0273 302186.

●TEMPO 2002 linear 2x8874, hbook, mmac, £850. ARR M144VDF m/hfeed preamp, unused: £100. New MFJ949 ATU, boxed: £100. G4JBH OTHR. Yeovil 0525 28341.

●SONY ICF7600 with manual and s/case and PSU. £80. Saisho SW5000 150kHz-30MHz similar to above. As new £50. G4WJZ OTHR. Hatherleigh 0837 810184.

●HWS ORP ng: £80. MM 2m multimode lrvr type 144/28R 25W. £120. G4EYD OTHR. Birmingham 021-478 2429.

●FT776, exc. rig: £240. Plus Kenwood AT130. £60. FT270R 2m 3 at 25W. Exc. cond, boxed: £175. Kenpro 200 mm key: £100. Roy, G4WJO OTHR. Gmbsy 0472 840304.

●JRC CW filter type CF1231: £79. Exch poss for type CF1232 or CF1233 or psline Datong FL3 filter. G4GKE OTHR. Buxton 0298 78861.

●YAESU FT75B plus AC PSU adapted ORP/ORO

stalled most QRP hq: £75. KW Ezeemah: £25. FT290 plus m/mount: £200. G4UGC OTHR. Camforth 0524 732778.

●FT290 with nicads and chgr: £240. FDK multi 700 ex 2m/FM: £135. SM220 Kenwood, not used, as new. Boxed: £300. Buyer must collect or pay for delivery depending on locality. London 01-350 2348 G1ND.

●SHARP MZB0K computer I/O box and printer and s/ware, manuals and booklet. Offers: G3TOX OTHR. Bury St. Edmunds 0284 754847.

●RSGB Journals 1935-84. SAE list first: Offers. Principles of Wireless Telegraphy, GW Proco. McGraw Hill 1910: Offers: G3HB OTHR. Hurrow 01-853 1765.

●KENWOOD TS140S: £675. Mainline AT230. £150. SP940. £75. Tio TS120S matching AT130 matching PS430. £525. Icom PS50 20A: £150. Tio UHF 70cm inv: £195. Unden 100XL handheld scanner: £125. Yaesu 221RD 2m multimode: £250. G0HVV OTHR. Stoke-on-Trent 0782 717573 after 6pm.

●FT290R, nicads, nhgr, nase, rubber duck, hand-set mic with switch box: £240. G1JHT OTHR. Halifax 0422 368790.

●KW Victory HF SSB transmitter with Homebrew PSU: £50. 19m equip tank: £5. No 10 xtal calibrator: £5. G4AEV OTHR. Dnort 0253 835594.

●FT290R 2m/6m modules VGC £600.00. fitness forces sale. Bremi PSU 20A. £60. Drae PSU 6A. £50. 100W. 2m MM 10W input 100W output. VGC: £100. Jaybeam 4m-6m 4ele ant. Buyer collects. £40 VGC. 2m ionna yag: £170. £25. G1HBZ OTHR. Leghams. Holford 058855 320.

●YAESU FT209RH h/hold: £165. Sony ICF7600D rev: £130. Katsuni electronic koyo EK150. £60. Tokyo HT110 10m SSB/CW inv. £235. G4XCS. Hereford 0432 77661.

●BNOS 144MHz linear, 3W, 180W output with pump: £250. Yaesu FT290R, nicads, cash c/c: £250. Minick TVF50C 50MHz inv 144MHz: £1. £200. MM 1296MHz inv 144MHz: £1. £150. Rolaf speed controller kit. RadCom Jan 86: £25. G6MXL OTHR. Peolo, Dorset 0202 665284.

●CLARKE honey duty 401 fullscope protonium mast with self-supporting legs. Cost new £3000. Ideal final days of £450.00. Army bomb disposal team comm kit based on Pye PF1 70cm system. Complete, mint, boxed: £120.00. Offer: ICF2001 D. mint. HF plus airband £250. James Military Comms. mint. £20. Janis Weapons Systems. mint. £20. Regency MX4200 scanner, nicads or 12V 6-band incl 800-950MHz: £135. PAS5 night vision binoculars, mint: £250. G6CUC. Ruffin 052789 2282.

●2M multimode TX/RX FDK multi 750E 10W/1W SSB. CW-FM 144.147MHz c/w list min, m-bracket and matching PSU. PS750. Both boxed in original not used mobile. Must self collect. £200. Ian, G0AYN not OTHR. Stoke on Trent 0782 331853 anytime G0AYN.

●OLYMPUS OM1 Vivitar 28-300mm zoom lens, both mint cond, never used. Offers: Pye PF2AMB 149MHz, working TS120V 500Hz CW filter, PS20 PSU, VGC. £350. Steve G4EDG Exeter 0392 126579.

●APPLE IIe computer 128k with 2 7D drives, 20MB HD, s/ware. Offers: Minitel 7 disks, other s/ware. V. little use: £450.00. Tono 0000E inclementer, printer. £450.00. Icom 720A and PS20 swr PSU, fitted narrow CW filter and AM filter: VGC: £700. Lallo lab-to-top 5m between notries 4m lit. 4-jaw chunk bunnars and motor: £150.00. Fren delivery Yorks. Wiltshire ML10 14th 3 and 4-jaw hunk and rev motor. Full set change valves, dip tray, some tools: VGC: £600.00. Can deliver 75 miles York. G3VGH OTHR. York 0904 769245.

●TRIO 2400 axes package, nicad pack, chgr, leather case, shoulder strap, belt clip, Iridial: £150.00. GOKYS. Plymouth 0752 670480 GOKYS. Edgar RA Mr 16 2 50 2 50 0 00 NO A FOR SALE 14-02-90.

●TRIO R1000, exc cond, manual, orig box: £195. GW4RYK OTHR. 0686 86255.

●TRIO TS1310 2m/5 25W multimode mobile, mic, mobile bracket manual VGC: £295.00. PK292 Packard multimode data controller, mod PC swr and all manuals. £175.00. Buyer to inspect/collect or arrange pay for car. G0DTJ. Notts 0536 814922.

●ICOM R70 rev fitted with FM option. Mint cond, service manual: £450. Rascal RA17 rev: £125. Scope Telequipment D54 with amps type A and C. £100. Scope Telequipment S32a: £40. LDF4-50A Andrew hollow cable, with 201 N-type jacks and plugs. All unused: £125. Jaybeam aerials 70cm 460m nullbeam: £25. 70cm 12XV crossed yags: £25. 70cm 8 B slot: £25. 2m 10XV crossed yags: £25. 50-500MHz disconn ant: £30. All aerials used only for contests. VDU Hazelline Executive: £35. VDU Dacul: £25. Wavemeter W191, 0.1-20MHz: £20. Wavemeter type T74 20-280MHz: £30. Multimode 430, with AC current adaptor: £25. Video monitor Crotech BW 14m screen 19m rackmount, high resolution: £30. Pirel buyer collect York area, otherwise car extra cost. G3WXL not OTHR. York. Y04 SP5 07595 81 72.

●AMT2 ICS term unit with PSU and manual: £85.00. G4PTT OTHR. Inslow 0271 860530.

●KENWOOD TS140 Icvr, used twice only: £700. Also Drake SPR4 rev, exc cond. Brunwood 0277 823434 G3V504.

●2M and 6m modules for FT767GX, both still in boxes, as new: £140.00. Or for FT767. Also BNOS 6m ant LP50-10 M: £80. BNOS 2m ant 144 3-50: £90. FT290 Mk1 with carry case, nicads and hnt ant: £230. Oxford 0491 38462 G7EHK.

●TS120V good cond with mic and orig packing

£275.00. BBC-B computer twins 80/40 disks. High 10s monitor. Extra processor runs CPM. Many disks and s/ware: £400.00. Kevin G4HHA 0394 411957 eve 0473 642692 day.

●RACAL RA117E on-gend, net ex-mod. £225. Yaesu FRV700B: £50. FRV700: £20. Labgate stabilised PU 700V: £20. 300V: £20. Solartron lab 1000V DVM Tektronix plug-in analyser: £25. Solartron plug-in amp: £20. All GWO. Various valves SAE list: GINAX. Plymouth 0752 775375.

●MAPLIN ant totator, unused: £25. MOD gelgel neoninr, vintage: £10. Working PFI RX with ball and 433.0MHz xtal: £4. Buttroughs 5in B/W monitor, 12V operation: £30. John G8FDJ. Sheffield 0742 333847.

●FACSIMILE Plessey KD111, electrostatic flatbed transmitter and revr. Working. Offers: £15. Ring for details of a bargain. Steve, G8HOY OTHR. Birmingham 021-422 3067.

●ONE Hamgear PMX preselector in good cond, 12V. Input only. £45. Birme, Elgin, Moray 034386 391 RS85238.

●YAESU FT757GX pristine cond, n/w manual. Boxed. Little use through ill health: £595. Buyer not n/nts or pays car. GW4TUL. Blaenavon 0495 792545.

●YAESU FT101ZD Inv. ant: £385. Plessey solid state HF revr PRI155B. £300. Rodien GK202 10ch HF drive unit: £35. Reddon SDI HF synthesised drive unit: £100. Rascal MA1724 10ch HF drive unit, as new: £75. G8CAN OTHR. Wokingham, Berks 0731 783827.

●CUSHCRAFT R4 vort unit for 20W/5/1210m. No radials needed. New: £150. 0534 54186 eve G3JALC.

●HALLCRAFTERS norm RX SX100. £30.00 to 34MHz. Bandsprad 80-40/20/15/10m AM-CW: SSB xtal balancer, modified 250V. Collectors item with manual, spare valves: £45. RadComs 1975 87. Pw 128 nops 1971-85. Asone kit. Fico. G4CKO OTHR. Birmingham on Sale 0278 786419.

●SILENT key sale. Linear amp Yaesu FL2100B 1200W. Best offer: £350. Shuro 444, lambkin key. Best offers: Jim Telly G4GEU. Birmingham 021-444 3114.

●HOKUSHIN HF5 5-band inv vert ant with radial kit. Full assembly insts. £48. G4VXZ OTHR. Woodbridge. Suffolk 03943 4992 G4VXZ.

●144MHz linear amp, 4CX250B. Frontier Electronics, gold and enodo lined. Very nice 300W plus output, PEP £295. No offers. Buyer collects at ananges delivery G4JXX. Fareham 0329 203073 G4JXX.

●TRIO TS5500 Inv 80-10m. 2x6146s PA with 5763 drive. Recent full repair. In v. good working order. Miniting mams PSU, h/bok and orig carton. Ideal starter rig. £180. Pirel buyer inspect/collect. National NC multi-band tank coil assembly type MB40SL. Old, but unused, in orig box. As new: £30. or good offer. Barker and Williamson audio phase shift networks 204 for SSB. Unused: £15.00. KW Electronics 500ms lowpass filter: £10. Post car by arrangement. G3MOE OTHR. Cheltenham, Glos 0272 524217.

●BBC computer with APTL, sideways RAM/ROM £250. BBC dual disk drive 80 track: £70. Wordwise plus ROM and Aconsoft ROM. Both with reference manuals: Offers please. NIM MML432: 50 70cm 50W PA: £95. Yaesu FT290R, nicads: £190. G8JAY OTHR. Cheltenham 0242 578914.

●TRIO 530S perfect cond, narrow SSB filter. Pan 6146B PA valves, MC50 desk mic: £550. Nigel, G4PUJ OTHR. Gloucester 0452 75542 G4PUJ. Nizrah NM1 182 50 2 50 0 00 NO A FOR SALE 17-02-90.

●TS120V with remote VFO for mobile HF: £400.00. FT290R Mk1, nicads, Mutek, heavy duty, carrying case, whip, chgr, manuals: £245. Birmingham 021-430 5453 G4ZTG.

●YAFSU FR50B rev 880 GWO Still in use. Only tone sale, required licence. Oordard, Tavistock, Devon 087281 792 135028.

●KENWOOD TS209E HF rev c/w mic and DG5 digital display. Orig cartons: £450. Lord, G4KHT OTHR. Lill. 0482 843457.

●FT767GX plus 2m module, exc cond: £275. KW1000C linear amp plus spare set: £572B: £275. Hanson PEP rev meter: £50. SEM Tiansmach w/rf Ezilure 160m meter: £90. Tiansmach freq counter: £60. Yaesu LP filter: £15. HF ant switch: £10. 401 lather low: £200. KR600C r/rator: £100. 240V elctric winch: £200. Jaybeam TB3 Mk3 with stainless steel fittings slightly damaged hence only: £100. Plus variety of books, mags, filter, TVI filters, coax cable, computer props. G4DXG OTHR. Tunbridge Wells 0892 35830.

●VERSATOWER BP60 as new, 144watt and clark up facility, winches, head unit, rotary bearing, bolts, basinplate etc supplied. Hygan TH5 Mk2 ant, as new. Both items never used. In mint cond. Lock of space for sale. Offers: GM4VZW. Bridgchouse 0501 32884 after 10pm.

●BOUND vols RadCom 1964-78 plus 1981, 1982 magazines. £170. G3SSX OTHR. 02318 5145.

●YAESU FT102 c/w WARC/FM AM-SSB-CW. In superb cond, Icom IC255E 2m FM rev in good cond: FT102. £550. 255E. £40. G0WLB OTHR. Penarth 0222 530070 Atraphore.

●SB200 amp. £300. 2m all-mode Yaesu FT221R £295. Colour monitor with BBC-B cable: £85.00. G3XUA OTHR. Coventry 0203 410208.

●TR9000 Tru-will. 30W amp H Reg pack ant vert and hnt, mobile fittings. £350. Drake mobile supply DCA £30. TR2600A 144MHz in field 2x incad packs, 120VAC chgr: Kenwood, £150. All had little use, owner lives abroad. Clwyd 07456 89903 GW3J1.

●MOBILE tower 70ft with head unit and beaming. Needs tidying. Also Drake T4XC R4C, AC4, M54. Offers WHY GW0JKB not OTHR. Bury Port 05546 4029.

●YAESU FT767GX with 6m and 2m modules and MDI mic. Mint cond with latest mods, manuals and boxes: £1600.00. Carr extra. Going QRP. Dave G0LUA. Wellingford, Oxon 0491 36873.

●60FT Vorrallender heavy duty. Tilt facility plus winches and new cables. Cui groundpost will require extensions: £575. GM42NG OTHR. Cross Hill, File 0582 860591.

●RARE sale. Nye Viking 3k ATU swr PEP meters 6 connectors plus auto ant switch. £275.00. Tekno Fly-power ATU, 4mths old, as new. Cost £205. Sale: £150.00. Model No HC400L. John G0IOR, Grimsby 0472 358449.

●FT209R h/held 2m 3.5W with nicad chgr. As new: £130. Jaybeam Q42M 4ele quad. As new: £45. G5CVW OTHR. Colswolds 0451 30518.

●FT290R Mk1 c/w nicads, chgr and manual. Good cond. £290. Birmingham 021-784 1752 G0HRX.

●10MHz kit for TS520S, ex Lowe. £8. The 2200GX 2m invr, leather case: £60. Post extra. G3RB OTHR. Whitley Bay 091-253 0504.

●TRIO 520S 250W/c CW filter. Good cond, boxed and manual: £320. Dave, G4VFO OTHR. Gillingham, Kent.

●GRAND nump clearanet Collectors item, vintage storage scope Memosone 104, VGC, dual trace, manual, autotransformer, spai maint/maint: £50. lot. German Wulf Sarnos RX, Lorenz TX chassis: Offers. SAE list, nothing over £10. Buyers collect. G8LIU OTHR. Uxbridge 0895 30006.

●TRIO matching pair TS599 100W transmitter and JPS595 double conversion unit. Both with built-in PSUs, linked for full TX family, incl twin VFOs. Inmac plus manuals: £210 pair. Fennell 15A duty PSU 13.8V: £40. Beik met 144MHz yag: £18. Sidrup 01-309 1295 G0KPK.

●TRIO-Konwed TM201A 144MHz FM mobile rig 25W. M-met, list min. Heatherlie min: £225.00. Buyer to collect. Mike, G1HGD OTHR. Kenilworth 0265 513073.

●IC21E 2m multimode: £300. Belcom LA106 2m linear: £100. TR7500 2m mobile FM: £130. G4IBN OTHR. Pontefract 0577 678300.

●COMMODORE 64C c/w following: PSU, Oceanic 5 250D drive and PSU, 12in and 5in, H-res monitors, more, Orion 120D plus serial interface, Imman V21 123 motem plus RS232C interface, s/ware, RK4 programme 5 250m floppy with serial interface and filters, all manuals, documents incl. Boxed, as new cond: £220. Philips DP935 world radio digital keyboard access 100kHz-30MHz plus VHF/FM. Absolutely brand new. E85. Budo 0288 354564 G3XNE.

●ICOM 260E multimode revr with switchable preamp, and remote mic: £220. Plus other 2m equip list etc. Circinsford 0245 466956 G6LUP.

●HF invr FT747GX with NBFM board: £540. AT11 Capco SP3000 £150. HF revr FRQ7700 with ATU FT7700: £200. Bob GOLCA. Stallord 0785 56562.

●HF rig complete, comprising Kenwood TS202S revr, VFO520 remote VFO, DG5 digital display, AT200 ATU, SP250 spk. In perfect cond. Ideal beginners rig. Only needs ant and mains supply and will work VK. Pirel buyer collects. Price complete: £550. Lanes 0704 78037 G0GY.

●BUTTERNUT HF5B Butterfly 200 beam, used in low noise only. Performs well: £175. Re-advised due to intro wasters. G0JFU OTHR. Gloucester 0452 862773.

●INDIVIDUALLY designed det house, gas CH, partitioned glazing. Porch, hall, guests cloakroom, 2 rec rooms, part tiled kitchen, rear lobby with CH boiler leading to tadro trunk. Upstairs 3 beds, bathroom, landing. Outside, 150ft rear garden, greenhouse, garage, parking for several vehicles/cars/van. Good indio location Web Square SP29 Stalls. Comes c/w all ant. Located in the middle of good motorway network. Approx 2 miles from Jnc 10 M42: 089 950. Further details G0FXL OTHR. Tamworth 0827 281095.

●YAESU HF SSB revr FT7B 50W 160-10m. Ideal mobile: £350. Yaesu revr FRG8800 HF/VHF 0550. G3NMZ OTHR. Luton 0582 591749.

●MIC MOD 144MHz AM TX and RX. £150. 14m Pye B/W monitor: £10. BBC Micro Prestid adaptor: £20. Teletel adaptor: £20. Jockys. £3. Unboxed 144MHz c/w 24MHz output. US. Practical Electronics 1974 CTV camera: £10. KW Atlanta 020. Guildford 0483 575870 G3WZB.

●MM 28MHz inv 2m 1F, 2m in, 28MHz out 10W output. Only used on RX: £80. 0272 693235 after 7pm G100X.

●TS120S 100W inv book, w/shop manual, mic, Pirel GWO Price incl delivery: £375. Newport, Shropshire 0582 825983 G0GOK.

●2M amp, 2x 4CX250, WISL Design new valves. No PSU: £150. 70cm amp 1x 4CX250, DL7YQ Design new valve. No PSU: £125. Parts for PSUs available. Brigg 0552 54222 G1DX.

●YAESU FT101E GWO, u300 collected. Car extra. G0JNC OTHR. Chadderton 061 652 9127 days/eve.

●DRAKE separates T4XB R4B, AC4 PSU 160-10m, TX or split operation. VGC, orig manuals: u400. G4IP1 OTHR. Alton 0420 63993.

●NORTHIMBERLAND and Roman wall country Stone built det house, 1977, 3 beds and 1 bed on site bathroom. Lounges, dining room, cloakroom, tiled kitchen, utility, conservatory. Full CH, dble garage, 1/3 acre site. Suprb views. 500ft ASL long wire ant u300.00. G0AXZ OTHR. Bardon Mill 0434 244467.

●1R9130 multimode 5 25W in VGC incl all accs and box: £340. G4FAS OTHR. Stretford 061-437 7784.

●TRIO TS830S with CW filter. Exc cond, orig packing and manual: £650. G4PUW OTHR. Crewe 0270 661971.

●VERSATOWER P60, TH3 Mk3, 10-15 20, Ham 2 rotator. Also OTH with planning permission for

sale, G4EAN OTHR. Nottingham 0602 262360 or 595261.

●FT790 mint cond. Orig packing: £290. Unbuilt G3RUH 9600 baud modem. Complete kit of parts plus insys: £50. 180e Sandpiper 70cm parabam. Unopened kit: £30. Ideal station for new V05ATs: Offers. Mike, G0JVC not OTHR. Stevenage 0438 353040.

●GALIV RTTY computer interface plus G3WHQ Eprom for BBC-B: £45. G4EKG OTHR. Evesham 0386 41105.

●TRIO 120S, good cond with h/book, w/shop manual, min, plead. Sounds good: £375. Newport 0952 825983 G0GOK.

●SCOPE, dual beam 15MHz. Mint: £125. Audio generator: £20. 10A PSU: £20. Pye Westminster FM low-band 70MHz: £25. UHF: £30. All 10ch. PF70 ball tester: £5. Manual, Tektronix, Teleguiprom. Marconi, Advance etc. Motors, components etc. G4YVJ OTHR. South Semecotes, Lincs 0507 85203.

●CAPCO rheostat: £15. Caps 250pF: £12. 250-250pF: £13. 12V/40A: £50. BC221 0.1u. 2X6SJ6Cs matched, now: £1250. G3OAB, Birmingham 021-747 8489.

●KENWOOD AT230 ATU, boxed with manual: £125. Welz SP400 large snail VHF/UHF pwr/swr meter: £30. 70m 2x 5/8 coil-ant. As new: £15. Mel 50e 2m yagi, only used indoors: £10. Mrtin G0HRZ. 01-590 5490.

●PYE MM1 dewind motor, 5G2HF sig gen, TS52 audio level meter. Offers. Jaybeam D870cm. £20. Rogor, G3MEH OTHR. Tring. Herts 044282 6651 or 01-380 6121.

●RTV640 40ch VHF FM lcvs. 2 working, one for spares. Could be modified for 6m: £50. 10ch, or each any 2m/70cm syn rig, scanner, RX, or xtal 1m. Shane G7EWL. Infringborough 0333 652709.

●JAYBEAM inbander with baluns. Installed 1yr. Boxed. Disassembled through change of OTH. Mint cond. Buyer collect: £100. G4ZND. Follen 0670 787888.

●EDDYSTONE 940 end type 935 split in mint cond. Boxed: £150. SX200 scanner: £150. £125. G4PNC not OTHR. Blenpool 0253 35764.

●FRG7 norm revr. Perfect cond, boxed, manual: £135. QTIIR. Huddersfield. Yorks 0484 606085 G0CVC.

●YAESU MD1 B8 dcsk min: £50. Daling FL2 filter: £60. Daling ASP707 processor: £55. All boxed, mint. G0KHK. Farnham 0252 722139.

●ICOM IC701 HF 100W inv incl ICP501 PSU. £350. MML432/100 amp: £195. Jaybeam 90e x-yag: £25. G0CFS OTHR. Oxley 0993 771424.

●DFC230 digital VFO suit TS830-530, TS130/120. Boxed: £60. TL1 20 linear amp, suit TS130/120V: £100. YK88N 1 8kHz SSB filter: £30. G3VWH. Strawsbury 0743 65061.

●KW2000E c/w min, manual, some spare valves. GWO: £200. No offers, pirel buyer collects or hall car. John, G4VPU OTHR. Whitley Bay, Tyne-side 091 252 2304.

●YAESU FT290R nicads, chgr, carrying case, HB9CV beam, little used. £210. G0FFZ. South-ampcn 0703 738399.

●YAESU FT75701R transceiver with 2m module, FT101/902/750 etc, u300.00. G4UWJ OTHR. Canvey Island 0268 597978 or 0860 847836.

WANTED

●CORSAIR 2: Offers. Spreadsheet s/ware for Sony HB900A/MSX. Dead F23R wanted for spares. G0D0M OTHR. 040222581 G0D0M Oskis DJM 15 2 50 2 50 0 00 NO V WANTED 03-02-90.

●YAESU FT101Mk1 mst manual to photocopy. Early model essential as already have FT101 Mk2. Howard, G6CXY. 15 Kibridge Ave. Bolton. Lancs. 0204 367468 G6CXY.

●MOBILE mounting bracket, MMB27 for Yaesu FT200RH dual-band filter. Will pay up to £5. G7GAB. Rugby 0788 67288 eve.

●TEKTRONIX scope model 465 manual, orig or copy. Also Adams compressor base nicad connection details. Costs topaid G1BWW OTHR. Hitchin, Herts 0462 711722.

●HW7 or HW8 for young student QRP operator. If poss, unmodified c/w PSU. G0LCC OTHR. Do-wins 0380 723839.

●YAESU FT730R UHF revr. Must be in good cond and c/w h/book. Mike Watson, G8CPH OTHR. Ipswich 0473 831448.

●RESISTOR 54000ohms, 300W or equiv lot Collins 30S1 linear. G3AJT OTHR. Ramsey, Hants 0794 512557.

●NEW iconocore requires HF invr, preferably with PSU and ATU. FT767, TS200 or similar. Peter G7EOW. Plymouth 0752 892690.

●SET of extendable cards for Marconi TS2210 scope especially linebase extendm G8MGP OTHR. Bedford 0234 854388.

●PYE Reporter, covering 139.010, 139.170, 139.180MHz AM or any other type of invr covering those frequencies. G1JHT OTHR. Halifax 0422 368790.

●DRAKE R424S, DSR2 or RR3, any cond or info. G3YFK. Shrewsbury 0743 884858.

●API08S, RAF stores, refnos all sections particularly 10-10A to 10Z. Also all publications relating to radio, radar and navigation equip, such as Babs, Obos, Loran, Gee H2S, Rebecca, Europa system etc. Also would purchase post-war to current navigators, klystrons, T-1-cells and special types of EEF-11 OV valves. Exc price offered. Martin Gen, 17 Fosley Ct. Mountford Est, Farnhill Rd.

Hackney, London E8 2JN 01-254 9083 or 01-790 2845 anytime RS91943

●PVE A200 amp working or not. Notion flat relay Pyc mic. FM Westminster for spares. GW3UMC OTHR. Care 01 0222 761 813

●EDDYSTONE EC958 RX, 10kHz-30MHz, or similar with LW coverage. Display unit with Eddystone considered, otherwise digital readout preferred. Must be in VGC. Also, LW down-conv for Rascal RAL 7L required. David Shanklin, IOW 0983 864227 RS92758

●CIRCUIT design manual for Pyc F30 AM base, cheap low-band mobiles, London, E11 1JX 01-539 5130 GBALM

●ATU AT230 or FC707 4 pass, but will con all bar kite please. Andy Lyngdon 0590 673476 G3JZW

●W15FM Pyc Westminster low-band suitable 70MHz. Since G4EDG. Extnr 0392 216579

●HF mobile rig AT230, FT7 etc, W4Y? Non-working considered. G4JNT OTHR. Southampton 0489 787421

●VFO230 for Kenwood TS530SP. Must be in good cond. Roger G4VYK OTHR. Bristol 027581 9351

●IAC MOC RX c/w MMC14428 HP double balanced mixer. G8AYY OTHR. Birmingham 021-783 2996

●SCOPE Telegon D54. Dating speech processor. Both in good and working cond. Good price for right equip. G3HRH OTHR. Winchester 0562 712045

●2M SSB lcvr like M4uho or similar. Also Shmizu lcvr or SSB TX HF kit G4BVL London 01-244 8110

●2M FM mobile rig anything considered. Will travel. G0HET OTHR. Chaimoult, Dorset 0297 60556

●TURNER Plus 3 base mtd, must be in top cond. and working. John Edinburgh 031-558 1170 11 Ann-5pm Mon Sat RS92350

●TEMPO 200A UHF linear also MM 70cm ATU 20W transmitter. MTV 435 or Foratex TVT432 TV TX. G4ZEX. Colchester 0206 851343

●CASE For Heathkit RX G7H7. Also circuit and h/r book. G6DAW OTHR. 01 854 4926

●OPERATING service manuals for Dynal Electronics transmitter 940T and r/cvr 940R. Stan G4OPG. Tannock, Somerset 0823 251764

●23CM 55vle tenna yags. Brigg 0652 54222 G1DX1

●KENWOOD ex VFO VFO120 for TS130S, G4KBY 01-778 9422

●IRIO TR2600E in hold 2m FM. G4PKT OTHR. Llangrannog Spa 0926 313534

●WW2 TX:RX Mk3 NR18. Jolin, GW4KVJ OTHR. Mid Glamorgan 0443 813100

●AESU FC107 ATU. Dark grey version. Will collect up to 100 miles or pay post. G1SNI North Dorset 0747 823574

●INSTRUCTION manual for Panasonic 6 band portable dble superhet model DR26 wanted urgently. Good price offered for clear photocopy. Colville 0530 36595 G0BJG

●RI1475, Wrlz AC38M, SP15M good-ncv appearance and fully working. Dick Frier G6DIC. 18 Linley Drive, Boston, Lincs PE21 7EJ

●IEATHKIT in books for the following, scope model no 10-17. Also audio wall filter model no. AW1U. Harwich 0255 502195 RS85450

EXCHANGE

●FT101E CW filter, Fnn, spare PA valves with mic FB cond. Require 2m multimode base station OTHR. Walsinghampton 0922 415048

●MY Gm HT106 with matching HP100S PSU/spkr and HNB100 noise blnkr for best scanner offer. G7AHE OTHR. Somerset 0823 451593

●MANUAL, circuit details of Marconi electronic voltmetr TF2604. Buy, loan, copy and return. G3VWR OTHR. Brighton 0273 501100

●I14AVE 200MHz prod timer/counter Rascal 19905 n/s new. Require each model 2m ltr hold and c/rgr. No t/bss. G41 LY OTHR. Malmesbury 0666 822935

●YAESU FT7B with digital aucs for computer. Arriva or ST or PC. WHY G3LEN OTHR. Birmingham 021-478 1551

●WW2 Gorman DF RX, Telefunken T8PL39 Marlin, w/r manual, for other WW2 Gorman gear, esp RX R4, KST, E52A, motorised tuning, or Soli-wabland, or WW2 Japanese HRO copy. G8LIU OTHR. Ubridge 0895 30006

●GEMQUAD, 200 boomless qnd. Wdr'n in Canada. c/w ins'g. Good cond. Can be adapted for WARC bands. Planning permission problems. Excl'r for Butlunat HF5B compact miniboat. Must be in good cond. Marmue, Mid Calder 0506 880345 ailer. 5pm RS92797

●STAR ND10 9-pin 80col printer, 180cps draft, 45cps NLD with parallel interface and raster feed. Mnt cond. never used, boxed with manuals. Bought for £19.9. Sell for £250 or exch for FT790R or dual-band h/hld or bust HF nvr offered or WHY. Also exch Sony Discman portable CD player for best scanner or WHY. Lawrence, G1SWI OTHR. New Malden 01-949 5099

●LIMITED special edition collection of models of yesterday. Police ambulances initially released through Police Magazine, incl rare v/s City of London whitelike ambulance, alone telechng £180 at swapmeets, together with 9 Lodo fire lighting models, for 2m multimode or HF value. TX:RX, Value of collection under £300. Please ring and haggle. G0FUS, Southampton 0703 620176

●RI1062, RI155, BC778E, SX28, D2 detector T1063, T1115 or TR9 read for small museum. C. Baker, 71 Sunnyside Ave, Derby, DE3 7JR, RS95130

FAMILY RESEARCH

As part of a family history project, Mr WL Cook is researching contacts he made whilst operating from RAF Solweg, Austria, just after the war. Any other members interested in ham history of this period please contact Mr Cook, 54 The Castleway, Willington, Dorsetshire, DE6 6BU

Mr MG Taylor has written requesting help to trace whether his late father ever held a call sign. His name was Mr Geoff Taylor, late of 230 Priory Road, Wellingborough, and 119 Jubilee Crescent, Wellingborough. During his term in WW2 he served in the Royal Navy as a radio operator and, as Mr M Taylor, G0EAF, only came into the hobby after his father's death. He has no information regarding his ham activities whatsoever. If anyone can help please write to Mr Taylor at 39 Melton Road, Wellingborough, Northants, NN8 1PU

HARNESS FOR FLYING HELMET

Mr Ian Haggart, G3JOL, has an unusual request this month for a wiring harness for a WW2 flying helmet or, alternatively, the 2-pin socket for the mic which was part of the harness. He is also looking for a companion r/cvr to his MK119 lcvr. This r/cvr would have been diecast waterproof, case size 10"x4"x6". You can contact Mr Haggart at 22 Alrick Road, Newton Hall, Orkham, DH1 5NL

PYE EQUIPMENT IN IRELAND?

Help is required by Mr Andrew Maclean, RS92002, to find a supplier in Northern Ireland of Pye equipment. He is interested in converting radios. If anyone knows of a dealer in that area selling such equipment would they contact Mr Maclean at 23 Old Park Road, Ballymena, Co. Antrim, BT42 1AY, or phone him on 0266 656439 after 7pm

LEESON MIC DIAGRAM

If anyone has a copy of a schematic diagram for the Leeson OT-251 base mic, or the address of the main dealer for Leeson, Mr JJB Bolton of 10 Bowness Road, Conniston Park Estate, Timperley, Cheshire, WA15 7YA, would be interested to hear from you

1937-8 SW TUNER REQUIRED

Mr Sullivan, G2DGF, has been trying to obtain a British Gurnall Short Wave Tuner circa 1937-8 without success so far. Anybody know of one - even damaged? G2DGF is at 12 Globe Road, Lechliff, Hants, RG6 1DR

SABTRONIC FREQUENCY COUNTER

Mr JK Gawkrodt, G6VNK, is experiencing problems with his Sabtronic frequency counter bought in 1983. The prescaler has packed up due probably to input amplifier IC failing. The number on this unit is SAB-1009B. If anyone can suggest a suitable substitute for this please write to him at Oakleigh House, Windmill Lane, West Hill, Olney St Mary, Devon, EX11 1JP

SPEC REQUIRED

Has anyone got a circuit diagram and specification tucked away for the regulated power supply made by All Power Transmitters Ltd. Model 508. Please contact Percy Greenwood, G2BUJ, 32 Pound Lane, Pimlico, Swindon, Wilt, SN2 1PS

RETRIEVED EDDYSTONE 358

Mr GS Garrett, G3UW, has retrieved a unit believed to be an Eddystone 358 from his local dump, and would like to renovate it. The semi-circular dials calibrated 1200 to 22000(KHz?) in four overlapping ranges but only one plug-in coil unit (the LF one?) remains. The BFO is missing apart from on/off switch and a mains power supply. The vlnvacs are 3XG7, G8K, G07 & GVS. He would like help to (1) positively identify this unit, and (2) any information to help him restore this. Telephone him on 01-303 1879 cwr/w ends or 01-858 3291 ext 3354 office hours

DYMAR LYNX CONVERSION

Colin Palmer, G4FMO, is changing a Dymar Lynx onto 70MHz fm and is having problems getting the receiver to work. If anyone has a copy of the circuit diagram and/or advice please contact him at 29 Paget Rise, Abbots Bromley Nr Ringley, Staffs, WS15 3EF

RAIBC REQUEST

A request from Brig Jimmy Clinch, G3MJK, arrived requesting help in tracing a simple ATU for use by "white stick" operators. One he has seen which would be suitable is lod with 52 ohm coax and mounted on the wall outside the OTH. It looks like an oversized colloc (in with a terminal at the top for a long wire. The base has a 50239 socket for a PL259 plug. This unit requires no tuning and works all bands. This unit was designed by G4ZZZ who was a member of the Wimbledon Radio Club, but efforts to locate G4ZZZ have so far failed. If anyone has it unit like this please contact Johnny Clinch on Preston Candover 0256671 439

TS145XT CIRCUIT DIAGRAM

Mr JM Butcher, G4GWJ, is looking for a circuit diagram for his Somninkamp TS145XT, a 22-channel dual-controlled 2m FM mobile rig. He has been told that this unit is similar to the FT224, so he would be grateful of a photocopy of the circuit details of either unit. All expenses reimbursed. His address is 20 Boacensfield Way, Eotley, Rending, Berks, RG6 2UX

WW2 VINTAGE RECEIVER

David Streeter, G6XNC, has been given an American military receiver, Model RU19, manufactured by Western Electric for the Navy Communications Bureau of Ships in 1941. It appears to be a 6-volt superhet and is provided with separate plug-in coil packs which each cover two frequency ranges with a switch on the end of the coil packs. The only connection to the unit is via a multi-pin socket on the front panel. This unit covers a frequency range of 350-9120KHz. The full details of the unit are Model "Arctic" Receiver type CW-46948D, a unit of RU19 aircraft equipment. "S.No 8271, dated 21.4.41". Any information would be greatly appreciated. Also does anyone know the address of Continent Electronics Ltd, makers of power supplies? Mr Streeter is available on 01 462 1461

Helpines is designed to help put people in touch with each other. If you have a problem, it's more likely there's someone out there who has the solution; if you are looking for an old colleague or amateur friend, there could be a reader who has some news of their whereabouts; if you have solved a particular problem, write and tell the rest of us. 'Helpines' is there to help you and to give you the opportunity of helping others. Write to us marking your envelope 'Helpines' and we'll do what we can to get the message out

HF AND VHF RECEIVERS AND SCANNERS

From the ICOM stable come three new models - the RI - a handheld receiver covering the frequency range from 150KHz to 1300MHz with 10 different channel spacings, 100 memories and keypad frequency entry. Although it omits ssb and cw, it has continuous coverage, and includes wide FM as well as narrow FM and AM. The case size is similar to the most recent ICOM mini walkie talkies at only 49 x 102 x 35mm deep.

For mobile or base station use comes the RI100 covering 500KHz to 1.8GHz. It has 120 memories, 9 selectable tuning stops, and again, receives AM, FM, and FMW.

ICOM also announce a budget SW rx, the R72 covering 100KHz to 29.999MHz. Modes are AM, FM (OPTIONAL), SSB, and CW. It has similar facilities to the IC 725, and incorporates direct digital synthesis. The usual filter options are available.

The Farmrite is another hand held scanner and is available from many sources. It has a frequency coverage of 25 - 550MHz, and 830 - 1300MHz. AM, FM, and FMW are included. It has 1000 memories, and channeling can be selected from 5 to 955KHz.

Similar to the Farmrite is the new AOR AR 1000, a handheld covering 0.6 - 600MHz, and 805 - 1300 MHz. It also offers AM, FM and FMW. It will be priced competitively and will include a trickle charger, mids, a dual band antenna, salt carrying cable, earpiece and belt clip. It also has 1000 memories, and a channeling can be preset from 5 to 955KHz. This should be quite a bargain.

HF TRANSCEIVERS

TenTec have announced the Omni V, similar to the Agosy 2, but with some extra facilities. It has a large digital frequency read-out, and covers all the amateur bands from 1.8 - 28MHz, with up to 100 watts out. It has an analogue VFO, and works from 12V DC.

ICOM have introduced their new budget model, the IC 725, reviewed by Peter Hart in RadCom September 89. Based on its hosts is the IC 726 (RadCom review February 90), identical except that it includes the 50KHz band, with just 10 watts out.

Kunwood have just introduced their flagship, the TS 950S of SD. The S version is basic, whilst the SD includes all the normal options: digital signal processing, switchable RF input ends (boost sensitivity or intercept point), two RX tuning knobs and assemblies giving two separate receivers, various filters, CW keyer etc. See Peter Hart's review this month.

FM MOBILES AND PORTABLES

From ICOM come two dual banders, the IC 2400 for 144 and 432 MHz, with 45 and 35 watts respectively, and the IC 2500 with 432 and 1296 MHz, having power outputs of 35 and 10 watts.

ICOM have also released their replacement for the fibre optic connected IC 900, the IC 901. It normally comes with both 144 and 432MHz but can also include 1296 and 50MHz. An optional adapter is available for SSB and CW. This rig is particularly suitable when there is not sufficient room for any more than a control unit under the desk/dashboard. There are four narrowband and broad band filters, the IC25E, a very small but effective WT with 12.5 kHz channeling but unfortunately with a wide IF filter, and a more complex version, the IC25ET, including OTF tone provision and a frequency keypad on the front. 432MHz versions are the IC45E, and IC45ET, thus completing a workable new series of VFs.

A two band walkie talkie, the IC24E also comes from ICOM, covering the 144 and 432 MHz bands, and allowing talk through. Like the other new ICOM models, it gives 2 watts on its normal battery, but can give up to 5 watts on 13.6 volts DC from an external supply such as a car system. It is supplied with a dual band antenna. The usual options are not compatible with other recent ICOM models. It can be set to give a small selection of channeling but, again, has a wide IF filter.

Kenwood's latest dual band mobile for 144 and 432 MHz is the TM 731E which has separate tuning controls for each band. It has two audio outputs, one for each band, which are separately controlled and can feed separate external speakers but mix into the internal one. The rig allows duplex operation, and seems an ideal one for RAYNET. It gives 50 watts out on 144, and 35 watts on 432. A remote front panel option, RC 20, duplicates facilities, which could allow the rig to be used in small spaces. As with most other Kenwood VHF rigs, the IF filter is an "F" type.

A less expensive dual bander is the Kenwood TM 701E which has a single display, is very small, but has full duplex facilities. It gives 25 watts on each band. Kenwood manufacturers include the TM 231 (144MHz), TM 431 (432MHz), and TM 531 (1296MHz). These are all very compact, and include a digital voice bank, which records and plays back up to 30 seconds of speech. Outputs are 50, 35, and 10 watts respectively.

* Manufacturers and importers can contact the author by phone on 081-346-5372 to provide details of new products. Photographs should be sent direct to the Editorial Department at RSGB HQ.

by Angus McKenzie, G3OSS

MAYDAY! (?)

In the unlikely circumstances of hearing a distress call on the amateur bands the most important thing to do is to **LISTEN**. Note down everything that is transmitted by the station in distress and also the time and frequency.

Pass all this information to the police. You may have some difficulty convincing them of your sincerity as this is unlikely to be an everyday occurrence, so be patient. They will pass on the details to the Coastguard Rescue Co-ordination Centre.

Only transmit in response to a distress if you are absolutely sure that it is going to help. Remember that a local station will be of much more use than someone half way around the world.

NEVER reply to a distress call heard out of amateur bands.

MOBILE RALLIES

This is a list of all rallies, exhibitions and conventions notified to HQ (as at press date). Items are given in detail for the next three months inclusive and in brief thereafter. Please send detailed information, including contact call sign and telephone numbers direct to HQ and marked 'Rally News - DIARY'.

1 APRIL

►Bournemouth RS Amateur Electronics (Radio, Electronic and Computer) Bring & Buy Sale - Kinross Community Centre, Pothams, Millhams Road, Bournemouth. Doors open 2pm. Admission 50 pence, including prize draw ticket. Refreshments. Talk-in on S22. Details and table space arrangements from Vic, G4PTC, 0202 516593 any evening after 6pm.
►White Rose Rally - Leeds University. Details G4DXA, PO Box 73, Leeds LS1 5AR

8 APRIL

►Cambridgeshire Repeater Group Amateur Radio Rally/Junk Sale/Buy & Sell/Auction Philips Radio Communications - Catering Centre, St Andrews Road, Chatterton, Cambridge. Doors open 10.30am. Auction items accepted from 9.30am. Details G0HEM (QTHR)
►Lincolnshire ARS Rally at Laureston College. Doors open 10am. Bar, hot snacks, bring & buy, tradies. Motorists: opinions on your CW progress. RSGB publications on sale. Breakfast bar for traders from 6am; parking, talk-in on S22. Details from Maggie on 040921 219 or Rodney & Joy on 0566 5167
►Lough Erne ARC 9th Annual Mobile Rally. Killybegs Hotel, Enniskillen. Doors open 12 noon. Details from Alyn Magee, G0BFD, tel 0365 23802
►Swansea ARS Rally - Swansea Leisure Centre, situated on the A4067 Swansea-Mumbles coast road. Doors open 10.30am. Trade stands; bring & buy; refreshments, demonstration station; bar, refreshments. Talk-in via G82SWR on S22. Details from Roger Williams, GW4IISII, tel 0792 404422

15 APRIL

►Centre of England AR Rally - Motorcycle Museum, Bekehill, near NEC Birmingham. Details from Margaret or Frank, G4JUF, tel 0952 598173

22 APRIL

►Matsko by the Sea Radio Rally - Matsko Leisure Centre, High Street, Matsko by the Sea near Saltern. Doors open 11am. Talk-in on S22. Details from Allan, G7CBB, tel 0642 480055

6 MAY

►7th Anglo Scottish Rally - Tai Hail, Kintla. Details from Bruce, G4UUB, QTHR

7 MAY

►Mid Cheshire ARS Rally - Civic Hall, Winsford. Doors open 11am (10.30 for disabled visitors). Full catering and ample car parking. Details from David, G4XUV, tel 0606 77787

13 MAY

►Drayton Manor Mobile Rally - Drayton Manor Park, near Tamworth, Staffs. Details from Norman, G8BHE, tel 021 422 9787

19 MAY

►Swindon Radio Rally - Oasis Leisure Centre, North Star Avenue, Swindon, Wilts. Doors open 10am. Ample parking. Refreshments. Bring & Buy. Talk-in via Raynet S22. Admission £1 adults, 25p children. Sports facilities available including Lagoon Pool with wave machine. Details from Jim, tel 0793 611859 or John, tel 0793 619014

20 MAY

►Cambridge & DARC 5th Annual Rally and Radio Car Boot Sale at Colindale Community College, Radegund Road, Cambridge. Opens 10.30 (traders & 3.30). Talk-in on S22. Details from Brian, G4TRO, tel 0223 353664
►Dorset Downs RC 7th National AR Car Boot Sale - Stockwood Park, Linton. This venue is near Jarneton 10 on the M1. Details from Clive, G4ENB, tel 0582 27907
►33rd Northern Mobile Rally - Flower Show Hall, The Great Yorkshire Showground, Harrogate. Showground open 10am. Doors open 10.30am. Talk-in on S22 M. Catering. Bar. Car parking and entry is from Rinkway Road off the Wetherby to Harrogate Road. Separation arrangements made for disabled visitors with parking and entry near to the Hall and close by the Crampton Valley Golf Club in Hookstone Wood Road. Details from Mike, G0MKK, tel 0423 564353 507853
►Mid Ulster ARC PARKANAU Rally - Silverwood Hotel, Lurgan, Co. Armagh. Opens 12 noon. Entrance fee £1. Usual trade stands. Bring & Buy. Bookstall. OSL Birean. Talk-in S22 145.550. Details from Jim Lappin, G1HYGS, tel 0762 851179

27 MAY

►14th Annual East Suffolk Wireless Revival 1990 - Civil Service Sports Ground, Straight Road, Bucklesham, Ipswich, Indoor Bng & Buy. Car Boot Sale. Bookstall 50 MHz demonstration station, Vintage Radio Display, BYLARA, RAIBC, Scout Radio, RAYNET stands. Children's play area; Model flying display. Details from Paul Whiting, G4YQC, 77 Melford Way, Felixstowe, Suffolk, tel 0473 642585
►Plymouth Radio and Electronics Fair - Plymouth School, Church Road, Plymouth. Doors open 10am. Usual traders. RSGB Zonal Meeting. Morse Tests. Bring & Buy. Refreshments. Talk-in S22. Details from Jan Fisher, G0IVZ, tel 0752 340946 evenings/weekends

28 MAY

►Breates Radio Rally - near Bawtry, Doncaster. Doors open 11am, 10.30 for disabled visitors. Talk-in S22. Booking forms/details 23 Florence Avenue, Bawtry, Doncaster. Tel 0302 857526

3 JUNE

►British Telecom (S. Wales District) ARS 2nd Annual Radio Rally - BT Headquarters, Coryton, Cardiff. Bar. Restaurant. Bng & Buy etc. Bring & Buy stall display fee £1 per item. Entrance fee £1 per person and 50p for QAP and children under 14. Talk-in on S22. Details from Maryn Jenkins, GW7EYP, tel 0222 379634 (office hours)
►Southend & DARS Mobile Rally at Rocheway Youth Centre, Rochford Essex. Details from John Stone, G0DFE, tel 0702 202216
►Spalding & DARS Mobile Rally - Springfield Arena Spalding. Details from T. Kellwell, G4TWR, tel 0775 722940

10 JUNE

►21st Elvaston Castle Mobile Radio Rally. Elvaston Castle Country Park near Derby. Details from John, G4PYZ on 0332 767994. Trade enquiries from Peter on 0332 700265 (evenings)
►Norfolk Raynet Annual Rally. Barford Village Hall, 5 miles west of Norwich. NGR TG 113078. Opens 10.30am. Local traders. Bring & Buy. Car Boot Sale etc. Details from 0603 667189 (daytime) 0692 650865 (evenings)
►Royal Naval ARS 30th Annual Mobile Rally HMS Mercury, Nr. Portsmouth. Harb. Trade, RSGB, RAIBC, BARTG and RAYNET stands, Crisis exhibition. Have a go at every Radio controlled power boats, helicopters, cars and vans. County Sound Radio Mobile Rig. Refreshments, Morse Operators. Many other attractions. Talk-in on 2m and 70cms. Details 0703 557469

17 JUNE

►Derby Dale Rally - Salsford Nook School, 2 miles west of Huddersfield on A640. Opens 11.00am (10.30 for disabled visitors). Usual good food. Ample parking. Traders. Talk-in S22 and SU22. Details from G3SDY, tel 0484 502905
►Newbury & DARS Car Boot Sale Recreation Field and Aeland Village Hall, Cold Ash, Newbury, Berks. Opens 10am. Free admission and car parking. Talk-in on S22. Refreshments and children's play area. Details from Mike, G3VOW, tel 0635 43048

24 JUNE

►City of Bristol Group 33rd Longleaf Amateur Radio Rally, Longleaf Park, Warmunster, Wills. Details Shann O'Sullivan, G8VPG, tel 0225 873098

1 JULY

►Worcester & District Droitwich Strawberry Rally - High School, Droitwich. Details from Tony, G4OPD, tel 0905 620507 or Derek, G4RBD, Int. Worcester 641733
►York Radio Rally - Tattersall Building at York Race Course. Details tel 0904 625798

14 JULY

►Cornish RAC Rally - Richard Lander School, Truro. Details from Roll Lillo, G7FKR, tel 0872 72554w

15 JULY

►Sussex AR and Computer Fair - Brighton Racecourse. Details from Ron Bray, G8VEH, QTHR, tel 0903 763978 or 0273 415654 (office hours)

22 JULY

►Burnham Beeches and Maidenhead & DARC McMichael Rally - The Haymole Centre, Burnham near Slough. Details from Bob Hearn, G0BTY, tel 0494 29868

29 JULY

►Rugby ATS Amman Radio Car Boot Sale - venue to be advised. Details from Kevin, G8TWH, tel 0203 441590
►Scarborough ARS Rally - The Spa, Scarborough. Details from Ian, G4UOP, tel 0723 376847

12 AUGUST

►Derby Mobile Rally - Lower Bomrose School, St Alban's Road, Derby. Details from Kevin Jones, G4PPY, 20 Pinecroft Court, Oakwood, Derby DE2 2LL. Tel: 0332 689157
►Flight Refuelling Hamfest - Flight Refuelling Sports Grounds, Wimborne, Dorset. Details from John, G0APT, tel 0202 691649 or Rob, G6DUN, tel 0202 479038

19 AUGUST

►Royal Forest of Dean, Gloucs. Speech House Rally. Details from Terry, G4HZT QTHR, tel: 0594 33334 (mid evenings).
►West Monmouth RC Red Rose Summer Rally - Bolton Sports & Exhibition Centre, Silverwell Street, Bolton. Details from Dave, G1DOO, tel 0204 24104 (evenings only)

26 AUGUST

►Torbay ARS Mobile Rally - STC Social Club, Buxham Road, Paignton, Devon. Details G3HTX QTHR

2 SEPTEMBER

►Preston ARS 23rd Annual Rally - University of Lancaster. Details from Godfrey, G3DWQ, tel 0772 53810
►Telford Radio Rally & Exhibition - Telford Exhibition Centre, Telford, Shropshire. Details from G3UKV, QTHR, tel 0552 255416

9 SEPTEMBER

►Vange ARS Annual Rally - The Laindon Community Centre, Aston Road, Laindon, Basildon, Essex

16 SEPTEMBER

►Bristol Radio Rally - Brunel's Great Train Shed, Temple Meads Station, Bristol. Details from David Fair, G4WUB, tel 0272 839855

30 SEPTEMBER

►Harrow AR & Electronics Mobile Rally - Harlow Sports Centre. Details from Al, G7FNY, tel 0279 418392 (weekdays) or Mike, G7BNE, tel 0279 722569 (evenings and weekends).
►6th North Wakefield R.C. Rally - Outwood Grange School, Pollock Lane, Outwood, Nr. Wakefield. Details from Richard, G4GCX on 0532 622139

7 OCTOBER

►Armagh & Dungannon DARC Annual Rally - Drumsiff House Hotel, Moy Road, Armagh. Details from T.E. Hall, G10MSJ, tel 0861 23454.
►South Devon RC Sixth Annual Ham Radio Computer Exhibition and Rally - Hithdon Campsite on the Dartmouth Road in Brixham, Details from 0803 5222116

21 OCTOBER

►4th North Wales Radio Rally - Aberconway Centre, Llandudno. Details from E. Shipton, 34 Argood, Chester Avenue, Kinnell Bay, Rhy, Clwyd LL18 5AY, tel Rhyt 336939

11 NOVEMBER

►MARS Birmingham Mini Mobile Rally - Stockland Green Leisure Centre, Erdington, Birmingham. Details from Norman, G8BHE, tel 021 422 9787.

18 NOVEMBER

►Wend Leachester RC Winter Rally at Bolton Sports and Exhibition Centre, Bolton. Details from Dave, G1DOO, tel 0204 24104 (evenings only)

►Bridgend & DARC Annual Rally - Bridgend Recreational Centre. Details from Don, GW3RVG

OTHER EVENTS

1 APRIL

►IARU Region 1 Conference starts - Torremolinos, Spain. Details G3FKM.

21/22 APRIL

►RSGB National Convention - NEC Birmingham. Details 0277 225563

29 APRIL

►Bury RS 1990 Hamfest - Castle Sports Centre, Bolton St, Bury. Doors open 11am, for disabled and blind visitors at 10.30am; talk-in on S22 and SUB; traders, catering facilities; ginni 'Bring & Buy'. Details from C.D.W. Marcoll, Mosses Community Centre, Cecil St, Bury, tel 0706 229930 (evenings only).

MAY

►BABC Convention, Harlaxton Manor, Nr. Grantham. Details from Paul Marshall, G8UJW, tel 0522 703348

12 MAY

►RSGB VHF Convention - Sandown Park Racecourse, Details from Gooli Stone, G3FZL, tel 01-699-6940

13 MAY

►Yeovil ARS 6th QRP Convention - Preston Centre, Manks On, Yeovil. Doors open at 10am by Editor of Practical Wireless, G3XFD. Talks during the day by G3M3XX, G3RHL, G3HYM & G3PCJ. G3LQW will be on the air all day also for talk-in station. Traders as in previous years. Refreshments served from 9am. Further details Q. Bailey, Hon.Sec., QTR or P. Burridge, Chairman, tel: 0935 813054

2 JUNE

►RAIBC (Northern Ireland Area). First Belfast Amateur Radio Convention - Ormeau Park Recreational Centre, Ormeau Embankment, Belfast. Commencing 12.30. Usual attractions. Demonstrations and talks on the hobby. Demonstrations on Microwave Cookery, Crafts and First Aid by Red Cross. Talk-in on S22. All the proceeds to go to the Northern Ireland Area to buy equipment for Club members in Northern Ireland. Details from David Caldwell, G10HOW, tel 0232 471370

17 JUNE

►Eighth Annual Practical Wireless 1441MHz QRP Contest 0900 - 1700 UTC. Transmitter output power will be limited to 3 watts as usual. Full info will be published in due course in Practical Wireless. Contest adjudicator: Neil P. Tylet, G4HLX.

1 JULY

►Newport ARS 3rd Grand Sulpis Equipment and Junk Sale, Brynglas Community Education Centre, Brynglas Road, Newport. Details from Kevin, GW7BSC, tel 0633 262488 or Bob, GW4IED, tel 0633 280958

15 JULY

►Sussex Amateur Radio and Computer Fair (formerly the Sussex Mobile Rally) - Brighton Racecourse. Details from Ron Bray, G8VEH (QTHR) tel 0903 763978 or 0273 415654 (office hours)

15 SEPTEMBER

►Scottish Convention - Cardonald College, Glasgow. Details from G3EDZ.

26/27 OCTOBER

►RAF ARS AGM - RAF Cosford. Further information will become available on Packet, news broadcasts, RadCom and ORV (the RAF ARS magazine) in due course

RSGB CONTEST LOGSHEETS

These are essential for anyone who intends to enter any RSGB contest, and very useful for other contests too.

The hf contest logsheet pack consists of one hundred logsheets and ten cover sheets and is for contests involving frequencies between 1.8 and 30MHz.

The vhf contest logsheet pack consists of one hundred logsheets, ten cover sheets, and ten multiband summary sheets. This pack is for contests involving frequencies of 50MHz and above.

These contest logsheet packs are available from RSGB Headquarters for a modest charge. Don't be disqualified from your next contest for using the incorrect stationery.

RADIO SOCIETY OF GREAT BRITAIN

Lambda House, Cranborne, Road, Potters Bar, Herts. EN6 3JE

the last...

STAMP SUGGESTION

With reference to the request by Eric Simpson, G3GRX, that envelopes for incoming cards be kept up-to-date with the correct postage, I would suggest that this need not be a problem in future as the Post Office now issues stamps simply marked '1st' or '2nd' without value shown.

Further, it is possible to purchase from most post offices pre-stamped envelopes of good quality, measuring 220 x 110mm, at 24p each first class, or 19p each second class. If purchased in a packet of 10, the cost is reduced to £2.16 for first class, or £1.71 for second class. Due to normal delays in receiving cards, first class postage is hardly justifiable, but £1.71 for 10 pre-stamped second class envelopes is very reasonable. This represents a cost of only 21p for the 10 envelopes, and gives peace of mind both to the addressee and to the QSL sub-manager, since the stamps will remain valid irrespective of any future changes in postal charges.

W M Hamilton, GM3GDV

MORSE IS SIMPLE, SURE, ...

Maybe the morse test is not so important as in years past, but CW will always be the simplest and surest mode of communicating with persons in different countries and dialects.

With the ever increasing pollution of our HF bands, can we really permit the luxury of SSB and RTTY to increase?

At least 8 to 10 CW QSOs only need the space of one SSB QSO, and with Government policy to gain as much revenue as possible from the frequency spectrum, may I suggest the RSGB consider a two-tier licence be introduced, the SSB/Data licence fixed at, say, four times the CW fee as a help to improve our HF bands.

George A Hook, G2CIL

... DESIRABLE ...

Surely, both G4OZL and G8BZL are missing the point when they suggest that the morse test is no longer relevant for qualification to operate on HF (Last Word, Jan and Feb RadCom).

This requirement derives not from sentimentality, nor even to grant those who pass the test a 'superiority complex' over those who have not passed it. It is sound common sense as relevant today as it ever has been.

The HF bands contain very little spectrum compared with the VHF bands and above. Moreover, this spectrum, because of the propagation properties of these bands, has to be shared with amateurs from many other countries, whereas higher frequency bands are local in character by and large.

G8BZL is therefore correct when he says that the numbers on these "already overcrowded" bands need to be limited, but that is only half the story. As every amateur surely knows, the bandwidth required for CW operation is a fraction of that required for any type of voice mode. Thus, perhaps 100 CW operators can work in the same slice of precious spectrum as a single SSB operator.

If morse ceases to become a pre-requisite to using HF, it is obvious that very few amateurs will bother to take the time and trouble to learn it. The result will be an explosion of the number of HF operators, very few of whom will be using CW. If these bands are crowded now, they will become a shambles.

I can only point out to G8BZL that as far as I am aware, the advent of the 21st century is unlikely to affect either the bandwidth available to us on HF, or the fact that CW is the most economical mode in terms of that bandwidth.

A R Gardner, G4OKC

... AND SATISFYING

It seems so clear to me that the people who criticise the morse code, know very little about it, and therefore fail completely to understand the pleasure and satisfaction one derives from being proficient, as with any other foreign language. I have enjoyed morse for 50 years and I still try hard to send smooth, accurate code with rhythm and precision.

I have just had an enjoyable conversation with a fellow amateur in Osaka, even with heavy interference. This would have been quite impossible using speech, as neither of us was fluent in the other's language.

Morse and speech on the amateur bands are rather like comparing a musician playing a violin with a man shouting through a megaphone.

Jack Pemberton, G3DOZ/FOC 188

RSGB AFFINITY CARD

When I first saw the RSGB's affinity credit card being offered, I confess that I thought it was a bit of a gimmick. I even thought about the possibility of ridicule that I might have received for being unconventional, but dismissed this since most radio amateurs are a little off the norm anyway.

As it happens, I was already the owner of an Access card and a direct debit Visa card which meant I could use plastic just about everywhere. I always paid my Access bills on time, thus relieving the bank of their chance to get some interest out of me.

Around the end of September I heard of Lloyds Bank's decision to bring in an annual charge on their Access card. Well, you could imagine the look of horror

on my face. Darned if I was going to pay an annual fee, I was about to shop around for a cheaper Access card when I remembered the RSGB affinity card, which, carrying the Master-card symbol, can be used wherever the Access sign is shown.

I sent off the application form which I rescued from the bin. Within a few weeks it had arrived, the credit limit being almost that of the Access card which was now on its way back to Southend-on-Sea.

I quickly got into the swing of things, using it to fill the car up with petrol, taking one's parents out to dinner, buying radios; all the sort of things any radio amateur would spend money on, and of course I still pay the bills off before they are due to avoid having to pay any interest - and I do not pay an annual fee either.

The card itself, with a morse key that covers the southern Sahara Desert, is different and gets some interesting questions asked whenever I present it as payment. I have even had someone notice the call sign and tell me that their son is licensed.

One can easily spend a couple of hundred pounds in a month. Out of that money, a little will make its way to the RSGB. I do not mind contributing to the Society in this way, and would recommend an RSGB credit card to any member, especially those who hate paying bank charges or would prefer a lower interest rate.

Pete Swynford, G6ZYT

REGIONAL CALLBOOKS?

I feel that the members at the AGM who sought to have the different call letter areas of the UK listed separately in the Callbook, had not fully thought the matter through.

When listening to weak signals with difficulty to copy call signs, and wishing to swing the beam round, time used to be wasted thumbing the pages to find the QTH, only to find the need to refer to another section of the book. I was pleased when the present system of listing was implemented.

R F Hills, G0BDA

[See this month's News and Reports for the 1990 Callbook plans - Ed]

WHY NOT USE SSB ON 10.1MHz?

In common with the many UK and European SSB operators now using 10MHz on a regular basis, I was most surprised to learn that our usage is considered anti-social (GB2RS 28 Jan 1990).

Reference to the RSGB Callbook, defines (SSB use of) the band as being for emergency use only, an obvious policy. We are now told of a "gentlemen's agreement", and when did the terms of reference change, who changed them, and why?

What we seem to have now is an ever changing concept, that is both a nonsense and an anachronism.

Please note that the views expressed in 'Last Word' are not necessarily those of the RSGB.

We reserve the right to edit letters and regret that we can no longer acknowledge them individually but will pass them on to the relevant department.

In the course of a recent QSO, the only notes of dissent were from irate CW operators peppering us with anonymous obscenities, it would be better to address yourselves to this kind of deliberate interference than make censorious comments on the news broadcasts.

Every month more licensing authorities are permitting unrestricted use of the band, is it not about time the RSGB became realistic and gave us their unequivocal consent.

B S Sutherland, G3IES

[At 50kHz wide, the 10.1MHz band is an antithetical allocation. IARU Region 1 has recommended withdrawing the use of narrow bandwidths except in emergencies. The RSGB fully endorses this, in the simplest terms, the band is unusable - rather than 16 subharmonics SSB QSOs involve more than 100m CW. Ed]

MOBILE MOUNT TIP

I have discovered an easy method of setting up a mobile mount which other members might find useful.

I have a Ford Escort, and was having a problem finding a convenient space to fix my mobile mounting bracket. The solution I found was as follows:

There is a large, robust ashtray situated low down in the centre of the dashboard (an ideal location for a 2m transceiver). I removed it, drilled some holes in the front of it and secured the mobile mounting bracket thereto. I then mounted the rig in the bracket and slid the ashtray back into its slot. The result? A perfect "slide mount".

The rig is now permanently fixed to the ashtray, and it takes only seconds to remove it from the car. When operating in the shack the sight of an ashtray sticking up on top of the rig does cause a low raised eyebrows, however!

I see no reason why this arrangement will not work in any car that has an ashtray sturdy enough to support a transceiver safely, and which remains secure when slid into place.

Harry Phillips, GW0BLZ

BUYING GEAR ABROAD


Re G3KPO's letter Jan 1990 RadCom i.e. buying gear abroad using a Credit Card, he was probably unfortunate in the suppliers he rang - conversely I was obviously lucky.

I spent 6 weeks in the USA in Jan/Feb 1989, I went with a shopping list of linear, antennas, etc being fortunate in having private transportation arrangements.

I rang around the USA on free phone numbers for best prices emphasising that I was from UK at a hotel address and that I would leave by a specified date. I received no queries whatsoever on the use of my card and I must have contacted at least a dozen suppliers found in the QST Ads.

Re savings in price - I found at the then rate of exchange USA equipment at approx half the UK price - also an item which cost about £120 in the USA seemed to attract duty and VAT of about £35 leaving me a good £10 plus discount on UK prices.

Michael Faulkner, G3IZU



City of London opportunity

We require personnel for a consultancy project in the City of London.

A background in RF with experience in VHF/UHF and leaky feeder radio transmission systems is required.

Candidates must have the ability to work on their own initiative, to interpret and evaluate clients' requirements and produce the associated documentation.

FOR FURTHER DETAILS WRITE WITH YOUR C.V. TO:

U-Aerlats & Communications Ltd, Unit 6,
Mayfield Estate, Hurlford, Kilmarnock,
Ayrshire KA1 5EA.

UA Comms

SELLING or BUYING?

We specialise in top quality USED
Amateur Radio Equipment!

SELLING?

If you want to sell your used equipment, and it's in top condition, give us a call. We'll make you the best possible cash offer for your gear. If we can't get to the price you want — we'll include it on our 'Rigsearch' service — FREE OF CHARGE — and attempt to sell it for you on a commission basis. We handle the entire transaction for you, with least hassle, and the best result FOR YOU.

IF YOU'RE SELLING TRY G4TNY & RIGSEARCH! BUYING?

We are continually told by visitors to our showroom how surprised they are at the large amount of used equipment available. This is only due to our continued efforts to buy, as well as broker, only the very best quality second user gear, and therefore paying the best possible price for our stock. Remember, whether we sell from stock, or from our 'Rigsearch' facility, all our equipment carries our three month warranty, and for mail order customers we also guarantee full satisfaction with the condition of your purchase! Why not give us a call, or drop into the showroom sometime? Just give me a call to let me know you're coming, in case I've popped out.

IF YOU'RE BUYING USED EQUIPMENT TRY G4TNY!

Send for our list!

Phone Dave, G4TNY on
(0708) 862841 or (0836) 201530.

From 9.30 am to 7 pm, Tues to Sat.

SAE PLEASE FOR LISTS.

CALLERS BY APPOINTMENT, PLEASE.

'FAX-A-LIST.' NOW ON 0708 862794
OR FAX YOUR REQUIREMENTS!



**G4TNY
AMATEUR
RADIO**

Unit 14, Thurrock Commercial Centre, Juliet Way,
South Ockendon, Essex RM15 4YG.

Mail Order?
No Problem!



Part Exchange
Possible

GERMANY CALLING! GERMANY CALLING!

To 47,250DM P.A.

R.F. and/or Microprocessor Engineers to work in W. Germany for our Client, an International Mobile Communications Company. Must be fluent in German and free to travel. Interested to find out more??? Send your C.V. or contact

The Engineer's Choice.

BULLDOG ENGINEERING RECRUITMENT

ICOM

& Management Services.

Tel: (0273) 570-574

Fax: 0273 570285

11 Marlborough Place, Brighton, East Sussex BN1 1UB.



Doc No. SE14773

RF & MICROWAVE ENGINEERS!

Are you working in RF/Microwave design or test? Then consult the specialist agency for your next career move. We have hundreds of vacancies registered with us, from salcomms to CT2 so phone us today!

Garibaldi Technical Recruitment 0494 773918

or send your CV to: 160 Bellingdon Road, Chesham HP5 2HF

INDEX TO ADVERTISERS — APRIL

Aerial Techniques	75	KW Communications Ltd	34
AJH Electronics	60	Lake Electronics	64
Allweld Engineering	59	Lee Electronics	43
Amateur Radio Comms. Ltd	65	Lion Systems Ltd	62
Amcomm of London	41	Lowe Electronics Ltd	12, 13 & XX
AMDAT	VI	McKnight Crystals	64
ARE Communications Ltd 44, 45 & IX		Mauritron Technical Services	75
Arrow Radio Ltd	28	Maplin Electronics	INFC
B. Bamber Electronics	63	Morse Equipment Ltd	64
Barenco	XVI	Navico Ltd	59
J. Birkett	75	Nevada Communications	INBC
Border Communications Ltd	60	Photo Acoustics Ltd	56
Bredhurst Electronics Ltd	62	Procomm (UK)	75
British Amateur Television Club	58	PW Publications	58
Bulldog Engineering Recruit 74 & 82		Qualitas Radio	64
Cambridge Kits	60	Quartslab Marketing Ltd	62
CAP.CO Electronics Ltd	XVI	Radio Bygones	66
Cirkil Distribution Ltd	57	Radio Shack Ltd	XII
The 'Chip' Shop (Semicon) Ltd	60	Raedek Electronics Co	67
Datong Electronics Ltd	61	Random Electronics	56
Daytrend Limited	65	Raycom Comms Systems Ltd	49
Dee Comm Amateur Radio		R&D Electronics	XVI
Products	50	Revco Electronics Ltd	50
Dewsbury Electronics	18	R.N. Electronics	56
Dressler Communications Ltd	57	S.E.M.	50 & XII
Eastern Communications	61	Siskin Electronics Ltd	64
ERA Ltd	63	South Midlands Comms.	
Ferromagnetics	75	Ltd	26, 27, XIII & OBC
G4TNY Amateur Radio	82	Spectrum Communications	VI
G4ZPY Paddle Keys	66	S.R.W. Communications Ltd	66
Garex Electronics Ltd	XII	Star Electronics	60
Garibaldi Technical Recruitment	82	Stephens-James Ltd	67
G.W.M. Radio Ltd	56	Strumech Versatower Ltd	66
Hately Antenna Technology	66	Syon Trading	75
Holdings Amateur Electronics	75	T.A.R. Communications	56
C.M. Howes Communications	VI	Technical Software	48
ICOM (UK) Ltd	10, 11 & II	Tennamast Scotland	75
ICS Electronics Ltd	XIX	T.V. Masters	60
Jandek	66	UA Comms	82
Jaybeam Limited	IV	Uppington Tele-Radio	50
J & P Electronics Ltd	56	Waters & Stanton	XVII
Kanga Products	75	Colin Wilson	60
R.A. Kent (Engineers)	IV	Wood & Douglas	48
Klingentuss Publications	58		

**OFFICIAL
PROGRAMME**

RSGB 1990

National Convention

NEC

Saturday 21 April and Sunday 22 April

- Daily Lecture Programme
- RSGB Committee Representation
- Morse Tests
- Comprehensive Trade Exhibition
- Specialist Group Representation: G-QRP, WAB, RNARS, RAFARS and more.



Hall 7 is one of three new halls opened in January 1989. The halls are interconnected via an Atrium-styled concourse which contains restaurant and bars. They are also linked to the main central piazza via a railway and a totally enclosed skywalk. *And no parking problems!*

This is the Premier Amateur Radio Event in the UK in 1990

See us at R.S.G.B.
National Amateur
Radio Convention
N.E.C. Birmingham
April 21 & 22

ICOM

From the manufacturers of the superb IC-R7000, two new wideband communication receivers, would you accept anything less than the best from ICOM!



IC-R100 Mobile/Base Receiver

For the enthusiast who prefers a more permanent installation the IC-R100 is ideal giving full frequency coverage of 500KHz – 1800MHz and AM/FM.FM wide modes of operation. The IC-R100 boasts 100 memory channels to store your favourite stations and features similar to the little pocket receiver.

IC-R1 Handportable Receiver

The new IC-R1 is a pocket-size receiver with continuous 150KHz through 1300MHz, AM/FM and FM wide reception. With 100 memory channels this tiny receiver is packed full of features: Multi-scan functions, 11 search step increments, clock timer, power-save, S-meter and a convenient frequency selection via the keypad or tuning knob.

Refusing to compromise on quality can have its price but at ICOM our products reflect our style. We only make the best.



Both the IC-R1 and IC-R100 are shown full size in this advertisement.

icom (UK) Ltd.

Dept RC, Sea Street, Herne Bay, Kent CT6 8LD. Tel: 0227 363859. 24 Hour. Fax: 0227 360155.
Visa & Mastercard: Telephone orders taken by mail order, instant credit & interest-free HP.
Despatch on same day whenever possible.





Welcome to the RSGB's Annual National Convention and Exhibition, held once again at the prestigious National Exhibition Centre.

This is the largest event in the UK amateur radio calendar and provides the only opportunity for amateurs to see in one place all aspects of our hobby. We not only feature a vast range of transmitters, receivers, aerials, test equipment, second hand gear, and components, but also provide an opportunity to meet those responsible for bandplanning, contests, Raynet, repeaters, packet radio, EMC advice, propagation studies, and most importantly those responsible for our licences - the DTI. The G-QRP Club, BYLARA, WAB, the RNARS, RAFARS, RSARS, the Scouts, Guides and the German national society (DARC) also have stands. In addition there is a comprehensive lecture programme on Saturday, and of course a very large RSGB book stand and information desk.

The Society is launching the 1990 edition of the Call Book at the show. This essential reference work includes details of approximately 60,000 UK callsigns plus no less than 130 pages packed with information on all facets of amateur radio. Be sure you don't leave without one.

May I wish you a most enjoyable day at the NEC, and a safe journey home.

A handwritten signature in dark ink, which appears to read 'Frank Hall'. The script is fluid and cursive.

Frank Hall, GM8BZX.
President.

Quality MORSE KEYS

from R.A. KENT ENGINEERS

The LEADING British manufacturer of top quality Morse Keys - renowned throughout the world for their outstanding performance and reliability.



TWIN PADDLE MORSE KEY

Our twin paddle morse key has been designed and precision engineered to the highest standard. Shielded ball race bearings together with fine pitch screw threads and instrument knurled heads allow precise and individual adjustment of contacts and springs. Available ready to use or as a kit taking about an hour to assemble.

£51.50 (assembled) £42.50 (in kit form)
Plus £3.00 post and packing.


SOLID BRASS MORSE KEY

The Kent hand key is used world wide by professional and amateur operators alike. The silver contacts are mounted in precision fine pitch threaded screws fitted with positive locking nuts which are instrument knurled for ease of precise adjustment.

Our shielded ball race bearing pivots are renowned for their superiority over all keys using plain and bush type bearings.

The key is available in kit form or ready assembled. The kit takes less than an hour to complete resulting in a key of unrivalled professional standard.

£41.00 (assembled) £33.50 (in kit form) Plus £3.00 post and packing.




ELECTRONIC KEYS KIT

The Electronic Keyer Kit is supplied with an assembled and tested printed circuit board, together with a steel case and hardware. It provides iambic operation for squeeze keying at speeds of 5-40 w.p.m. with fully adjustable side tone.

Alternatively, the assembled PCB, together with the three control potentiometers, is available to enable the constructor to finish.

£51.00 (assembled) £30.50 (in kit form)
Plus £3.00 post and packing.



SINGLE PADDLE MORSE KEY

Because most Operators prefer to select their own contact gap and spring settings it is not possible to have a satisfactory optimum setting for all. With this in mind, we have designed a single paddle key with fully adjustable silver contacts and spring tensions. Ball race bearing pivots together with the twin spring arrangement ensure a positive return of the key arm to the centre position. Machined parts are from solid brass and mounted on a steel base for stability.

£41.00 (assembled)
£35.50 (in kit form)
Plus £3.00 post and packing.



Please write, phone or fax for further details to:

KEYS OF UNBEATABLE QUALITY
AT UNBEATABLE PRICES!




R. A. KENT (ENGINEERS)

243 Carr Lane, Tarleton, Preston, Lancs. PR4 6YB
Telephone: Heskeith Bank (0772) 814998 Fax: (0772) 815437



**Come and visit us on Stand B11 at
the NEC Exhibition,
April 21st and 22nd, 1990**

**“THE ANTENNA FOR THE
DISCERNING AMATEUR”**



Jaybeam Limited

**Amateur Radio Antennas Division
Kettering Road North
Northampton NN3 1EZ
Tel: 0604 646611**

PROGRAMME OF EVENTS

All lectures, meetings and morse tests are held on the first floor above the exhibition hall (Hall 7)

Opening times

Saturday 21st
Doors open 1000
Doors close 1800

Sunday 22nd
Doors open 1000
Doors close 1700

Lecture programme (Saturday only) (Seminar Room 1)

- 1130** "Training for the Novice Licence" *by John Case, GW4HWR, Chairman of the RSGB's Training and Education Advisory Group.*
- 1245** "Construction Forum" *by George Dobbs, G3RJV*
- 1400** "An introduction to frequency synthesis" *by Peter Chadwick, G3RZP, Chairman of the RSGB's Technical and Publications Advisory Committee*
- 1515** *Hately Antennas*
- 1630** *Raynet*

Morse tests (Meeting Room 4)

1030 - 1300
1430 - 1530

Meetings (Meeting Room 5)

Royal Signals AGM 1500 - 1700

RAOTA - Time T.B.A.

The National Convention and Exhibition is organised by the Exhibition and Rally Committee of the Radio Society of Great Britain

C.M.HOWES COMMUNICATIONS

See us at NEC



MAIL ORDER TO:
EYDON, DAVENTRY
NORTHANTS NN11 6PT
TEL: 0327 60178

BUILD YOUR OWN TRANSCEIVER BY OUR EASY 'MODULAR METHOD'

Our modular range of kits provides several ways of building your own transceiver. Choose a transmitter kit, and then add the corresponding receiver and VFO kit to form the basis of this project. You can then add on an accessory kit or two (digital readout, signal meter, narrow filters etc) to tailor the project to your personal requirements. Building your own equipment is one of the pleasures of amateur radio. There is nothing to beat the satisfaction of listening your contact, that the signal he has just commented on so favourably, comes from a home built rig!

AT160 BD & 160M AM/DSB/CW TRANSMITTER

This is a dual band transmitter with adjustable output from around .5 to 10W PEP. Relay switched output filters ensure harmonics are at least 40dB down. There is full key shaping, and "class A" driver stages to ensure excellent transmitted signal quality. Modern broad-band circuitry with extensive use of RF negative feedback is used for consistent performance, and no tuned circuits to align! TX/RX antenna switching is provided, operated by the onboard PTT circuitry. Audio input of approx. .5V peak to peak gives 100% modulation. An 80M crystal is provided. PCB size is 5 by 4 inches. An excellent project for both the Top Band net and long distance CW working.

AT160 Kit: £34.90

Assembled PCB Module: £53.90

VF160 BD & 160M DUAL BAND VFO

The VF160 will tune the AT160 over the whole of 80 and 160M bands with a 50pF tuning capacitor (£1.50 each). This VFO unit is quite sophisticated, whilst being quite straightforward to build. It uses a stable heterodyne frequency generation system, and has three separate buffered outputs, so it can be used with our DCR80, DCR160 or MBRX Direct Conversion receivers for transceive operation, as well as provision for use with a 10.7MHz IF superhet receive system. Onboard voltage regulation, IRT and full filtering are provided. One of our single band DCRx receivers (80 or 160M) will operate on both bands when driven by the VF160.

VF160 Kit: £19.80

Assembled PCB Module: £34.20

CTX40 and CTX80 QRP CW TRANSMITTERS

These very well known transmitters have opened up the world of QRP operating for many amateurs. Straightforward and easy to build, they provide a nice sounding note, and can form the basis of a simple, but very effective transceiver. If you listen around the QRP frequencies you are bound to hear them in use. Up to 5W output (adjustable) is available from the 80M version, and 3W on 40M. One crystal is provided with the kit. QRP operating is one of the fun, enjoyable challenges of amateur radio, as is home construction — you can combine both with a CTX transmitter!

CTX40 or CTX80 Kit: £13.80

Assembled PCB Module: £19.90

CVF40 and CVF80 VFOs

These VFO units enable the CTX40 or CTX80 to be tuned over the whole band (with a 50pF tuning capacitor — £1.50 each). Two buffered outputs are provided so that the CTX transmitter can be used alongside a DCRx receiver for transceive operation. IRT, voltage regulator etc are provided onboard.

CVF40 or CVF80 Kit: £10.40

Assembled PCB Module: £16.90

DCRx DIRECT CONVERSION COMMUNICATIONS RECEIVER

The DCRx receiver is an easy to build, single band SSB/CW receiver. They feature a stable FET oscillator, balanced mixer, and two chips for AF amplification (speaker or headphone use). They are available for 20/30, 40, 80 and 160M amateur bands. Two 50pF tuning capacitors (£1.50 each) are required for all versions except the 160M, which needs 100pF. These make an excellent receiver for the novice as well as the experienced QRP operator.

DCRx Kit: £15.60

Assembled PCB Module: £21.50

All HOWES KITS contain a good quality Printed Circuit Board, full, clear instructions, and all board mounted components.

Technical advice and Sales are available by phone during office hours.

Please send an SAE for a free catalogue. P&P is £1.00.



SATELLITE TRACKING

AMDAT are pleased to announce that we are now stocking the famous KANSAS CITY TRACKER hardware and software package. The tracker is a PC card together with software which will control any azimuth and elevation rotators. We are also stocking the KANSAS CITY TUNER which will control your radio to compensate for the doppler shift. These products are ideal for use with the new microaals.

★★★ Prices start from £179.00 ★★★

Send for our free satellite communications booklet

PACKET TNCs

TINY 2 + with mailbox	£129
TNC 320 HF/VHF	£179
KPC2 HF/VHF + WEFAX	£165
KPC4 DUAL PORT	£242
AEA PK88 HF & VHF	£129

MULTI MODES

KANTRONICS KAM	£285
(PACKET, AMTOR, RTTY, ASCII, FAX, CW)	

ACCESSORIES

We stock leads to connect the TNCs to most radios and computers. Software available for many computers.

PC TNCs

ORSI Type 1 VHF+HF	£139
HF MODEM for above	£85
G3RUH MODEM for above	£95
DRSI Type 2 Dual VHF	£169
DRSI cards are shipped with all software needed inc split screen user software, G88PO The Node software and AA4RE 88S.	

PACCOMM PC320	£189
VHF+HF TNC on PC card	

BBC EPROM

AMFAX eprom	£19.95
Terminal + FAX on screen	

SEND FOR OUR LATEST CATALOGUE TODAY
PRICES INC VAT P&P EXTRA

AMDAT

Crofters, Harry Sloke Road
Stoke Newington,
Bristol BS12 6QH
(0272) 699352/559398

CREDIT AVAILABLE



SPECTRUM COMMUNICATIONS
MANUFACTURERS OF RADIO EQUIPMENT AND KITS

TRANSVERTERS for 2m, 4m, 6m with 10m drive. Single board with 25mW-500mW drive input, and 500mW minimum output. Low noise RX side with 15dB min gain, no need for a pre-amp. Low spurious TX side, all outputs more than 45dB below main output. Types TRC 2-10, TRC-10, TRC6-10. PCB kit £49.00, PCB built £74.00, Boxed kit £64.00, Boxed built £99.00

Add £6.00 to TRC-10 for repeater shift.

TRANSVERTER for 4m or 6m with 2m drive. Transverter plus interface boards for 500mW-5W drive and 500mW minimum output. Specs as above. Types TRC4-21 and TRC6-21. PCB kit £57.00, PCB built £84.00, Boxed kit £72.00, Boxed built £114.00.

TRANSMIT AMPLIFIERS for 2m or 4m or 6m. 25W minimum output, linear, RF switched, 500mW maximum input, suits spectrum transverters. Types TA2S2, TA4S2, TA6S2. PCB kit £46.50, PCB built £57.75, Boxed kit £58.50, Boxed built £72.75.

TRANSMIT AMPLIFIERS for 2m or 4m or 6m. 25W minimum output, linear, RF switched, 2.5W input, ideal for FT290, FT690 Types TA2S1, TA4S1, TA6S1. PCB kit £37.50, PCB built £46.50, Boxed kit £42.75, Boxed built £55.00.

TRANSMIT AMPLIFIERS for 2m or 4m or 6m. 25W minimum output, linear unswitched, 0.5W maximum input, ideal for MEON. Types TA2U2, TA4U2, TA6U2. PCB kit £42.50, PCB built £54.00, Boxed kit £46.50, Boxed built £60.50.

RECEIVE PREAMPS, 2, 4, 6 or 10 metres RF switched and DC sensing, 100W power handling, gain panel adjustable 0-2dB, NF 1dB on 2m, 4m & 6m 3.5dB on 10m 13.5V negative ground operation. Excellent performance at a reasonable price. Types RP2S, RP4S, RP6S & RP10S. PCB kit £14.75, PCB built £22.25, Boxed kit £25.00, Built & Tested £35.50

MANY OTHER KITS FOR AMATEUR AND CB, SEND SAE FOR LIST PLEASE.

VAT & P&P INC PRICES
Delivery within 14 days if available
24 hr answering.

SHOP TIMES: 9am-1pm & 2pm-5pm TUES-FRI
9am-1pm & 2pm-4pm SAT
CLOSED SUNDAY & MONDAY



UNIT B6, MARABOUT INDUSTRIAL ESTATE,
DORCHESTER, DORSET. TEL: 0305 62250



New Products Available at the RSGB National Convention

We asked exhibitors at the Show to tell us what products would be launched or featured at the NEC. Here are their replies . . .

WATERS AND STANTON ELECTRONICS

(Stands B 10 - 12)



Introducing two new handheld radios for 2 metres and 70 cms - the DJ-160E and the DJ-460E.

Power output is 2 watts with a standard pack but 5w is possible with higher voltage packs. Extended receive range is available covering 137-174MHz

and 410-470MHz. These "high tech" models have a host of features that use the latest technology to maximum benefit. The LCD display provides full information on programming but for those that still yearn for manual control the frequency and channels can be selected by manual rotary controls as well as up/down buttons.

Features include 20 memories, versatile programmed scanning, priority channel, DTMF Tx (Rx optional), comprehensive DTMF calling functions, free split function, battery save, auto power off, reverse repeater, multi-frequency steps including 5kHz and 12.5kHz, S-meter, 1750Hz tone-burst, direct 13.8 volt operation, 700mAh high capacity battery, plus charger and belt clip etc, as standard.

Prices are provisionally set at £229 inc VAT for each model which will include ni-cads, charger, carry strap and belt clip.

C M HOWES COMMUNICATIONS (Stand J11 - 13)

C.M.Howes Communications, well known for their QRP CW transmitters, are introducing SSB transmission equipment in to their range of amateur radio kits.

The kits will make their debut at the NEC, and include a 21/28MHz dual band SSB/CW exciter module kit - the HTX10, and a matching dual band VFO kit - the VF10.

These are designed to be compatible with the popular DXR10 receiver kit, and can be used as part of a 21/28MHz SSB/CW transceiver, or as part of a 28MHz tunable IF for use with transverters. A demonstration transceiver will be available for inspection on the Howes' stand.

The HTX10 features a specially designed crystal filter, double-balanced mixer ICs for

both the modulator and frequency changer, relay switched bandpass filters, and an amplifier stage with an ALC input. All broadband output amplifier stages are operated in Class A, giving very good intermodulation performance. Output from this exciter is 50mW, suitable for driving transverters. A linear amplifier kit can be added for direct operation on 21MHz and 28MHz. All modules operate from 12 to 14 volts DC.

The HTX10 will be launched at the NEC at the very keen price of £49.90 for the kit (PCB and all board mounted components, including the crystal filter). Prices of the companion accessory kits, the kits themselves, and copies of the new 1990 Howes Kit Catalogue will be available at the show.

DATONG ELECTRONICS Ltd (Various stands)

The name Datong Electronics has been associated with innovative and high quality amateur radio products for over 15 years, with Datong products used by enthusiasts worldwide. Datong's FL3 Audio notch filter is a worthy bearer of the name as its thousands of users will testify.

Anyone who has listened to a transmission in the HF bands knows how often interfering signals spoil the unwanted signal. This is exactly where the FL3 can help. It is extremely good at removing those unwanted noises while leaving the weak wanted signal in the clear. However, it is the automatic notch filter which really puts the FL3 in a class in its own. The FL3 will remove



any single note from a received signal automatically - those annoying whistles which plague short wave broadcasts become a thing of the past. The filter is as simple to install as an external speaker and requires only a 12v supply.

The FL3 and many other products will be on show on various dealer stands at the NEC.

NEVADA (Stand B23)

For hand-held transceivers and scanning/monitor receivers, the Jim wide-band pre-amplifier is particularly flexible since it has an inbuilt high quality 50 ohm rf relay that enables it to be used effectively on VHF or UHF radios up to 5 watts max. It boasts fully adjustable gain control, internal or external battery supply, switchable band pass filters to reduce blocking, and covers from 24MHz to 500MHz. Price is £79.95.



AMDAT (Stand C21)

AMDAT are now stocking the famous KANSAS CITY TRACKER hardware and software package that allows computer control of an azimuth and elevation rotator. The package consists of a half-size card that plugs into an IBM PC or clone, and software which allows a satellite to be tracked whilst the computer is running other software.

Also available is the KANSAS CITY TUNER which controls your radio to compensate for the effects of doppler-shift. This is particularly important for low earth orbit satellites such as the new Microsats. The software will interface with the QUICKTRAK and INSTANTTRACK tracking programs.

To assist amateurs new to digital satellite communication AMDAT can provide a free booklet which explains what the satellites are and how best to communicate with them. Prices for the KANSAS CITY TRACKER package start at £179.00.

ICOM (UK) Ltd (Stand A1, A5)

The new IC-970E is the highest class multi-band transceiver giving 144, 430 and optional 1200MHz operation plus continuous 50 - 905MHz coverage for receiving.

Perfect for satellite communication, it features simultaneous dual band receive capability with an automatic tracking function and 10 satellite memory channels. The IC-970E

has independent main and sub dials, volume and squelch controls for convenient operation, an extra large function display showing all the required information, a large main dial with a click function to give a comfortable tuning feel, the advanced Icom DDS system for fast PLL lockup times, up to 396 memory and 5 call channels, a built-in pager, and code squelch.

J & P ELECTRONICS Ltd (Stands 1 - 3)

The time taken in loading software for the Spectrum has long been a sore point with amateurs. Loading from EPROM takes but a second or so and is now available to owners of the Spectrum, Spectrum Plus, Spectrum 128 and 128+2 (owners of the +2a and +3 and owners of the SAM COUPE have not been forgotten and we are working on it).

The EPROM loader is available in a number of forms, for one program only, or for up to 4 programs, and can be supplied with automatic PTT for licensed users. For those interested in FAX, the unit can be supplied with the FAX hardware incorporated, and audio filters, with AGC, are also included in the top of the range.

The purchase price will include one program on EPROM installed, and additional

programs can be installed in the 4 program version at the time of purchase, or supplied later for fitting by the customer.

Upgrading from the one program only, to the 4 program version can also be carried out at J & P's workshops.

The unit is simply connected to your Spectrum using the multi-way lead and connector fitted to the unit. Switch on and the program is loaded and ready to run quicker than you can read this sentence!

Prices are still to be finalised, but the one program, basic receive only version for CW, RTTY or SSTV, will cost around £47.50, while the top of the range, transceive version, fitted with Facsimile, RTTY, Slow Scan TV and Morse programs with all hardware, filters, AGC and PTT control will be less than £200.

SISKIN (Stand B4)

Siskin Electronics will be unveiling two exciting new products at the NEC, including a commercial radio product partially developed from the world of AX25 packet radio.


With the successful commissioning of the Micosats, Siskin will be launching a Micosat modem for use with the birds deploying 1200 band BPSK packet.

Direct connection to and from existing TNC audio sockets alleviates the need for internal TNC modification. Siskin have been producing 9600Bd systems suitable for UOSAT D etc, for over 9 months!

It is a well known fact that many commercial radio engineers and consultants are themselves licensed radio

amateurs, accordingly Siskin have chosen the RSGB NEC Convention as the venue to launch its first purpose built commercial radio product, the EURAD data controller.


As the photograph shows EURAD is somewhat smaller than its amateur TNC counterpart yet retains all the features found on today's TNCs but with the addition of data encryption, conventional RS-232 and PIO (parallel input/output port). As the photograph suggests EURAD is a surface mount device.



CAP. CO ELECTRONICS LTD (Stand A10)

In addition to our established range of HF components, aerial tuning units, and magnetic loop antennas, we shall be displaying for the first time our kit form Magnetic Loop Antennas. This has been in response to demand from many amateurs who prefer to build as much of their own equipment as possible. Although termed a kit, it is really a collection of sub-units and all that is required is about half an hour's work to put the whole assembly together. The kits present a useful saving over the cost of the assembled acrials. For instance £38.40 can be saved on the AMA-3 (13.9 to 30MHz) and £58.35 on the AMA-5 (3.5 to 11MHz).

We shall also be introducing the remote version of our AS-305 Aerial Switching Unit which enables instant selection of any one from five acrials, cutting



down the amount of cabling required between the shack and the aerial. The switch unit is totally waterproofed and is controlled by a single multi-core cable from the shack. The control unit incorporates LED indicators to show which aerial is in use, and requires a 9 volt power source at 100mA max.

Finally we shall be exhibiting for the first time our new receiving only Magnetic Loop Antenna which is a true desk-top version but with efficiency equal to the standard Magnetic Loop Antennas.

TECHNICAL SOFTWARE (Stand 21)

The display of weather satellites (METEOSAT, NOAA and METEOR etc) has until now meant expensive interface units and even more expensive framestores or computer systems. Now, the APT-1 Weather Satellite Decoding Module enables you to display these satellite pictures on any FAX system.

The module incorporates AGC for the APT signal, allowing it to be driven from any convenient audio source without adjustment and eliminating the black and white level controls which are such a tiresome feature of framestores. To let you change the display for special effects, brightness and contrast controls are provided. The clock frequency of the APT transmission produces a synchronising signal eliminating picture distortion due to Doppler effect or variations in tape speed

on recorded transmissions.

For users of the RX-8 multimode receive system, the module comes complete with everything to connect it into the RX-8 and to control the functions. Power to the module is supplied by the computer and no external supply is needed.

A software upgrade for the RX-8 will also be available providing several new features, six extra controls and even better performance. This upgrade is now being supplied as standard with all RX-8s and will be given free of charge with APT-1 modules purchased by existing RX-8 users.

The price of the APT-1 module, assembled, tested and calibrated, is £59.00 inc p&p and VAT. And if purchased at the same time as RX-8, it comes complete with all connections and software upgrade for a very special price of £39.00

A.R.E. Communications Ltd

A.R.E. have been fortunate enough in securing a large quantity of YAESU FT747GX transceivers which they are able to offer for £499 inclusive of VAT. The list price in the UK is £659, a saving of £160.

The TOKYO HI POWER TRANSVERTER is a new item available from stock and allows the operator to transceive on five

(Stand B22, B24, B26 B28)

HF bands - 10, 15, 20, 40 and 80m using a 2m transceiver as a driver. The transverter will deliver up to 40w rf on the hf bands with 3w to 10w drive. This could be extremely useful for mobile hf operation using the YAESU FT290 as a driver. The transverter is £249.

IR & D Electronics (Stand 11)

R & D Electronics manufacture a wide range of high quality and reliable weather monitoring equipment attractively presented in wooden cabinets. Most information is readable at a glance without the need to press buttons.

The full range of information now available is wind speed and direction, gust speed, temperature outside with max. and min., barometric pressure, rainfall in millimetres, relative humidity, and sunshine hours.

A Gust Alarm designed with tower owners in mind is one of the latest additions to the range. This will sound a beeper and operate a relay if the wind speed exceeds a value determined by a control on the cabinet.

The isolated relay contacts could enable motorised towers to be automatically dropped when the wind exceeded a predetermined strength.

R & D will also have on show an electronic sunshine sensor (patent applied for) for use with their Weather Station Plus or as a separate instrument. Both will record hours of sunshine in

tenths of an hour. It is hoped to have a range of instruments housed in polished brass cases on show and details of data logging and computer interfacing under development.

ICS Electronics Ltd (Stand B1)



ICS will have available their AMT-3 AMTOR/RTTY Terminal Unit, a proven third generation product with many features. Also the AVT (Amiga Video Terminal) Master System providing high performance SSTV and FAX capability for the Amiga Computer. Lastly the MET-2 Weather Satellite Receiver is capable of receiving high resolution cloud cover images from geostationary satellites such as Meteosat 4 and GOES and storing and displaying them on any IBM PC or compatible.

The 1990 Call Book and Information Directory

Containing all the latest callsigns, plus a wealth of information which is invaluable to the radio amateur!

- ✱ **Amateur Radio Band Plans**
- ✱ **HF and VHF Awards**
- ✱ **Beacons**
- ✱ **Affiliated Societies and Clubs**
- ✱ **Packet Radio Repeaters**
- ✱ **RAE Centres**

... and lots, lots more !

Now available at the RSGB stand
Members price: £6.55
Non-members price: £7.70

ARE COMMUNICATIONS
THE SHOP WITH THE SMILE — OUR PRICES ARE CHEAPER!

MORE BARGAINS AT NEC BIRMINGHAM THE RSGB NATIONAL CONVENTION

WE HAVE BEEN FORTUNATE IN PURCHASING A LARGE QUANTITY OF YAESU FT 747 TRANSCEIVERS DIRECT FROM OUR AGENT IN JAPAN AND WE ARE PLEASED TO BE ABLE TO OFFER THESE AT THE AMAZING PRICE OF



AVAILABLE WITH NO DEPOSIT AND
48 MONTHS TO PAY — **£16.76 PER MONTH**
(SUBJECT TO STATUS) APR 29%

£499 INC VAT


CW & AM FILTERS ARE AVAILABLE

THE FT747 HF TRANSCEIVER SSB/CW/AM (AND OPTIONAL FM) 100 WATTS PEP OUTPUT ON ALL HF BANDS AND GENERAL COVERAGE ON RECEIVE. 100kHz—30MHz, DUAL VFO 20 MEMORIES. ALTOGETHER A SUPER ECONOMIC HF TRANSCEIVER.

Opening Hours Monday-Friday 9.30 to 5.30
NOW OPEN SATURDAY MORNINGS 10.00-1pm
LICENSED CREDIT BROKERS

ARE Communications Limited, 6 Royal Parade,
Hanger Lane, Ealing, London W5A 1ET, England
Tel: 01-997 4476 Fax: 01-991 2565







RSGB National Convention and Exhibition



List of Exhibitors

A Kent	J1	Junk Shop	4,5,6
A1 Electrical Supplies	J2-5	Loutronic	P1-10
Almond Electronics	L11,12,13,14,15,16	Lowe	D21,23
AMDAT	C21	M & B Radio	B9
AMSAT UK		Merlin	P1-10
Anchor Surplus	A20	MFM Supplies	K1
ARE	B22,24,26,28	Nevada Communications	B23
Arrow Electronics	B14,16	Newton Engraving	8
Astley Video Services	9,10	Paddle Keys	L6
Badger Boards	E8	Practical Wireless	A12
Barenco	15,16,17,19	Procomm	12,13,14
Bernard Babani	26,27,28	Quartzlab	J6
BYLARA	H6	R White	N15,16
Capco	A10	R&D Electronics	11
Cirkit	B6	Radio Shack	A9
CM Howes	J11,12,13	RFARS	
Commodore Radio Users Group	L1	RN Electronics	E1
Commonside Hardward	K14	RNARS	
DARC	C9	Robert Francis Museum	K6
Deecom	A24	RSARS	
Dewsbury Electronics	C6	RSGB Book Stand	B20
Dressler	A11,13	RSGB Committees	B20
DTI	B15	RSGB Information Services	B20
DX Electronics	C20	RSGB Personalised clothing	B20
Eastern Communications	A17	Sandpiper	C24
G-QRP Club	D18	Scout Association	B29
Garex	M11,12,13,14,15,16	SES Communications	F7,8
GC Arnold Partners	J14	Siskin	B4
Grosvenor Software	N10	SMC	C9,10
Heatherlite	C23	Stevens Electrical	J15,16
HJ Morgan Smith	K11,12,16	Strumech	A2
Icom	A1, A5	Tar Communications	22,23,24,25
ICS	B1	Technical Software	21
International Listeners' Assoc		TW Wraith	M2-6
J&P Electronics	1,2,3	WAB	D14
Jandek	20	Waters & Stanton	B10,12
Jaybeam	B11	Weirhead Ltd	G5,6,7,8

GAREX ELECTRONICS

WEATHER SATELLITE EQUIPMENT

ATARI ANIMATED SYSTEM

Automatic frame capture and animation from Meteosat, also still pictures from NOAA & other VHF satellites. Complete system from antenna to colour monitor, including Atari ST1040 computer & software £1,695.00
Atari interface unit & software only £458.85

COMMODORE AMIGA

Interface & software for animation & superb high resolution pictures (600 pixels x 400 lines) £458.85

PCSAT+

For IBM & clones, expandable system from XT & CGA up to 386 & VGA, interface and standard software £458.85
Upgrade software for Amstrad, NOVA, VGA & Paint available.
Complete system: Meteosat antenna, preamp, receiver/interface, software & cables (data which computer) £688.85

COMPACT FRAME STORE SYSTEM

The basic METEOSAT system, no complications, no computer, just a plug in and go package that can be up and running in 10 minutes. Antenna through to 12" mono monitor: £995.95

SATELLITE SEPARATES

Meteosat Receiver antenna input, 2 wall audio output £270.25
Meteosat Preamp 15dB gain 0.6dB NF GaAs FET £109.25
NOAA 5 Channel VHF Receiver POA
NOAA BASIC Turnstile Antenna £34.95
NOAA BASIC Preamp 3 pole filter, boxed, 14dB gain £24.95

GAREX VHF RECEIVERS

A simple but versatile design capable of covering equal frequencies in the range 25-200MHz; sensitive double superhet with choice of IF bandwidths from "W-SAT" to "12.5kHz" PMR. Single channel xtal controlled with multi-channel options. Prices from £49.95

Mains power supply module 12V regulated 250mA £15.50

GAREX VHF PREAMPLIFIERS

Miniature general purpose only 34 x 9 x 15mm, any frequency in range 40-200MHz, up to 25dB gain
Stock versions: 6m, 4m, 2m & 137MHz (W-SAT) £11.45
Airband 118-138MHz (reduced gain) £11.45
Other frequencies in the range 40-200MHz to order £13.75
High Performance 2 metre Preamp
3 band-pass stages, 16dB gain, 1dB NF, RF switched (up to 35 wells) with gas-filled relays, assembled pcb £39.95
Boxed version, with BNC connectors £49.95
Gas-filled relays as used in preamp £4.95

tone BURST GENERATOR

Miniature (38 x 18 x 10mm) xtal controlled 1750Hz £17.95

GAREX DC/OC INVERTERS

A popular line for many years. Economy package: chassis section cut from commercial R/T gear, re-wired & tidied up to make a free-standing unit, no expensive cabinet, just basic value for money.

12V DC input, 250V 150mA DC output £10.95
12V DC input, 400V 200mA DC output £11.95
24V versions to order.

4 METRE RX CONVERTER

High quality PMR front end by lemons manufacturer, modified by Garex to make 4 Metre converter: 10-11MHz output. Full circuit & connection details £18.95

4 METRE 0.5 WATT TX

Tx Low Power driver unit matching above Rx, with modulator, fully aligned with data £15.95 (or + xtal for 70.45MHz £19.95)

REVCO TABLE MICROPHONES

Vary high quality PTT Base Mikes 600 or 2.4k ohm (steel which) £55.00

PYE ANTENNA RELAYS

12V operation, handles 50 watts up to 200MHz £1.95; 5 for £7.50

AUDIO BOOSTER

10 watt add-on PA, high quality audio unit by famous R/T maker, useful for noisy areas, Public Address, boosting audio from hand-helds; new, assembled pcb, full circuit data £9.95

SCANNER BARGAIN!!!

New cabinet, sub-frame and complete MPU pcb & LCD display, front panel & keyboard for AOR2002/Regency MX8000 Scanner; (less PLL & Rx) ideal for refurb., early model upgrade, spares or experiments. Amazing value only £29.95

WRITE (SAE, please) or PHONE for full details.

MAIN DISTRIBUTORS FOR REVCO ELECTRONICS LTD

Prices include UK P&P and 15% VAT
Ask for details of our Interest Free Credit

GAREX ELECTRONICS

HARROW HOUSE, AKEMAN STREET, TRING HP23 6AA

TEL: TRING (044282) 8580

and CHEODINGTON (0296) 668684

Callers by appointment only

VISA



S.E.M.

UNIT R, UNION MILLS, ISLE OF MAN
Telephone: (0624) 851277

TWO NEW PRODUCTS FOR 1990

FIRST...a receive aerial matching unit

We have been asked for this many times and here it is.

With modern receivers wide band aerial amplifiers correct aerial matching is important, but MORE IMPORTANT is that the matching is achieved with a high selectivity circuit which will reject unwanted signals and prevent cross modulation and overloading. This is just what we have produced, covering 1.5 MHz to 30 MHz.

HI-Q AERIAL MATCHING UNIT £65.00 (inc VAT and delivery)

NEXT...S.E.M. Q.R.M. ELIMINATOR MK II



It is over 2 years since we first produced these unique units with 1,000s now in use, worldwide.

The Mk II redesigned version covers 100 KHz to 60 MHz and can ELIMINATE ANY LOCAL INTERFERENCE. This, of course, includes LOCAL STATION, so you can phase out local ones and hear the more distant ones that are on the same frequency as well as removing next doors noisy thermostat, TV, computer or whatever.

You can transmit through it and the price remains the same —

£65 incl. VAT and delivery

If you send us £2 we will send you a cassette recording to demonstrate its effect on various types of QRM

GREAT NAMES from RADIO SHACK

COLLINS KWM-380

We still have a few of these superb KWM-380 transceivers in stock, brand new and boxed.

These were the last equipments made for the amateur by the high spec. Rockwell-Collins featuring full general coverage receive as well as amateur bands transmit.

Join the select few who made the wise investment and are using and enjoying the ease of use and finer performance of the KWM-380. Contact us for details.

As well as amateur gear we stock all of the scanners that are on the market and one of our 'deals' at the moment is the 400 channels PRO-2005 normally £339.95, our price whilst stocks last is £299.95 including free delivery and memory battery.

*Stacks of other stuff
Ancient and modern*

73s Terry Edwards G3STS

RADIO SHACK LTD

188 BROADHURST GARDENS.

LONDON NW6 3AY.

Just around the corner from West Hampstead Station on the Jubilee Line
Giro Account No: 588 7151. Fax: 01-226 5066. Tel: 01-624 7174.

SMC

**South Midlands
Communications Ltd.**

SENSATIONAL SHOW SPECIALS

AT NEC STAND D10 & C9

**FANTASTIC SAVINGS ON SOME OF
YAESU'S BEST SELLING RADIOS**

FT736R*

NOW ONLY £1199

SAVE £160

***CAN BE EASILY INTERNALLY LINKED FOR 9600 &
1200 BAUD PSK PACKET OPERATION**

FT4700RH

NOW ONLY £499

SAVE £176

FT470

NOW ONLY £349

SAVE £40

TRANSCEIVER ONLY

***ALSO AVAILABLE FROM ALL SMC BRANCHES BUT ONLY
WHILST STOCKS LAST***

DEPENDING ON DELIVERY STOCKS SHOULD BE AVAILABLE
AROUND 10th/11th APRIL 1990

**SOUTHAMPTON (0703) 255111
CHESTERFIELD (0246) 453340
AXMINSTER (0297) 34918**

**LEEDS (0532) 350606
BIRMINGHAM 021 327 1497
For full addresses see display advert**

RSGB PRODUCTS . . .

COUNTER PRICES NON-MEMBERS MEMBERS

COUNTER PRICES NON-MEMBERS MEMBERS

Amateur Radio Awards Book

Cris Henderson, G4FAM

3rd edition, 186 pages

A recently updated and much enlarged compilation of all the world's popular and obscure awards suitable for the avid parchment chaser or casual QSL card collector. Fully referenced and with many check lists.

Amateur Radio Operating Manual

Ray Eckersley, G4FTJ

3rd edition, 204 pages

This well-known book not only makes an interesting read for the new or experienced amateur, but makes an excellent reference book for the shack. Topics covered include DX operating, contests, mobile, RTTY, satellites and includes a 38-page appendix containing detailed information on each country's licensing details and prefixes.

Amateur Radio Call-book

RSGB

1990 Edition, 432 pages

The Call Book is no longer just a dry list of callsigns! It now contains an 130-page Information Directory section. So if you want to know about the QSL Bureau, bandplans, clubs, special-event stations or any of the other 35 major sections, this is the book you should have at your fingertips.

G-QRP Club Circuit Book

George Dobbs, G3RJV

96 pages

If you like construction, and want to build some simple circuits that work, this is the book. It is a pot pourri of eight years of the best articles that have appeared in *Sprat* - the journal of the G-QRP Club.

HF Antennas For All Locations

Les Moxon, G6XN

260 pages

This book explains the "why" as well as "how" of hf antennas, and takes a critical look at existing designs in the light of latest developments.

How to Pass the RAE

Clive Smith, G4FZH and George Benbow, G3HB

2nd edition, 84 pages

Multiple choice questions may look easy, but they are not - especially if you have not sat an exam for years. As the RAE is held only twice a year, it makes good sense to optimise your chances of passing so that you do not have to wait another six months. This book contains some excellent practical advice on how to tackle the exam and has nine sets of typical papers (and their answers) on which to practice.

Microwave Handbook Vol 1

Mike Dixon, G3PFR

224 pages

A brand-new book giving practical advice for the microwave enthusiast. This volume deals with operating techniques, antennas, transmission lines and devices.

An Introduction to Weather Satellites and Their Reception

M. Mansfield, G6AWD

A definitive text on the equipment required to establish a complete reception system for taking weather pictures from Polar and Geostationary satellites. This 29 page booklet has been written by someone who has good practical experience of this subject. The advice and information is presented logically and in an 'easy to read' manner. The booklet concludes with three pages of useful addresses and notes on what and where to buy the necessary parts to make up a receiving station.

Morse Code for the Radio Amateur

Margaret Mills, G3ACC

6th edition, 20 pages

This favourite book for many years contains words of wisdom for the novice and graded and timed passages for the tutor to send to the students.

Practical Wire Antennas

John Heys, G3BDQ

96 pages

Wire antennas offer one of the most cost-effective ways to put out a good signal on the HF bands, and this practical guide to their construction has something to interest every radio amateur on a budget. Theory has been kept to a minimum - instead, the author has shared his years of experience in the field.

RAE Manual

George Benbow, G3HB

12th edition, 129 pages

This is the standard text book that almost every radio amateur has studied in order to pass the RAE. The author is an experienced course tutor and this knowledge is reflected in the style and presentation of the material. The book reflects just the RAE syllabus, so the student is not distracted by any extraneous facts.

Radio Communications Handbook

5th edition, 779 pages

First published in 1938 and a favourite ever since, this large and comprehensive guide to the theory and practice of amateur radio takes the reader from first principles right through to such specialised fields as slow-scan television and amateur satellite communication. Excellent value for money.

Teleprinter Handbook

Eric Yeomanson, G3HR

A Hobbs, G8GOJ, Arthur Goss, G2UK,

2nd edition, hardback, 347 pages

This handbook covers the theory and practice of mechanical radio teleprinter equipment of both European and American origin. In addition to full descriptions and maintenance data of common machines, it fully describes the design and use of ancillary equipment.

... AT NEC PRICES !

COUNTER PRICES NON-MEMBERS MEMBERS

VHF/UHF Manual £8.94 £7.60

George Jessop, G6JP

4th edition, 511 pages

The standard textbook on theory, techniques and equipment for amateur radio transmission and reception at frequencies from 30MHz to 24GHz.

Amateur Radio Logbook £1.96 £1.67

A4, 96 pages, spiral wire bound

The standard fixed-station logbook. The wire binding gives easy fold-back to save space and the large A4 size ensures plenty of space for notes.

Mobile Logbook £1.13 £0.96

5.75" x 4.25", spiral wire bound, 32 pages

A small logbook to keep in the car so that you can keep track of your mobile operating.

Receiving Station Logbook £3.66 £3.11

50 pages

Especially designed for the listener to the amateur bands, this logbook includes three columns for RST reports: given, received and at the SWL station.

Great Circle DX Map £2.35 £2.00

Wall: 3 colour 24" x 31.75" and desk:
A4 printed in black.

This popular station accessory shows the bearing in degrees from London of any DX station and is invaluable for the HF operator using a directional antenna. The wall map is plastic laminated for extra durability.

Locator Map of Europe £1.29 £1.10

Wall: printed in black, 22" x 24.5"
and desk: A4 printed in black

Covers whole of Europe from Iceland and Finland to North Africa and the Black Sea. Shows the medium locator squares, eg KN80, as well as country prefixes.

Locator Map of Western Europe £0.76 £0.65

Wall: printed in blue and black 36.5" x 49"

Shows the full IARU locator squares, eg JN36BF, for the whole of the British Isles, Southern Norway, Denmark, France, Northern Spain and Italy.

World Prefix Map £2.47 £2.10

This is a superb multi-coloured wall map measuring approximately 1200mm x 830mm. It shows amateur radio country prefixes worldwide, world time zones, IARU locator grid squares, and much more.

Software Register £0.96 £0.82

A multi-page list with brief details of where to obtain programs relating to amateur radio for all the common home computers.

COUNTER PRICES NON-MEMBERS MEMBERS

Meteor Scatter Data Sheets £3.37 £2.86

*G H Grayer, G3NAQ and
Chris Bartrum, G4OGU*

32 pages

This set of tables enables the keen vhf DXer to optimise his or her effort. It lists at hourly intervals, for all the regular meteor showers, the best azimuth and elevation angles for communications across particular paths. It also gives an indication of the effectiveness of that path as well.

Car Stickers

Discover the world of £0.53 £0.45

Amateur Radio with RSGB

11.5" x 2.25"

Black on yellow

I Love Amateur Radio £0.77 £0.65

12.25" x 2"

Black and red on white

I'm on the air with £0.72 £0.61

amateur radio

7.625" x 3.125"

Black, red and white on blue

I'm monitoring .5 are you? £0.53 £0.45

3.25" x 6.75"

Black on yellow

RSGB Emblem £0.70 £0.60

For members only

Knitware

A range of personalised sweaters, slip-overs, shirts/blouses and sweatshirts are available in a large variety of sizes. The colours available are maroon, navy, black, red, white, grey, sky blue and yellow and all can be personalised with any combination of RSGB logo, name and/or callsign. Also available are a personalised ham bear, shack banners and sew on badges.

Ties £4.85 £4.12

A selection of good quality ties containing the RSGB logo. Available in navy, maroon, green and coffee colours.

Callsign lapel badges

A range of four different styles of badge are available - two with just the RSGB diamond and two with space to have your callsign engraved. Different colours are available according to the length of continuous RSGB membership.

Radio Communication Bound Volumes


Just the thing if you want to refer to articles before you joined RSGB or simply desire a tidy bookcase.

Radio Communication £4.45 £3.78

Easibinder

Each issue of *Radio Communication* is packed with many pages containing lots of information. An Easibinder enables you to keep your collection in a safe, tidy and ordered way, so that it enhances your bookcase and is ready for quick reference. A good Christmas or birthday present.

BUY THE BEST — BUY



SOLID BRITISH ENGINEERING

CAPCO CAPACITORS, ROLLER COASTERS AND BALUNS

BUILD YOUR OWN A.T.U. FOR £66.10

CAP-25S £17.90

CAP-25T £21.80

R/COAST £26.40 + £4.50 p&p

BUILD YOUR OWN LOOP WITH OUR NEW CAPACITOR AND MOTOR ASSEMBLY 80, 40, 30 £99.50

10, 12, 15, 17, 20 £55.15 + £3.00 p&p


FEATURES OF CAPCO LOOP ANTENNAS

- It has a very high Q
- A radiation resistance from 300 milliohms to never more than 0.8 of an ohm
- Has a bandwidth from 3kHz to 50kHz
- It has an SWR of 1.4 to 1 at the very least, 1.1 to 1 on most bands
- Will operate at virtually ground level
- The loop has a vertically polarised radiation pattern containing both very high and very low angle radiation (ideal as a DX antenna)
- Does not require an Antenna Tuning Unit
- Depending on the model used it only occupies from 80cm to 4m of space
- It is ultra compact, light and waterproof
- Planning permission is not necessary

YOU ONLY NEED TWO AERIALS FOR CONTINUOUS COVERAGE FROM 3.5 to 30 MHz.

COST OF THE TWO AERIALS—ONLY £665.50 + £30.00 p&p

THIS OFFER INCLUDES CONTROL BOX, CLAMPS AND CABLES.



SPC-300D



SPC-3000D



'STAY TUNED FOREVER'

With a

CAPCO A.T.U.

BRITISH WORKMANSHIP AT ITS BEST

***NEW PRODUCT FROM CAPCO**

AS-305 AERIAL SWITCHING UNIT

1-160 MHz, 3000 Watts PEP. £64.95 + £3.00

***NEW PRODUCT**

SPC-100 A.T.U.

1-30 MHz, 300 Watts PEP. £79.50 + £5.00

See Press Reviews/Releases for further details

For more information on any of our products including high power A.T.U.'s, Loop Antennas for commercial use, send to:

CAPCO ELECTRONICS LTD

UNIT 6

PEEL ROAD INDUSTRIAL CENTRE

PEEL ROAD

WEST PIMBO

SKELMERSDALE, LANCs.

WN8 9PT


TEL: 0695 27948

TELEX: 629575 COMGAS

FAX: 0695 29125

WEATHER MONITORING

SEE FULL RANGE AT
NEC — TABLE 11



HOME, SCHOOL, CLUB, INDUSTRIAL

- WIND DIRECTION
- WIND SPEED
- GUST ALARM
- GUST SPEED
- RAINFALL
- SUNSHINE
- BAROMETRIC PRESSURE
- OUTSIDE TEMPERATURE
- MIN-MAX TEMPERATURE
- RELATIVE HUMIDITY
- TIME
- WOODEN CABINET
- MAINS & 12-24V DC

FROM ONLY £159.00 + VAT inc P&P



Available direct from manufacturers

**R&D ELECTRONICS, 318A NORTHOWN RD
MARGATE, KENT CT9 3PW TEL: (0843) 221622**



27 PARK ROAD,
BARNSTONE,
NOTTINGHAM
NG13 9JF
TEL. 0949 60607
FAX. 0949 60773

NEW

1990 CATALOGUE (ISSUE 7)

Available from
NEC Stand No: 15 - 19,
your local rally
or by post

Our new catalogue contains:

HIGH QUALITY BRACKETS (hot dip galvanised finish) made in our workshops, supplemented by a FREE design service and manufacture of special brackets to customers requirements. An excellent range of CABLES, YAESU ROTATORS, CONNECTORS, MUTEK PRODUCTS, etc.

POPES H100	80p/M	GREENPAR CONNECTORS.	
RG213 UBX	70p/M	N Type for RG58	£2.65 each
URN67 (N.S.)	65p/M	N Type for RG213	£2.80 each
RG58 (TINNED)	30p/M	BNC for RG58	£1.50 each
RED/BLACK FIG 8		ROTATORS	G600RC £213
FROM	20p/M	G400	£139 G400RC £169

RETAIL STOCKISTS REQUIRED
THROUGHOUT THE U.K.

COMMERCIAL & TRADE CATALOGUE WITH 800 LINES
(ON PRODUCTION OF COMPANY LETTER HEAD)
MAIL, ORDER & TELEPHONE ORDERS ACCEPTED ON CREDIT CARDS
WE ACCEPT ACCESS, VISA & RSGB CREDIT CARDS

ALINCO DR 110 2M 45 Watts!

£269



Receive Option:
140-169MHz.

The new 2 metre mobile transceiver from ALINCO is superb value. Steps of 5, 10, 12.5, 20, 25kHz plus high power make it suitable for a wide number of applications. 14 memory channels and rotary dial control make operation a joy. Improved LCD display makes night operation much easier. The diminutive size (5.5" x 2.5" x 6.75") makes for easy installation in the modern car. Other features include up/down mic, 3 way scanning, 1750Hz tone-burst, reverse input, memory skip, and of course a full mobile mounting kit. Send for colour brochure today!



ALINCO DJ100E SPECIAL SPRING PRICE £169 inc VAT!

Lowest Priced
Compact Handheld
2M 3 Watts.
Rx Extendable
10 Memories
Programmed Steps
LCD Display
Ni-Cads and AC charger
Rubber Antenna
DC/DC Converter built in.

HF TRANSCEIVER DISCOUNTS!

Most transceivers are designed for 12 volts. The manufacturer's own PSUs are expensive. But our REVEX "BIG BERTHA" P3001a just as good and a lot cheaper. Fully protected, large hunk of trans-former, and thermal fan cooled! Below is a list of out-of-the-box packages that we invite you to consider. Part exchange welcome. Credit? Most certainly. Just ask for quote.



Model Type	Mir's PSU	REVEX PSU
Kenwood TS440S	£1360.00	£1200.00
Kenwood TS140S	£1035.00	£959.00
Kenwood TS680S	£1158.00	£1080.00
Yaesu FT747GX	£918.00	£759.00
Yaesu FT757GX2	£1228.00	£1069.00
Yaesu FT767GX	£1858.00	£1699.00
ICOM IC751A	£1878.00	£1589.00
ICOM IC735	£1357.00	£1069.00
ICOM IC725	£1137.00	£859.00

The above price comparisons use the manufacturer's nearest equivalent PSU to the P300. Each Revex is fully guaranteed for 12 months as is the matching HF transceiver. All mail orders against credit cards are dispatched by 24 hour Securicor at our risk. If payment is made by cheque please allow an extra couple of days for clearance.

STILL THE BEST PERFORMERS!

25-1300 MHz* £299

Handheld JUPITER II

Price now includes ni-cads, case, 12V DC power/charger lead, and belt clip.

- * AM/FM
- * Direct up/down tuning
- * 5, 10, 12.5, 25, 30 KHz steps
- * 100 memories
- * 10 programmable bands
- * Step change frequency correction
- * High speed scan 20 per sec.
- * Carrier or audio scan
- * Battery Saver
- * Telescopic antenna (BNC)
- * Fast memo load feature
- * Individual memory unload
- * Uses 4 x AA cells (Jupiter II)
- * Size 7" x 2.5" x 1.5"
- * 700 MHz IIR IF
- * Proper English Manual
- * Superb sensitivity.

* Does not cover 550-800MHz.
No other similar receivers offer the same features at anywhere near the price! And inside the construction is a Jey! Lots of space, nicely laid out boards all linked with quick connect plugs. Not a "Taiwanese Rat's Nest"!

- **Direct up/down control.**
No need to punch anything into memories. Just enter frequency and use up/down buttons for manual or electronic tuning.

- **AF Scan.**
No more annoying blank carriers for the receiver to lock onto. Simply tell it to ignore carriers not containing audio and it will.

- **One Button Memo Read.**
A single button takes you directly into the memory bank. Up/down or scan will quickly move you around or use direct access for a particular channel number.

- **Battery Saver.**
For long term single channel monitoring this feature will reduce battery consumption by 70%.

25-1300 MHz* £345

Mini - mobile/base JUPITER 6000 inc. P.S.U.



- **Skip Function**
Whether you want to bypass a single memory channel or an entire bank, this control provides the answer.

- **High Speed Scan.**
Select high speed scan or search and you will whiz through the range at a hell of 20 steps per second! That means you can scan 100 memories in 5 seconds or 1 MHz of space (25kHz steps) in 2 seconds. It really works!

- **Fast Memo Write.**
Enables you to quickly write into the memories, no need to select a number, the receiver will use the next empty memory.

- **User Friendly Search Programme.**
You can search in either direction and change direction at the press of a button. Total agility with a speed to match.

- **Unique Multiband Programme.**
No less than 10 separate band segments can be stored in the receiver's memory.

- **Total Flexibility.**
The basis upon which the receiver has been designed. It means you tell the receiver to do exactly what you want it to do, almost like having a receiver that was designed for your own personal needs. No other receiver can match it, feature for feature and the good news is the cost.

World demand is tremendous. We are getting only small quantities so pick up the phone now and you could be lucky!

FREE CATALOGUE & PRICE LIST! We now have an illustrated catalogue of some interesting products for the radio amateur that we have never had the space to advertise. Also details of new items coming along. Just drop us a first class stamp and we will send you this plus our price list of over 700 items!

MIZUHO "MX" QRP SSB/CW RIGS £189

Now in stock these 2 watt single banders for 80, 40 or 20 metres are real beauties. VFO control (one xtal supplied) gives 25kHz segments on 80 and 40, and 50kHz on 20 metres. Features IRT, noise blanker, S-meter, speaker, Morse key, BNC socket.



Size 66W x 39H x 142mm deep. As used by G85BN on Ben Nevis. Amplifiers also in stock. Send for gen.

A QRP STATION

Free Offer!

Buy a Mizuho 80, 40 or 20m rig and we will give you a set of ni-cads, 12V DC charging lead and a G5RV aerial system completely free of charge! Limited offer so act now!

SPECIAL OFFER THIS MONTH

ALINCO DR510E
2M/70cms Mobile



£399

DUALBINDER DISCOUNT!

At last a dual bander that you can afford! This latest model from ALINCO offers full duplex on 2 metres and 70cms. 45 and 35 Watts output ensure long range contacts. The digital display is superb and there is a proper rotary control for frequency selection. What is more it is very small and will fit most cars. Supplied complete with mic, etc.

IN STOCK

**WATERS
& STANTON**

RETAIL & MAIL ORDER:- 18-20, Wain Road, Hockley, Essex S55 4QS.

Tel: (0702) 206835 204965

RETAIL ONLY:- 12, North Street, Hornchurch, Essex RM11 1QX

Tel: (04024) 44765

Visa and Access by telephone. 24hr. Answerphone. Open 6 full days

RSGB NATIONAL VHF CONVENTION

Sandown Park Racecourse, Esher, Surrey

SATURDAY 12 MAY 1990

- One day exhibition and lecture programme
- Specialist groups
- Full lecture programme on VHF, UHF and micro-wave subjects
 - Equipment test facility
 - Morse tests
- Presentation of trophies
- Comprehensive trade exhibition

PROGRAMME

- 1030 Convention opens. Enter through main entrance.
Refreshments. Snack bar in the hall will be open from 1100 to 1800 and the licensed bar will be open throughout the convention.
- 1130 AGM 6m Group.
- 1330 Convention address and presentation of trophies by RSGB President Frank Hall GM8BZX

LECTURE PROGRAMME

Detailed Arrangement for Lectures will be Notified on Arrival

- | | A | B | C |
|------|---|--|---|
| 1415 | 'The Optimum System for VHF/UHF Transverters or Black Boxes'
<i>Angus McKenzie, G3OSS</i> | 'New Amateur Satellites launched This Year'
<i>Ron Broadbent, G3AAJ</i> | 'Communication by Light'
<i>Dr. Julian Gannaway, G3YGF</i> |
| 1515 | 'DX and the Solar Cycle'
<i>Ray Cracknell, G2AHU</i>
<i>Prof. Martin Harrison, G3USF</i>
<i>Ted Collins, G4UPS</i> | Microwave Committee Forum | Remote Imaging Group AGM
<i>Henry Neale, G3REH</i> |
| 1615 | VHF Contests Committee Forum | 'Construction of Simple Microwave Sources'
<i>Sam Jewell, G4DDK</i> | Morse Test Forum
<i>Robert McEwan Reid, G4GTO</i> |
| 1715 | Lecture Sessions Ends | | |
| 1800 | Trade exhibition closes. Convention ends | | |


ADMISSION

To simplify management and to reduce costs, it has been decided, as last year, not to issue admission tickets for this convention, either in advance or at the gate.

Admission will be by payment on entry as follows:

Convention and exhibition	£1.50
" " " (under 18)	£1.00
" " " (under 14)	Free

RAIL TRAVEL
British Rail
WATERLOO
TO ESHER
ACCESS MAP TO
SANDOWN PARK
Talk-in station
GB2VHF:
channels S22
SU22



Map by courtesy of United Racecourses



NEW PK-232MBXTM With PakMailTM



Now AEA's popular PK-232 multi-mode data controller has new features you've been asking for...PakMailTM Mailbox with selectable third-party traffic, seven-character AMTOR (CCIR R.625) call identity, TDM (Time Division Multiplex) receiving for SWL's, and Prioritized Acknowledgement (ACK) protocol for improved packet performance. Compatible with almost every computer or asynchronous data terminal, you can enjoy the full spectrum of amateur digital communications with AEA's new PK-232MBX.

All Operating Modes. The PK-232MBX includes all authorized amateur digital modes available today...Morse, Bandot, ASCII, AMTOR/SITOR 476 and 625, Packet, WEFAX receive and transmit, as well as commercial standard NAVTEX automated marine information services.

Superior Modem. An eight-pole Chebyshev bandpass filter limiter-discriminator modem improves the signal-to-noise ratio at the detector and virtually eliminates interference from adjacent signals. System performance has been proven superior to that of PLL modems designed for telephone line services.

PakMailTM. PakMailTM mailbox with selective control of third-party traffic is now a standard feature. Your friends can now leave you messages around the clock. Your local full-service BBS can automatically forward your messages directly to your PK-232MBX.

WEFAX Transmission and Reception. AEA brought you the first multi-mode controller to send and receive WEFAX (weather facsimile) charts. The PK-232MBX directly supports the widest range of printers on the market using the optional RS-232C printer cable.

Host Mode. Only AEA provides the type of full-featured Host Mode preferred by many professional programmers for efficient control of the PK-232MBX. AEA's Host Mode programs include PC-Pakratt with FAX for the IBM PC's and compatible MS-DOS computers, COM-Pakratt with FAX for the Commodore C-64 and C-128, MacRATT with FAX for the Apple Macintosh, and Amiga-Pakratt for the Commodore Amiga.

Two Radio Ports. Independent radio connection ports allow convenient, interchangeable all-mode operation regardless of port selection. You can connect two VHF/UHF radios, an HF and a VHF/UHF radio, or two HF radios, selectable by a front-panel switch.

Signal Analysis. The PK-232MBX's internal software features AEA's exclusive SIAM (Signal Identification and Acquisition Mode). The PK-232MBX automatically identifies Bandot, ASCII, AMTOR/SITOR and TDM signals, then measures signal speed and polarity. A simple "OK" command automatically switches the PK-232MBX to the recognized mode and starts the data display.

PakMailTM Upgrade Kit. The easily-installed PakMailTM upgrade kit includes a plug-in board and new software EPROMs, and is fully compatible with all existing PK-232's. Please contact ICS for details.

You Deserve The Original. AEA produced the first multi-mode data controller. The PK-232 continues to be the standard against which all other multi-mode controllers are judged; the choice of critical amateurs, commercial services and government agencies. Don't settle for less than the best.

AEA Brings You A Better Experience.

ICS Electronics Ltd
Unit V, Rudford Industrial Estate
Ford, Arundel, West Sussex BN18 0BD
Tel: 0903 731101

Specifications may be changed without notice



KENWOOD



Is this the best HF transceiver in the world?

We believe that it probably is, and as you read the review in this magazine, you will begin to understand why.

When a reviewer of the stature of Peter Hart uses phrases such as: "The quality reports received on transmit with the DSP were superb." Or "The PA intermodulation performance was much better than the average rig." "The reciprocal mixing or oscillator sideband noise performance was also excellent, one of the best radios I have measured, and substantially better than the TS-930S or TS-940S even with the Lowe modification," you can begin to understand why we really do believe that Kenwood have set new standards for others to attempt to emulate.

Does the digital signal processing (DSP) really justify itself, or is it

just a "gimmick." Peter Hart says: "The DSP performance was amazing. In the widest setting, the -6dB audio bandwidth was 180Hz to 3.0kHz and yet the unwanted sideband and carrier rejection was in excess of 70dB!" The exclamation mark is fully justified.

See the TS-950SD at the NEC, or at our Matlock head office if you can. We can't at the moment put one in every branch simply because of the demand for this definitive new transceiver, but a fully descriptive brochure is available on request.

If you happen to come across a TS-950SD being used on the air, just take a listen and you will soon answer the question...

"Is this the best transceiver in the world?"

NEC STAND D21-23

LOWE ELECTRONICS LTD.

Chesterfield Road, Matlock, Derbyshire DE4 5LE Telephone 0629 580800 (4 lines)

Sole Appointed UK Distributor for KENWOOD Amateur Radio

NEVADA introduce the world's **FIRST**

1000 CHANNEL PROGRAMMABLE SCANNER

the **Fairmate HP100E**

packed full of the latest features

- 15 - 600MHz and 830 - 1300 MHz frequency coverage
- An incredible 1000 channel memory capacity
- 10 independent search bands
- A fast 40 channel per second search speed
- User-selectable search steps from 5KHz to 995KHz
- Modes - AM, FM and new Wideband FM for commercial reception
- Selectable 10dB attenuator
- Keypad and rotary tune controls

Each Fairmate 100E comes complete with:

- Full set of high capacity Ni-Cads
- Two antennas (one VHF, one UHF)
- Carry case
- Shoulder strap
- Belt clip
- DC cable
- Earpiece for private listening

*All this for
under £300*



Send £2
for our latest Catalogue
packed full of information
on Scanners, Amateur & CB Radio

use your credit card for same day despatch
HOTLINE: 0705 662145 FAX: 0705 690626

FAIRMATE

NEVADA
COMMUNICATIONS

You'll be hard-pressed to beat the performance of Yaesu's new FT-411 handheld.



Let Yaesu's "next generation" handheld lighten your load!

Picking up where our popular FT-209R Series left off, the 2-meter FT-411 will amaze with its astounding array of features!

The brains of a base station. "Sophisticated operation" takes on new meaning in the FT-411. You get 49 memories, plus dual VFOs for quick hand-hopping. Keyboard frequency entry. Automatic repeater shift.

Selectable channel steps: 5/10/12.5/20/25 kHz. Programmable band scan with upper/lower limits. Selectable memory scan.

Not bad for a handheld measuring just 55(w) × 32(d) × 139(h) mm (the same size as our FT-23R Series handles).

Friendly operation. For operating convenience, the FT-411's keypad features a "do-re-mi" audible command verification. Both the display and keypad can be backlit (brightly!) for night operation at the push of a button. A rotary channel selector allows fast manual tuning. Or key in the frequency directly. Operate VOX (with YH-2 headset option).

Plus you get a battery saver to conserve power while monitoring. And a (defeatable) automatic power-off feature that shuts down your radio if you forget to turn it off!

High power capability.

Optional nicad packs available are FNB10, 2.5-watt, 600-mAh. FNB-12 5-watt, 500mAh pack or tiny FNB-9 2.5-watt, 200mAh pack. Or you can get 6 watts output by applying 13.8-volts DC from an external power supply.

Swap options with Yaesu's FT-23R Series. Our rugged best-seller's chargers, batteries, and microphones are fully compatible with the FT-411. The FT-23R is the perfect companion for the FT-411, and at a great price!

Try out an FT-411 today. At your local authorised Yaesu dealer. And experience the legendary Yaesu handle performance!



YAESU